# CAMBRO



product catalog

www.cambro.com

# **2013 Cambro® Catalog Table of Contents**





### **TABLE SERVICE**



**DISPLAY** 



**CAMSHELVING®** 

Mobile Starter Units

**High Density** 

Security Cage

Tray Slide Rack

Wall Shelves & Extenders

**Divider Bars** 

6	5-28
Personalization	7,17,21
Trays At A Glance	8-9
Camtrays®	10-15
Healthcare Dietary Trays	13
Metric Tray	13
Color Chart	14-15
Camwear® Trays	16
Camlite® Trays	16
Fast Food Trays	17
Market Trays & Pans	18
Non-Skid Versa Camtrays®	19
Non-Skid Versa Camtrays	
for Room Service	19
Hotel Room Service Trays	20
Camtread® Trays	22
Treadlite™ Trays	23
Polytread® Trays	23
Compartment Trays	24-28
Compartment Serving Trays	26
Trapezoid Compartment Tray	ys 26
Meal Delivery Trays	27
Separator® Compartment Tr	ays 27
Tray On Tray Meal Delivery Sy	stem 28

	29-44
Dinnerware	30-31
Camcover® Plate Covers	32-33
Pitchers	34
Aliso® Barware	35
Goblets	35
Dessert Glass	35
Tumblers	36-41
CamLid® Kid Lids	37
Camliters®/Decanters	41
6-Gallon Beverage	
Dispenser	42
Pail with Bail	42
Swirl Bowls	42
Wine Buckets	43
Punch Bowls	43
Bud Vase	43
Personalization	44

45-	55
Deli Crocks & Platters ShowFest® Display Bowls & Trays Serving Bowls 4: Display Covers & Trays Crocks Ladles Serving Spoons High Heat Camtensils® Tongs Shakers/Dredges Condiment Jars	46 47 8-50 51 52 52 53 53 54 55

	56-75
Camshelving <sup>®</sup> Consulting Service	57-75 59
Components	60
Space Utilization	61
<b>Configuration Details</b>	62
Post Kits	63
Shelf Kits	64
Starter Units Add-On Units	65-68 65-68
Mobile Post Kits	69



**ELEMENTS SERIES** 



**STORAGE** 

76-	-89
Camshelving Elements Series	76-89
Weight Capacity	77
Space Utilization	78
Configuration Details	79
Consulting Service	79
Post Kits	81
Accessories	81
Shelf Kits	82-83
Starter Units	84
Add-on Units	85
Mobile Post Kits	86
Mobile Starter Units	87
Divider Bars	88
Dunnage Racks	89

90-120

70-71

72-73

74

74

74

75

30	120
Pizza Dough Boxes	91
Quick Guide To	
Storage Solutions	92-93
Food Storage Containers	94-101
CamSquares®	94-97
Round Storage Containers	98-101
Food Storage Boxes & Lids	102-105
StoreSafe® Labels	106
Camwear® Food Pans & Lids	107-111
H-Pans <sup>™</sup>	112-115
Translucent Food Pans	116-117
ColdFest®	118
Ingredient Bins	119
Camcrisper®	119
Scoops	120
Measuring Cups	120
, , , , , , , , , , , , , , , , , , ,	





143-171



172-183



### **MERCHANDISING**

### INSULATED TRANSPORT

### HEALTHCARE

### WAREWASHING

121-	-142
Versa Food Service System	122-125
Food Bars	126-127
CamKiosk® System	128-130
Hand Sink Cart	131
Work Station	131
Equipment Stand	131
Camcruiser® Vending Carts	132-133
Booster Seats	134
Versa Organizers	134
Portable CamBars®	135-141
Ice Caddies	142

_	
Insulated Beverage Servers	144-146
Accessories	147
Hydration Station	147
Beverage Service Carts	148
Insulated Food Servers (Non-Electric)	149-161
Single GN Food Pan, Top-Loading Carriers	149-150
Multiple GN Food Pan, Top-Loading Carriers	150
Multiple GN Food Pan, Front-Loading Carriers	151-152
Camdollies® & Accessories	153
Multiple GN Food Pans, Front-loading Carts	154-157
Sheet Pans & Trays, GN Food Pans/Boxes	158-159
Temperature Maintenance Tools	160-161
Insulated Food Servers (Electric)	162-171
Ultra Pan Carrier® & Ultra Camcart® H-Series	162-164
Combo Cart™ <i>Plus</i>	165-167
Camtherm®	168-170
Transporter Capacity Guide	171

;	Non-Skid Versa Camtrays® 173
	Non-Skid Versa Camtrays®
	for Room Service 173
;	Meal Delivery Ware 174-179
	Shoreline Meal
	Delivery System 174, 178-179
	Temperature Retention
)	Systems 175-177
	Camduction® System 175-176
)	Camtherm® Plate and
	Pellet Heater 177
	Reusable CamLids® 178
	Camrack® Wash and Store Rack 178
	Disposable CamLids® 179
'	Camshelving® Dome Drying
	and Storage Rack 180
)	Meal Delivery Carts 181-183

13	84-210
Camrack® 4-in-1 Syst	em 185
Glass and Cup Keeper	rs 186-190
Camrack for	
Flatware/Plates	191-193
Component System	194-195
Personalization	196-197
Camrack Accessories	198
Selecting The Right C	amrack 198
Sizing Reference Guid	le 199-200
Camdollies®	201-202
Utility Trucks	202
Tray & Dish/Silver Car	rt 203
Adjustable Dish Cadd	y 204-205
Versa & Poker Chip	
Caddies	206-207
Adjustable Tray &	
Dish Cart	206-207
Cambox® Bus Boxes	208
KD Service Cart &	
KD Utility Cart	209
Service Carts	210

GENERAL INFORMATION			
General Terms	5		
Icon Directory	5		
Warranty	5		
Alpha Numeric Listing	213-222		
Roto Color Chart	223		

PERSONALIZATION	
Camtrays®	7
Fast Food Trays	17
Camtread®	21
Table Service/Storage	44
CamKiosk	130
Camcruisers	133
Camracks	209

# Visit www.cambro.com for a wide variety of information about our products including new product updates, an interactive Camrack Glass to Back Guide, consultant

www.cambro.com

updates, an interactive Camrack Glass to Rack Guide, consultant cut sheets and CAD drawings, care and maintenance product guides and more.

# **InStock**

Cambro's top selling and most frequently used products are InStock. These products are available to ship to Certified Cambro Distributors with their next shipment. Broken cartons are excluded. InStock products are highlighted in gray throughout the Cambro Product Catalog.

The Trademarks of Cambro and product images are the property of Cambro and are subject to the control and ownership of Cambro.

Any use thereof is only granted for the promotion and sales of Cambro products and subject to the control of Cambro Manufacturing Company.

the **cambro**® story

When William and Argyle Campbell first opened the doors at Cambro Manufacturing in 1951 their goal was to make a hospital meal tray of the highest quality possible. Named the Camtray®, it demonstrated that they were as committed to excellence in the food service industry as they were to the quality of their own products. As 2011 marked the company's 60th year of leadership in quality, innovation and customer service, today Cambro serves the world with the industry's most complete selection of products for widely diverse segments of the food service business.

Since 1951, the company has experienced many changes including a greatly expanded product line, new methods of manufacturing and distribution, and an increased emphasis on issues like environmental responsibility. From a single factory in California, Cambro has grown to become an international presence with production facilities and sales offices in the United States, Europe, the Middle East and Asia. But the original guiding vision of the Campbell brothers remains unchanged: to create and provide the most innovative, durable and highest quality products for the food service industry. Now led by William's son Argyle, Cambro is still dedicated to meeting our customers' needs, and equally committed to helping you serve, satisfy and delight your guests.

At the heart of our business philosophy is our willingness to listen, so in a very real way we owe all our success to you, our customer. Our longevity in a very competitive field for 60 years certainly proves the value of that philosophy, and we are proud to have earned the loyalty of customers of all sizes and in all segments of the industry. From hotels to healthcare to caterers, from restaurant chains to educational facilities, we understand the food service business and we design and create our products with the end user foremost in mind. Our

goal is to provide our customers the best possible value on products that are durable, save labor and increase food safety, so you can offer your guests a superior experience while enhancing profitability.

Cambro is uniquely committed to investing in the people and processes that make our products a reality. We're proud that children and grandchildren of some of our first employees are with us today, and of the dedication to quality and service of our entire family worldwide. We continually work on developing new ideas for specific industry segments, and invest in new tooling and leadingedge machinery to bring these products to market. We persistently strive to improve our manufacturing methods to be more efficient in terms of process and materials, to keep costs under control while keeping our planet healthy. And we constantly seek to maintain quality and value despite rising costs of transport and raw materials, the need to reduce environmental impacts, and the demand of end users for total order accuracy and responsive service across a global market.

From once offering a single product, the Camtray, sixty years ago, today Cambro offers a wide range of trays, table service and display items, storage, shelving, merchandising and insulated transport products, as well as innovative warewashing systems and healthcare meal delivery solutions.

The future is certain to bring great changes to our industry. Yet one thing that will remain a constant is Cambro's tradition of continually developing new products that help food service operators save time and money, increase sales, reduce labor and improve service. In the years ahead, guided by the commitment of its founders to innovation, quality, and value, Cambro Manufacturing will still be the leader in serving the food service industry and you, our valued customer.

# **General Terms**

### Cambro products may be combined to obtain prepaid freight.

Specifications, features and equipment shown are based upon the latest information available. Cambro Manufacturing Company reserves the right to make changes at any time, without notice, to price, colors, specifications, accessories and materials. For additional information, please contact your authorized Cambro representative.

### Freight

Freight is free on shipments totaling \$3,000 net or more, based on a single order for single delivery within the continental U.S.A. Orders for shipments totaling less than \$3,000 are F.O.B. Any items back ordered from a "free freight order" will be forwarded transportation charges paid. Add-ons are not allowed on "free freight order backorders". Customer requested palletized orders will be charged \$7.00 net per pallet.

### **Return Merchandise Policy**

No merchandise may be returned without written authorization. Authorized returns must be shipped freight prepaid. All returned goods must be new and unused, in original packaging and are subject to a minimum 15% repackaging charge plus outbound freight. Returned of goods must be requested within 60 days of invoice. Special or non-standard items are not returnable.

### **Assessorial Charges**

From time to time, motor carriers will charge for services that are beyond the scope of a normal delivery. In the event that this happens, Cambro Mfg. reserves the right to bill the customer for these charges. Services that fall under this program would include:

- Sort & Segregation of product at customer's dock
- Lift-gate required to off load the product from the truck
- Inside delivery requests

These charges are considered to be assessorial charges and are not included in the prepaid freight program.

### **Broken Cartons**

Orders calling for less than standard pack will be charged \$10.00 net per broken case. Broken cartons are not available on any special order items, the assortment pack, custom imprinted ladles, 4 pack booster chairs, disposable lids or on StoreSafe labels.

There is no broken carton charge on Camracks.

### **Replacement Parts**

Visit www.cambro.com for replacement parts information on Cambro products.

### **Product Accessories**

Contents and accessories shown in photos are not included, except where noted.

# **Cambro Warranty**

Cambro offers a 5 year pro-rated warranty against damage or defects found in excess to normal wear and tear on our Camtrays®, Camtread® trays and Dinnerware. Commercial Electrical Equipment models hold a one year warranty. Non-skid Versa Camtrays, Polycarbonate food storage pans, squares, rounds and lids have a 2-year pro-rated warranty. Camshelving® and Camshelving Elements Series have a one year warranty on workmanship and a lifetime limited warranty against rust and corrosion, excluding mobile posts. For all other Cambro products, Cambro warrants to the original buyer a three-year pro-rated warranty unless otherwise noted. If product proves defective during this time, Cambro grants a pro-rated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

# **Icon Directory**

Throughout the Cambro catalog, please use the following easy-to-identify icons to help explain Cambro product features or services.



### **Food Safety Matters**




**New Product** 



Dishwasher Safe

For 60+ years, Cambro foodservice equipment and supplies have earned the trust and loyalty of customers and public health professionals alike because our products are designed with Food Safety in mind. At Cambro, every product design is based upon the core principle of food safety.



You can learn more about Cambro's Food Safety initiatives at www.cambro.com/storesafe



Stackable



Foam Insulation



Pro-rated Warranty.



Not For Use In Heated Carts.



Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.



Personalization Available Non-Food Contact Areas Only.



One carton of product is within the weight and cube requirements to be shipped by parcel carrier.



Many Cambro products may be recycled. For further information, please contact your Cambro representative.



Cambro "Storage Select" BPA-Free
(Bisphenol-A Free) products are available
for customers who are interested in
products deemed BPA-Free.
Please contact your sales representative
for more information.

**Note:** Temperature ranges noted throughout this catalog are based on specific test criteria and provide a general guideline. Individual use may vary due to differences in loading temperatures or ambient temperature.

©2013 Cambro Manufacturing Company. Printed in the U.S.A.

1.800.833.3003 USA / Trays



TRAYS

# **Promote Your Brand** — Personalized Camtrays® Trays

Personalize Camtrays Trays to display a message with every tray served. Advertise a product, promote your business, enhance patient satisfaction or strengthen school spirit.



Look for this icon that identifies items that can be personalized.

### **CAMTRAYS**

### **Digital Printing Process:**

Allows printing of multiple color artwork as well as photo reproduction. This process can only be used on light color trays.

### Printable Area:

The artwork can cover the flat surface of tray up to 1" from the internal tray edge.

Tray Order Minimum: 72

### **Silkscreen Printing Process:**

Allows printing of artwork with one or multiple colors laying next to each other. This process is best used with light color artwork on dark color trays.

### Printable Area:

The artwork can cover the total surface of the tray from one edge to the other.

Tray Order Minimum: 144

### Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL Net Charges
72-144	\$ 0.75
145-288	0.50
289-432	0.25
433 and up	Free

### **HOW TO ORDER A SAMPLE**

### 1. Request a Sample

Contact your local Cambro representative to complete and submit the sample request form to Cambro.

### 2. Provide Artwork

Provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for \$50.00 per hour.

### 3. Submit Artwork

E-mail artwork to Cambro Rep or to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info.

**File dimensions:** 100% reproduction size, 300 dpi resolution.

### File type:

Adobe® Illustrator®, Photoshop®. File format: jpeg, tiff, and eps. Or mail artwork on a CD-ROM to: Cambro Attn: Kristie Patterson, 7601 Clay Avenue, Huntington Beach, CA 92648.

### 4. Questions

Contact Kristie Patterson at 714-230-4125 direct or 800-854-7631 ext. 4125.

### 5. Sample Approval

A signed sample approval form must be faxed to Cambro customer service prior to processing any purchase orders. This form is included with each sample.

### 6. Sample Turnaround

7-10 business days.

\* All personalized tray orders are full case quantities only; no broken cartons.

# 7. Personalization Charges (NET) Tray Sample:

\$ 50.00 (Charge will be billed on sample order, credited on first purchase order.)





1.800.833.3003 USA / Trays

# **Trays At A Glance**

# **Patron Trays**

### **Camtray®**

The industry standard, Durable fiberglass construction backed by a 5 year prorated warranty against breakage.

43	7	55
SIZES	SHAPES	COLORS



V	5
	RORATED

# **Non-Slip Service Trays**

## Camtread® Trays

Durable fiberglass construction with non-skid surface. Grips service items to avoid spills.

17	3	2
SIZES	SHAPES	COLORS



### Camlite® Tray

Combine economy with durability. Fiberglass construction.

6	1	9
SIZES	SHAPE	COLORS



### **Treadlite™ Tray**

Fiberglass reinforced polyester lightweight tray with molded in non-skid surface ensures items stay in place during service.



Camwear® Trays
----------------

Made from virtually unbreakable Camwear polycarbonate.



2	1	2
SIZES	SHAPE	COLORS



3	2	2
SIZES	SHAPES	COLORS

### Polytread® Trays

General purpose tray with non-skid surface.

6	2	2
SIZES	SHAPES	COLORS



6	2	2	
SIZES	SHAPES	COLORS	



### **Fast Food Tray**

Economical choice that withstands frequent use.

3	1	14
SIZES	SHAPE	COLORS

# **Healthcare Dietary Tray**

Low profile offers patient comfort. Made of durable fiberglass. Camtray and Non-Skid Versa Camtrays are also recommended for patient meal delivery.

8	1	58
SIZES	SHAPE	COLORS



### Non-Skid Versa **Camtrays**

Non-Skid Versa Trays reduce waste, save money and provide a stable tray surface for meal delivery.

3	3	3
SIZES	SHAPES	COLORS





PRORATED 1 . 8 0 0 . 8 3 3 . 3 0 0 3

# **Service Trays**

### **Hotel Room Service Tray**

Lightweight yet durable service tray features a contemporary design.

1	1	3
SIZE	SHAPE	COLORS



### **Trapezoid Compartment Tray**

Offers seven deep compartments for ample, portion controlled serving.



1	1	1
SIZE	SHAPE	COLOR



# **Display Trays**

### **Market Trays**

Ideal for merchandising food items in showcases. Durable fiberglass construction.



Compartment	Trays
Tray with cover sepa	rates ea

Separator®

compartment to retain food temperature and reduce spills.

2	1	4
SIZES	SHAPE	COLORS



19	1	6
SIZES	SHAPE	COLORS



### Tray on Tray Meal **Delivery System**

Use Insert Tray and Base Tray to serve hot and cold foods together.



Compartment	Trays
-------------	-------

### **Compartment Tray**

Six compartment tray available in three materials.




1	1	19
SIZE	SHAPE	COLORS



ง		J
SIZES	SHAPES	COLORS

### **Meal Delivery Trays**

Deep compartments and snap-on cover.



2	2	4
SIZES	SHAPES	COLORS



### 2 x 2 Compartment Trays

Durable trays with easy grip handles. Trays fit side by side in dishrack to reduce warewashing expense.



### Compartment **Serving Trays**

Compartment configurations to meet all menu requirements.



2	2	13
SIZES	SHAPES	COLORS



2	3	8
SIZES	SHAPES	COLORS





# Class of 1966

Nothing withstands the test of time like a Cambro® Camtray®.Designed to outlast just about everything and everyone, Camtrays are backed by a 5 year prorated warranty against cracking, warping or breakage. Durable fiberglass construction ensures that Camtrays will perform in the most demanding environments and last for decades. Available in the widest selection of sizes, shapes and colors. Camtrays can be personalized with digital quality images featuring your logo or design.




Eight stacking lugs ensure straight stacking. Dri-Stak separators allow for quick drying.



Permanent decorations. All patterns and decorations are molded under tough surface mat and resin to last.



Top fiberglass layer is smooth and strong. Coupled with polyester resin, it resists impact, stains and chemicals.



Each tray is dated on the bottom (production year and quarter), demonstrating how long it lasts.

www.cambro.com 1.800.833.3003

# **Camtray®**

- Use in restaurants, hotel room service, cafeterias, food courts, hospitals and schools.
- Durable construction backed by five year prorated warranty against breakage.
- Made of lightweight, high-impact fiberglass with reinforced edges.
- Stain, odor and scratch resistant.
- Molded-in Dri-Stak separators ensure even air flow between trays for quick drying.
- Stacking lugs keep trays stacked in place.



### **Rectangular Camtrays**

The industry standard.

Available in Group I colors and patterns and Group III Wood.















Saves tabletop space and increases seating capacity.

Available in Group I colors and patterns and Group III Wood.





















CODE	DIMENSIONS	CASE Pack	CASE LBS. (CUBE)	LIST P Group i	RICE EA. Group III		
Rectangular			(===)				
46	4½" x 6"	12	1.86 (0.07)	\$ 4.85	\$ 6.75		
57*	$4^{15}/_{16}$ " x $6^{15}/_{16}$ "	12	1.97 (0.07)	5.25	7.35		
810	8" x 91/8"	12	6.46 (0.22)	11.55	14.95		
915	8¾" x 15"	12	10.16 (0.39)	16.45	19.05		
926*	81/8" x 259/16" x 1"	12	17.74 (0.76)	21.50	27.80		
1014	105/8" x 133/4"	12	10.43 (0.42)	15.25	19.70		
1216	12" x 165/16"	12	13.01 (0.59)	17.60	23.10		
1318*	125/8" x 173/4" x 11/16"	12	17.48 (0.75)	21.85	27.30		
1418	14" x 18	12	19.52 (0.75)	21.05	27.45		
1520	15" x 201/4"	12	21.22 (0.80)	25.45	33.00		
1622	16" x 22"	12	28.54 (1.02)	29.30	38.10		
16225*	16½" x 22½"	12	30.40 (1.09)	32.10	40.10		
1826	171/8" x 253/4"	6	16.7 (1.91)	39.05	50.25		
2025*	20 <sup>3</sup> / <sub>4</sub> " x 25 <sup>9</sup> / <sub>16</sub> "	6	21.39 (0.71)	47.60	57.95		
Trapezoid							
1418TR	14" x 18"	12	14.41 (0.63)	19.95	26.95		
1422TR*	14" x 22"	12	17.14 (0.84)	21.85	29.55		
1520TR*	14 <sup>9</sup> / <sub>16</sub> " x 19 <sup>1</sup> / <sub>2</sub> "	12	16.4 (0.66)	23.30	30.45		
I Ct I. O - I A	Ct 1. O-1 A-ti Dt						

InStock Colors: Antique Parchment (101), Black (110). \* Special order item not carried in stock, non-returnable. One case order minimum.

1.800.833.3003 USA / Trays

# **Camtray®**

### **Oval Camtrays**

Perfect for banquet service.

Available in Group I colors and patterns except Doily and Group III patterns.













### **Round Camtrays**

A favorite for pizza and beverage service.

Available in Group I colors and patterns except Doily and Group III patterns.














### **Insert Camtrays**

Fits onto a Camtray to separate hot and cold food, ideal for dietary tray service.

Available in Group I colors and patterns except Doily.















	DIMENSIONS	CASE	CASE LBS.		RICE EA.
CODE	DIMENSIONS	PACK	(CUBE)	GROUP I	GROUP III
Oval					
2500*	19¼" x 24"	6	15.67 (0.87)	\$ 38.05	\$ 50.25
2700*	22" x 261/8"	6	18.75 (0.72)	44.35	58.70
Round					
900*	9"	12	4.43 (0.21)	11.70	14.85
1000*	10"	12	6.19 (0.26)	12.95	16.80
1100	11"	12	7.25 (0.34)	12.95	16.40
1200*	12"	12	8.24 (0.33)	14.30	19.15
1300*	13"	12	9.42 (0.44)	15.75	20.80
1400	14"	12	13.94 (0.51)	16.05	21.75
1550*	16" low profile	12	16.36 (0.70)	20.50	26.75
1600	16"	12	15.40 (0.73)	20.15	26.95
1950*	19½" low profile	12	25.26 (1.04)	27.80	36.65
Insert					
1015* (2 trays fit into a 1520)	101/8" x 15"	24	22.89 (0.85)	15.75	20.40
1116* (2 trays fit into a 1622)	10%" x 15%"	24	24.50 (1.07)	16.50	23.10

<sup>\*</sup> Special order item not carried in stock non-returnable.

1.800.833.3003  $w\ w\ w\ .\ c\ a\ m\ b\ r\ o\ .\ c\ o\ m$ 

# **Dietary Trays and Metric Camtrays®**

### **Healthcare Dietary Trays**

- Designed specifically for in-room patient feeding.
- Low slope edge provides easy access when dining from a hospital bed.
- Made of lightweight fiberglass with reinforced edges.

Available in Group I colors and patterns and Group III Wood.

Dietary trays are guaranteed for one year against breakage.









		CASE	CASE LBS.	LIST PRICE EA.	
CODE	DIMENSIONS	PACK	(CUBE)	GROUP I	GROUP III
Dietary					
1216D*	12" x 16"	12	14.02 (0.47)	\$ 18.20	\$ 24.15
1219D*	12" x 19"	12	17.42 (0.64)	21.40	27.60
1220D*	12" x 20"	12	16.45 (0.65)	23.15	29.70
1222D*	12" x 22"	12	20 (0.71)	23.15	29.65
1418D*	14" x 18"	12	16.56 (0.65)	21.20	28.00
1520D*	15" x 203/16"	12	10.76 (0.78)	25.20	31.85
1622D*	15%" x 21%"	12	26 (1.02)	28.90	37.75

<sup>\*</sup> Special order item not carried in stock, non-returnable.



### **Metric Camtrays**

Designed to meet international specifications.

Available in Group I colors and patterns and Group III Wood. 3555TR is available in Group I colors and patterns except Doily.





















CODE	DIMENSIONS		CASE LBS. (CUBE)	LIST PI Group I	RICE EA. Group III
Metric					
1313*	13" x 13" (33 x 33 cm)	12	13.8 (0.43)	\$ 15.75	\$ 20.65
2632*	10 <sup>7</sup> / <sub>16</sub> " x 12 <sup>3</sup> / <sub>4</sub> " (26,5 x 32,5 cm)	12	10 (0.35)	14.90	19.25
3046*	11 <sup>13</sup> / <sub>16</sub> " x 18 <sup>1</sup> / <sub>8</sub> " (30 x 46 cm)	12	17.5 (0.57)	18.70	24.80
3242*	12½" x 16½" (31,9 x 41,9 cm)	12	7.2 (0.50)	18.05	20.80
3253*	12¾" x 20%" (32,5 x 53 cm)	12	17.04 (0.66)	22.20	29.70
3343*	13" x 17" (33 x 43 cm)	12	15.51 (0.50)	18.75	24.95
3753*	14% x 20% (37 x 53 cm)	12	22.96 (0.86)	25.30	33.05
3853*	14¾" x 20¾" (37,5 x 53 cm)	12	22 (0.81)	25.10	33.05

<sup>\*</sup> Special order item not carried in stock, non-returnable.



1.800.833.3003 USA / Trays

# **Camtray® Group I Colors**

Colors listed alphabetically. See numerical reference on following page.



Due to the catalog printing process, the colors & patterns shown may not be exact. Contact Cambro or a Cambro representative for a color chip.

# Camtray® Group I Patterns







# Swirl

270 Black & Gold







Decorator







# **Camtray Group III Wood**





Burma Teak



Light Basketweave



Country Oak **®** 



Light Butcher Block (III)



Light Elm



204 Rattan



Trays are non-returnable.

# Camtray Group | Colors — Numerical Reference by Color Code

Antique Parchment (101), Desert Tan (104), Horizon Blue (105), Light Peach (106), Pearl Gray (107), Black (110), Lime-ade (113), Brazil Brown (116), Dark Peach (117),

Sherwood Green (119), Amazon Blue (123), White (148), Tuscan Gold (171), Sky Blue (177), Taupe (199), Citrus Orange (220), Ever Red (221), Orange Pizzazz (222), Slate Blue (401), Blush (409), Raspberry Cream (410), Teal (414), Olive Green (428), Key Lime (429), Real Rust (501), Mustard (504), Cherry Red (505), Suede Brown (508), Signal Red (510), Bayleaf Brown (513), Earthen Gold (514), Robin Egg Blue (518), Cambro Red (521), Burgundy Wine (522), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538), Grape (551).

# Camwear® Polycarbonate & Camlite® Trays

### **Camwear Trays**

- Ideal for use in correctional facilities.
- Made from virtually unbreakable polycarbonate.
- Large stacking lugs keep trays straight and in place when stacked.
- Molded-in Dri-Stak separators allow air flow between trays for quick drying.

Colors: Blue (168), Beige (133).











### **Camlite Tray**

- An economical, all-purpose tray for self-serve food service dining.
- Made of fiberglass with reinforced corners.
- Stacking lugs keep trays straight.
- Molded-in Dri-Stak separators allow air circulation for quick drying.
- Camlite Trays cannot be personalized.

Colors: Rose Red (163), Yellow (145), Green (162), Blue (142), Tan (161), Steel White (676), Steel Red (675), Steel Blue (674), Black (110).















CODE	DIMENSIONS	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.
Rectangular				
1418CW	$13^{15}\!\!/_{16}$ " x $17^{15}\!\!/_{16}$ "	12	17.43 (0.67)	\$ 24.95
1520CW	141/8" x 201/8"	12	20.50 (0.87)	25.95
Trapezoid				
1418TRCW	14" x 18"	12	16 (0.72)	24.95

CODE	DIMENSIONS	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.
Rectangular				
1014CL	105/8" x 133/4"	12	11.15 (0.40)	\$ 13.85
1216CL	12" x 165/16"	12	12.92 (0.57)	15.70
1418CL	14" x 18"	12	17.59 (0.67)	17.10
1520CL	15" x 20½"	12	22.06 (0.82)	19.55
1826CL	17%" x 25¾"	12	32.06 (1.34)	28.10
3253CL	12¾" x 20¾"	12	18.87 (0.67)	16.85

www.cambro.com 1.800.833.3003

# **Fast Food Tray**

 Perfect for self-serve or quick-serve dining.



- Made of durable polypropylene.
- Attractive textured surface hides scratches.

CODE	DIMENSIONS	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.
1014FF	10½ x 13½ "	24	13.02 (0.61)	\$ 4.30
1216FF	111/8" x 161/8"	24	18.84 (1.01)	5.10
1418FF	1313/16" x 173/4"	12	13.50 (0.63)	6.55

InStock Colors: Black (110), Red (163).



# Promote Your Brand – Fast Food Trays

Personalized Fast Food Trays display a message with every tray served. Advertise products, promote your business and brand or strengthen school spirit.



### **How To Order A Sample**

### 1. Request a Sample

Contact your local Cambro rep to complete and submit the sample request form to Cambro. Specify location of imprint on tray. Maximum imprint size: 6" x 6".

### 2. Provide Artwork

Provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro **PRIOR** to artwork being sent. If artwork is incomplete, graphic support services will be offered for \$ 50.00 per hour.

### 3. Submit Artwork

E-mail artwork to your Cambro Rep or the Cambro Personalization Dept. at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info. File dimensions: 100% reproduction size, 300dpi resolution. File type: Adobe® Illustrator®, Photoshop®.

File format: jpeg, tiff, and eps. Or mail artwork on a CD-ROM to: Cambro Manufacturing Company Attn: Kristie Patterson, Cambro, Personalization Dept.,

7601 Clay Avenue, Huntington Beach, CA 92648.

### 4. Questions

Call Kristie Patterson at 714-230-4125 direct or 800-854-7631 ext. 4125.

### 5. Sample Approval

Signed approval form must be faxed to Cambro customer service prior to processing any purchase orders. Approval form included with each sample tray.

### Personalization Charges (Net) Tray Sample

\$50.00 (Charge will be billed on sample order, credited on first purchase order)

### **Custom Die Charge**

\$75.00 (Billed on sample order, one time charge)

TRAY Quantity	COST Per tray
288-767	\$ 0.36
768-1199	0.27
1200-5999	0.18
6000-11,999	0.14
12,000 +	0.12

1.800.833.3003 USA / Trays

# **Market Trays & Pans**

### **Market Trays and Pans**

- Attractively merchandise desserts, pastries, hors d'oeuvres and salads.
- Ideal for use in bakeries, supermarkets and delis.
- High-impact resistant fiberglass with reinforced edges provide strength.
- Trays and pans resist odors and will not oxidize like aluminum trays.
- Pans feature a 2" (5 cm) rim for salads and ready to eat foods.

**Colors:** Salmon (149)\*, Yellow (145)\*, Blue (142), Green (140), White (148), Black (110).







Market Trays make appealing bakery merchandising quick and easy.



Market Pans showcase deli items.

CODE	DIMENSIONS W x L x H	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.
Market Trays				
630MT*	$6\frac{7}{16}$ " x 30" x $\frac{3}{4}$ "	12	14.54 (0.57)	\$ 19.60
826MT*	8½" x 25½" x ¾"	12	16.48 (0.52)	16.05
830MT*	8½6" x 30" x ¾"	12	20.50 (0.75)	22.15
913MT*	87/8" x 123/4" x 1"	12	10.22 (0.40)	17.15
918MT*	8 <sup>11</sup> / <sub>16</sub> " x 18" x <sup>13</sup> / <sub>16</sub> "	12	10.22 (0.40)	18.60
926MT*	81/8" x 259/16" x 1"	12	16.42 (0.79)	20.70
1015MT*	101/8" x 15" x 3/4"	24	13.75 (0.85)	15.50
1030MT*	10½6" x 30" x ¾"	12	22.50 (0.83)	24.50
1218MT*	11½" x 17¾" x 1"	12	15.50 (0.63)	19.35
1224MT*	12½" x 24" x ¾"	12	21.38 (0.82)	24.25
1230MT*	12½6" x 30" x ¾"	12	25.13 (0.96)	28.15
1318MT*	125/8" x 173/4" x 11/16"	12	17.56 (0.76)	19.85
1826MT*	17 <sup>13</sup> / <sub>16</sub> " x 25 <sup>11</sup> / <sub>16</sub> " x <sup>11</sup> / <sub>16</sub> "	6	16.58 (0.88)	31.65
2025MT*	20¾" x 25½6" x ½16"	6	21 (0.80)	41.45
Market Pans				
6302MT*	6 <sup>9</sup> /16" x 30" x 2"	12	17.52 (0.72)	30.75
8262MT*	83/8" x 251/2" x 2"	12	21 (0.93)	25.20
8302MT*	8½6" x 30" x 2"	12	23.69 (0.90)	33.85
92615MT*	81/8" x 251/2" x 11/2"	12	19.65 (0.72)	20.65
10302MT*	10½ " x 30" x 2"	12	28 (1.15)	36.20

<sup>\*</sup> Special order item not carried in stock, non-returnable. One case order minimum.



www.cambro.com 1.800.833.3003

# Non-Skid Versa Camtrays®

- Non-Skid Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats or liners will generate annual savings of over 50%.
- Non-Skid Camtrays provide a better grip for safer meal delivery.
- · Dishwasher safe in low and high temperatures.
- · Stacking lugs allow for quick drying.

Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).









Personalization available. Visit www.cambro.com for details.



Non-skid trays grip table top items firmly.

CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)	LIST Price ea.
1418VC	Non-Skid Versa Camtray	14" x 18"	20.74 (0.69)	\$ 37.40
1520VC	Non-Skid Versa Camtray	15" x 20"	26.05 (0.61)	41.80
1622VC*	Non-Skid Versa Camtray	16" x 22"	31.8 (1.11)	51.70
1418VDC	Non-Skid Versa Dietary Tray	14" x 18"	20.45 (0.75)	37.40
1520VDC	Non-Skid Versa Dietary Tray	15" x 20"	26.9 (0.74)	41.80

Case Pack: 12

InStock Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

# **Non-Skid Versa Camtrays** for Room Service

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts, that accommodate 15" x 20" trays.
- Non-skid surface eliminates the need for tray mats, saving time
- · Dishwasher safe at high and low temperatures.
- Stacking lugs allow for quick drying.

Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).













Personalization available. Visit www.cambro.com for details.



Case Pack: 12

InStock Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).







USA / Trays 1.800.833.3003

<sup>\*1622</sup>VC only available in Ivory with Sahara (380).

# **Hotel Room Service Tray**

- Lightweight, weighs up to 30% less than wood room service trays.
- Dishwasher safe once a day, easily wipes clean. Saves time and labor.
- Standard 14" x 19" tray mat can be used on the surface of the tray.

**Colors:** Brushed Steel (612), Venge (384), Walnut (376).



















CODE	OUTER	INNER	CASE LBS.	LIST
	Dimension	Dimension	(CUBE)	Price ea.
1525RST	15½" x 25"	14" x 21"	29 (0.71)	\$ 30.85

Case Pack: 12

www.cambro.com 1.800.833.3003

## **Promote Your Brand** — Personalized Camtread® Trays

Personalize Camtread Trays to display a message with every tray served. Advertise a product, promote your business, enhance patient satisfaction or strengthen school spirit.



Look for this icon that identifies items that can be personalized.

### **Camtread Trays**

# Tray Back Personalization Digital Printing Process:

Allows printing of multiple color artwork as well as photo reproduction.

### Printable Area:

The artwork can cover the flat surface of tray up to 1" from the external tray edge.

Tray Order Minimum: 72

### Tray Back Personalization Charges Per Tray:

QUANTITY EACH	NET CHARGES
72-144	\$ 0.75
145-288	0.50
289-432	0.25
433 and up	Free

White trays are recommended for tray back personalization.

### Rubber Surface Embossing Electronic File Format:

Adobe Illustrator EPS formats.

### **Embossing Process Printable Area:**

The artwork can cover the surface of the tray up to 1" from the internal tray edge.

# Embossing Personalization Charge Per Tray:

QUANTITY EACH	ADDITIONAL Net Charges
72 and up	\$ 1.00

Tray Order Minimum: 72



### 1. Request a Sample

Contact your local Cambro representative to complete and submit the sample request form to Cambro.

### 2. Provide Artwork

Provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for \$50.00 per hour.

### 3. Submit Artwork

E-mail artwork to Cambro Rep or to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info. **File dimensions:** 100% reproduction size, 300 dpi resolution.

### File type:

Adobe® Illustrator®, Photoshop®. File format: jpeg, tiff, and eps. Or mail artwork on a CD-ROM to: Cambro Attn: Kristie Patterson, 7601 Clay Avenue, Huntington Beach, CA 92648.

### 4. Questions

Contact Kristie Patterson at 714-230-4125 direct or 800-854-7631 ext. 4125.

### 5. Sample Approval

A signed sample approval form must be faxed to Cambro customer service prior to processing any purchase orders. This form is included with each sample.

### 6. Sample Turnaround

7-10 business days.

\* All personalized tray orders are full case quantities only; no broken cartons.

# 7. Personalization Charges (NET) Tray Sample:

\$ 50.00 (Charge will be billed on sample order, credited on first purchase order.)



1.800.833.3003 USA / Trays

# **Camtread® Trays**

- An industry standard for caterers, hotels, banquet halls, dining rooms and bars.
- Non-skid surface ensures drinks and meals stay in place during transport.
- Made of heavy-duty, durable fiberglass with a thick molded in, non-skid surface.

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

\* Special order item not carried in stock, non-returnable. One case order minimum.

Do not use Camtread Trays in enclosed heated carts.















Non-skid, non-slip trays. Less breakage, greater profits.



**Tray Colors:** 



Black Satin



Tavern Tan



FIVE YEAR PRORATED WARRANTY AGAINST DELAMINATION



CODE	DIMENSIONS	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.
Round				
900CT*	9"	12	5.79 (0.22)	\$ 18.75
1100CT	11"	12	8.95 (0.32)	18.75
1400CT	14"	12	14 (0.52)	24.95
1550CT*	16" low profile	12	18.48 (0.70)	33.90
1600CT	16"	12	25.75 (0.68)	32.90
1800CT	18"	6	12.6 (0.52)	46.65
1950CT*	197/16" low profile	12	30.15 (1.05)	47.75
Oval				
2500CT	191/4" x 231/8"	6	18.76 (0.84)	59.40
2700CT	22" x 261/8"	6	24.50 (1.33)	66.85
2900CT	281/8" x 231/2"	6	28.57 (0.91)	75.85
Rectangular				
1014CT*	105/8" x 133/4"	12	13.76 (0.42)	23.10
1216CT*	12" x 165/16"	12	17.78 (0.59)	26.70
1418CT	14" x 18"	12	22.01 (0.68)	33.25
1520CT*	15" x 201/4"	12	19.48 (0.7)	37.80
1622CT*	16" x 22"	12	39.46 (1.01)	46.65
1826CT	17 <sup>13</sup> / <sub>16</sub> " x 25 <sup>11</sup> / <sub>16</sub> "	6	23.33 (0.91)	56.00
3253CT*	12¾" x 20¾"	12	27.10 (0.75)	38.90
InChaple Calas	na Diani Catin (110) Taura	T /120\		

InStock Colors: Black Satin (110), Tavern Tan (138).

1.800.833.3003 www.cambro.com

# Treadlite™ Tray

- Fiberglass reinforced polyester lightweight tray has a molded in non-skid surface.
- Non-skid surface ensures items stay in place during service.
- Reinforced edges provide superior strength and protection.
- Stacking lugs enhance air circulation for quick, effective drying and perfect stacking.







**Tray Colors:** 



Black Satin



Tavern Tan

### CODE DIAMETER CASE LBS. (CUBE) LIST PRICE EA. 1400TL 14" 10.55 (0.52) \$ 15.00 1600TL 16" 15.98 (0.69) 20.00

Case Pack: 12 InStock Colors: Black Satin (110), Tavern Tan (138).

# **Polytread® Trays**

- An economical service tray for restaurants, bars and banquet service.
- General, all-purpose, non-skid service trays help reduce spills and breakage.
- Non-skid surface is bonded directly into a lightweight polypropylene tray.
- Dri-Stak separators allow air to circulate freely over and under each tray for fast drying.



CODE	DIMENSIONS	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.
Round				
PT1100	11"	12	6.75 (0.31)	\$ 10.25
PT1400	14"	12	10.44 (0.53)	13.70
PT1600	16"	12	12.88 (0.66)	18.50
Rectangular				
PT1014	10% x 135%"	24	19.50 (0.76)	13.15
PT1216	111//8" x 161/4"	24	25.25 (1.11)	14.35
PT1418	14" x 18"	12	18.25 (0.81)	18.15

Tray Colors:





Brown

USA / Trays

# **Compartment Tray**

- Perfect for school lunch programs or cafeteria-style feeding in correctional facilities.
- Textured surface resists scratching.
- All are FDA approved for food contact.
- Camwear® is made with virtually unbreakable polycarbonate.
- Budget is made with ABS.
- Penny-Saver is made with economical co-polymer.

7.7 oz.

227,7 mL

12.1 oz.

357,8 mL

BCT1014, PS1014 & 10146CW

**Camwear Polycarbonate NSF Listed** Colors: Beige (133), Black (110).

ABS and Co-Polymer trays are not NSF listed.

Two year prorated warranty for Camwear Compartment Trays against breakage.









### **Cambro Trays**

saves 110 lbs of trash in disposable trays per day or 9.26 tons of trash per year from just trays for one school district.\*

\* This number is approximate. The average school district in the U.S. is about 10,000 students and the average number of in-session school days is 175.

### **Camwear Colors**



Sherwood Green



Yellow



Cranberry



Beige



Navy Blue



Black

### **Budget Colors**



Sherwood Green



Tan





Cranberry



Yellow



Red



Teal



### **Penny-Saver Colors**



Grass Green



Tan



Teal



Yellow



Navy Blue



Cranberry



CASE LBS. (CUBE) LIST Price ea. DIMENSIONS CODE WxLxD Camwear® 10146CW 10" x 14½" x ¾" 20.59 (1.05) \$ 13.70 Budget BCT1014 10" x  $14\frac{1}{2}$ " x  $\frac{3}{4}$ " 18.11 (0.98) 9.95 Penny-Saver PS1014 10" x 14½" x ¾" 13.73 (0.83) 6.20 Case Pack: 24

PS1014 on OETR314 Open End Tray Rack.

www.cambro.com 1.800.833.3003

# 2 X 2 Compartment Trays

- Perfect for school lunch programs or cafeteria-style feeding in correctional facilities.
- Gradual sloping compartment walls promote quick draining and faster drying.
- "Easy grip" handles ensure a better grip for children with smaller hands.
- 915CW, 100CW, SRB13CW and 50CW bowls fit in round compartment.
- 10CW and 150CW bowls fit in square compartment.

**Camwear Polycarbonate NSF Listed Colors:** Beige (133), Black (110).

Co-Polymer trays are not NSF listed.

Two year prorated warranty for Camwear Compartment Trays against breakage.











Styrofoam, the material that many disposable trays are made from, can make up to 30% of the trash volume in landfills.

Cambro Trays are made from an FDA approved material.

### Camwear®



Sherwood Green



Beige









Navy Blue



Translucent Blue



### **Co-Polymer**



Grass Green




Navy Blue





Cranberry





915CW & 915CP 1596CW & 1596CP



CODE	DIMENSIONS W x L x D	CASE LBS. (CUBE)	LIST Price ea.
Camwear			
1596CW	9" x 15" x 1/8"	20.64 (0.56)	\$ 12.05
915CW	8¾" x 15" x ¾"	17.34 (0.94)	12.05
Co-Polymer			
1596CP	9" x 15" x 1/8"	20 (0.60)	6.55
915CP	8¾" x 15" x ¾"	10.14 (0.92)	6.55
Case Pack: 24			



1.800.833.3003

# **Compartment Serving Trays & Trapezoid Compartment Tray**

### Compartment **Serving Trays**

- For meal delivery in correctional facilities.
- Compartment configurations designed to meet all menu requirements.

### Camwear® Polycarbonate 6-Compartment Colors:

Navy (186), Cranberry (416), Yellow (145), Sherwood Green (119) **6-Compartment NSF Listed Colors:** Beige (133), Black (110). 5-Compartment NSF Listed Color: Beige (133).

Co-Polymer Not NSF Listed Colors: Brown (167), Tan (161).

Withstands Temperatures From Polycarbonate: -40 to 210°F (-40° to 99°C).

**Co-Polymer:** -40 to 210°F (-40 to 99°C).







NT9CP Co-Polymer Cup: For details contact your Cambro representative.

### **Trapezoid Compartment Trays**

- Space saving tray for self serve correctional facility feeding.
- Offers seven deep compartments for ample, portion controlled servings.
- Serve soup and salad at the same time.

Camwear Colors: Beige (133).

Withstands Temperatures From Polycarbonate: -40 to 210°F (-40° to 99°C).

Trapezoid Compartment Trays are covered by the following U.S. Patent D 508,634.


















Case Pack: 24



14105CW Also Available



	5 oz. 5 oz. 147,8 mL 147,8 m	
14.4 oz. 425,8 mL		14.4 oz. 425,8 mL
12.8 oz. 378,5 mL	32.5 oz. 961 mL	12.8 oz. 378,5 mL
14187TR	CW	

CODE	DESCRIPTION	DIMENSIONS W x L x D	CASE LBS. (CUBE)	LIST Price ea.
Camwear Po	lycarbonate			
10146CW	6 Compartments	$10\text{"}\ x\ 14^{1}\!/_{2}\text{"}\ x\ ^{15}\!/_{16}\text{"}$	20.59 (1.05)	\$ 13.70
14105CW	5 Compartments	$10^{11}\!/_{16}$ " x $13\%$ " x $1\frac{1}{8}$ "	19.8 (0.65)	15.00
10145CW	5 Compartments	10" x 14½" x ½16"	20.75(0.99)	14.95
Co-Polymer				
14105CP	5 Compartments	$10^{11}\!/_{16}$ x $13\%$ x $11\!/_{8}$	15.01 (0.67)	6.65

CODE	DESCRIPTION	DIMENSIONS W x L x D	CASE LBS. (CUBE)	LIST Price ea.
Camwear Trape	zoid Tray			
14187TRCW	7 Compartment	14" x 17 <sup>15</sup> / <sub>16</sub> " x 1½"	22.36 (1.34)	\$ 26.90
Case Pack: 12				

www.cambro.com 1.800.833.3003

# Meal Delivery Trays & Separator® Compartment Tray

### **Meal Delivery Trays**

- Three deep-dish food compartments for large portions.
- Snap-on cover fits securely.
- Textured surface minimizes scratching.

Camwear® Polycarbonate Colors: Beige (133), Teal (414). Lid Color: Clear (135).

**Co-Polymer Not NSF Listed Colors:** Teal (414), Brown (167), Tan (161). Lid Color: White (148).

Withstands Temperatures From Polycarbonate: -40° to 210°F (-40° to 99°C).

**Co-Polymer:** -40° to 210°F (-40 to 99°C).







# **Separator Compartment**

- Six compartment tray designed specifically for in-cell feeding programs.
- Serve both hot and cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- · Locking ridges on top of cover and bottom of tray ensure more secure stacking.

### **Camwear Polycarbonate**

Color: Beige (133). Lid Color: Clear (135).

**Co-Polymer Not NSF Listed Colors:** Teal (414), Brown (167), Tan (161). Lid Color: Translucent (190).

Withstands Temperatures From Polycarbonate: -40° to 210°F.

(-40° to 99°C).

**Co-Polymer:** -40° to 210°F (-40° to 99°C).















9113CW/9113CP



9114CW/9114CP

CASE LBS.

8.1 oz. 239,5 mL 8.1 oz. 239,5 mL 239,5 mL 239,5 mL 14.1 oz. 417 mL 18 oz. 532,3 mL

10146DCW/10146DCP

CODE	DESCRIPTION	WxLxD	(CUBE)	PRICE EA.
Camwear P	olycarbonate			
9113CW	3 Compartments	9" x 11" x 21/16"	24 (1.66)	\$ 16.05
9114CW	4 Compartments	9" x 11" x 2½"	26 (1.67)	16.75
911CWC	Lid fits both trays	_	12.75 (0.68)	11.35
Co-Polyme	r			
9113CP	3 Compartments	9" x 11" x 21/16"	16.83 (1.57)	6.80
9114CP	4 Compartments	9" x 11" x 2½"	20 (1.67)	6.80
911CPC	Lid fits both trays	_	9.39 (0.66)	3.70

DIMENSIONS

Case Pack 24							
	1	2/	<b>レ</b> .	2	D	0.0	റം

CODE	DESCRIPTION	DIMENSIONS W x L x D	CASE LBS. (CUBE)	LIST Price ea.
Camwear Poly	carbonate			
10146DCW	6 Compartments	$10$ " x $14\frac{3}{16}$ " x $1\frac{5}{16}$ "	24.50 (1.08)	\$ 17.60
10146DCWC	Lid fits 10146DCW	_	9.79 (1.21)	9.35
Co-Polymer				
10146DCP	6 Compartments	9%" x 14" x 1%"	17.9 (1.56)	8.65
10146DCPC	Lid fits 10146DCP	_	14.75 (0.96)	5.05
Coco Book, 24				

LIST

# **Tray On Tray Meal Delivery System**

### **Base Tray**

- Combine pre-plated hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for nesting the insert tray.

Camwear® Polycarbonate Color:

Beige (133).

**Co-Polymer Not NSF Listed Colors:** Brown (167), Tan (161).

Withstands Temperatures From

**Polycarbonate:** -40° to 210°F (-40° to 99°C). **Co-Polymer:** -40° to 210°F (-40° to 99°C).












1411CW



1411CW/1411CP



1411CW base tray with 853FH insert tray

CODE DESCRIPTION		DIMENSIONS L x W x D	CASE LBS. (CUBE)	LIST Price ea
Camwear F	olycarbonate			
1411CW	5 Compartments	$14 \frac{3}{8}$ " x $10 \frac{9}{16}$ " x $1 \frac{1}{4}$ "	25.50 (1.25)	\$ 17.50
Co-Polyme	r			
1411CP	5 Compartments	$14 \frac{3}{8}$ " x $10 \frac{9}{16}$ " x $1 \frac{1}{4}$ "	19.01 (1.19)	6.10
Case Pack	: 24			

### **Insert Trays**

- Designed specifically for cook-chill applications as it can be covered with heat seal film or snap-on cover.
- Eight trays efficiently fit on a standard sheet pan or in an 18" x 26" (45,5 x 65,5 cm) wire rack.

### Camwear Polycarbonate

Color: Beige (133). Lid Color: Clear (135).

### Co-Polymer

Colors: Brown (167), Tan (161). Lid Color: Translucent (190).

### **Heat Resistant Plastic**

Tray and Lid Color: Amber (150).

### Withstands Temperatures From

Polycarbonate:  $-40^\circ$  to  $210^\circ$ F ( $-40^\circ$  to  $99^\circ$ C). Co-Polymer:  $-40^\circ$  to  $210^\circ$ F ( $-40^\circ$  to  $99^\circ$ C). Heat Resistant Plastic:

-40° to 375°F (-40° to 190°C).

Co-Polymer is not NSF listed. 853FH and 653FHC can be used in heated carts.













853FCW/853FCP/853FH



CODE	DESCRIPTION	DIMENSIONS L x W x D	CASE LBS. (CUBE)	LIST Price ea.		
Camwear Po	lycarbonate					
853FCW	3 Compartments	$8^{11}/_{16}$ " x $6^{5}/_{16}$ " x $1^{7}/_{8}$ "	11.47 (0.76)	\$ 11.35		
853FCWC	Lid for 853FCW		6.23 (0.28)	6.00		
Co-Polymer						
853FCP	3 Compartments	8%16" x $61%$ " x $17%$ "	9.79 (0.76)	5.45		
853FCPC	Lid for 853FCP		4.61 (0.28)	2.90		
Heat Resistant Plastic						
853FH	3 Compartments	$8^{11}/_{16}$ " x $6^{5}/_{16}$ " x $1^{7}/_{8}$ "	12.50 (0.77)	18.05		
853FHC	Lid for 853FH		6.6 (0.46)	10.40		

Case Pack: 24



TABLE SERVICE

# **Camwear® Dinnerware**



- Virtually unbreakable Camwear polycarbonate resists stains, odors and scratches.
- Textured surface on salad and dinner plates for long wear.
- Ideal for schools, cafeterias, day care centers and healthcare facilities.

Mug and stacking cup can be personalized.



















3 148 ge White



30

401 Slate Blue



www.cambro.com 1.800.833.3003

### **Oval Platters & Compartment Plates**









CODE	90SPCW	120CWP	93CW	HK93BCW*
DIAMETER	9" x 1%16"	12" x 9"	9"	9½"
DESCRIPTION	Round, Soup Bowl	Oval, Narrow Rim	Narrow Rim	Heat Keeper Base
CASE PACK	48	24	48	12
CASE LBS. (CUBE)	16.25 (0.66)	8.76 (0.37)	17.50 (0.75)	9.75 (0.81)
LIST PRICE EACH	\$ 7.35	\$ 8.40	\$ 7.30	\$ 15.70

<sup>\*</sup>HK93BCW is available in Beige (133) only.

### **Plates**













CODE	10CWNR	9CWNR	825CWNR	725CWNR	65CWNR	55CWNR
DIAMETER	10"	9"	81/4"	71/4"	6%16"	5½"
DESCRIPTION	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim
CASE PACK	48	48	48	48	48	48
CASE LBS. (CUBE)	23 (0.78)	15.88 (0.60)	15.01 (0.49)	11.23 (0.39)	9.41 (0.35)	7 (0.24)
LIST PRICE EACH	\$ 6.90	\$ 5.00	\$ 5.20	\$ 4.45	\$ 3.25	\$ 2.75

### **Bowls**















CODE	10CW	10CWL	35CW	45CW	50CW	60CW	100CW	150CW
APPROX. CAPACITY	9.4 oz.	_	8.4 oz.	5.0 oz.	15.3 oz.	10.9 oz.	12.5 oz.	16.7 oz.
DESCRIPTION	Square Bowl	Lid for 10CW Bowl	Bouillon	#3½ Fruit Cup	Nappie Bowl	#1 Grapefruit Bowl	5" Nappie	Square Bowl
CASE PACK	48	48	48	48	48	48	48	48
CASE LBS. (CUBE)	6.28 (0.47)	2.66 (0.15)	5.28 (0.25)	6 (0.33)	11.66 (0.62)	11.50 (0.56)	7.50 (0.61)	7.87 (0.60)
SHAPE	Square	Square	Round	Round	Round	Round	Round	Top/Rnd-Bottom/Sqr
OUTSIDE DIA.	Top: 4" x 4"	_	315/16"	45/8"	51/4"	6"	5"	Top: 51/4"
HEIGHT	11//8"	115/16"	21/8"	15/16"	21/8"	1½"	111/16"	23/8"
LIST PRICE EACH	\$ 3.25	\$ 2.50	\$ 2.25	\$ 2.75	\$ 3.25	\$ 3.25	\$ 2.80	\$ 4.45

### Mugs & Cups





CODE	75CW	96CW
APPROX. CAPACITY	7.5 oz.	9.6 oz.
DESCRIPTION	Stacking Cup	Mug
CASE PACK	48	48
CASE LBS. (CUBE)	8 (0.69)	10.39 (0.97)
MAX DIA. / HEIGHT	41/16" - 33/16"	43/16" - 33/4"
FULL SIZE CAMRACK®	16C414	16C414
LIST PRICE EACH	\$ 4.25	\$ 4.25

Maximum diameter includes handle.

### Camwear® Heat Keepers







CODE HK93CW HK39 3 Compartment Heat Keeper Base and DESCRIPTION Base and Cover Cover for 9" Plate CASE PACK CASE LBS. (CUBE) 9.25 (0.82) 10.56 (0.76) \$ 28.95 \$ 29.60 LIST PRICE EACH

HK93CW is available in Beige (133). HK39 is available in Antique White (148).

Camcarrier® for HK93CW available by special request. Call Cambro Customer Service for more information.

### **Versa Camcovers®**

Serve hot food hot with the Versa Camcover, an elegant and efficient alternative to traditional metal covers.

- Withstands temperatures up to 300°F (149°C).
- · Covers remain cool to the touch for easy handling.
- Lighter and quieter than metal covers.
- Elegant appearance without polishing.
- Keeps food warm longer than metal covers.
- · Microwave safe.

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

Colors: Ivory (380), Granite Gray (191), Antique Parchment (101).










### **Square Versa Camcovers**

- Square shape fits popular square plate designs.
- · Secure stacking for improved server safety; the foot of the plate nests securely on the top of the cover below.
- Elegant appearance with less noise during service.



Case Pack: 12

32



1111SQVS Fits 11" Svracuse Quadra Plate 1212SQVS Fits 12" Syracuse Quadra Plate



85SFVS Fits 8½" Oneida Sant' Andrea Fusion Plate 978SFVS Fits 91/8" Oneida Sant' Andrea Fusion Plate



99SMVS Fits 9" Steelite Distinction Metro Plate 1111SMVS Fits 11" Steelite Distinction Metro Plate



Microwave safe!



Perfect for heated carts!

www.cambro.com 1.800.833.3003

# **Camwear® Polycarbonate Camcovers®**

- Food stays hot and appetizing without re-heating.
- Ideal for use in heated carts up to 210°F (99°C).
- Virtually unbreakable polycarbonate will not dent or scratch.
- Lightweight for quiet service.
- Saves on labor with no polishing required.

**Colors:** Clear (152), Amber (153), Beige (133), Silver (486).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com.
Or, send one of your plates to Cambro Customer Service for sizing.









CODE	INSIDE Diameter	OUTSIDE Height	CASE LBS. (CUBE)	LIST Price ea.
806CW	87/16"	211/16"	5.45 (0.61)	\$ 9.75
900CW	91/8"	23/4"	5.75 (0.60)	9.85
901CW	95/16"	213/16"	6.40 (0.62)	10.50
905CW	91/2"	213/16"	7.75 (0.64)	10.80
909CW	93/4"	23/4"	6.58 (0.64)	10.75
9011CW	10"	27/8"	6.42 (0.78)	11.70
9013CW	10"	23/4"	7.62 (0.65)	11.70
1000CW	103/16"	211/16"	7.25 (0.68)	11.65
1005CW	101/16"	213/16"	7.73 (0.76)	11.90
1007CW	105/8"	23/4"	8.66 (0.78)	11.90
1013CW	$10^{13}/_{16}$ "	211/16"	7.92 (0.78)	11.95
1101CW	11"	211/16"	7.81 (0.79)	11.90
1202CW	121/8"	23/4"	8.76 (0.95)	11.95
Once Deals 10				

Case Pack: 12

1.800.833.3003 USA / Table Service

# **Camwear® Polycarbonate Pitchers**

- Made of virtually unbreakable Camwear polycarbonate.
- Lightweight for easy handling.
- Exclusive ice-control contoured lip and pour spout reduce spills.
- Slotted base allows for complete and sanitary drying.

**Color:** Clear (135). P600CW is also available in Amber (153).

Capacities calculated to rim.











# **P320CW, P480CW and P600CW**An industry standard. Broad base for stability, prevents tipping.









CODE	P320CW	P480CW	P600CW	P60CW
CAPACITY	32 oz.	48 oz.	60 oz.	60 oz.
HEIGHT WITH SPOUT	63/4"	71/8"	8"	9"
DIAMETER WITH HANDLE	53/4"	61/4"	6¾"	71/4"
CASE LBS. (CUBE)	3.75 (0.61)	4.79 (0.79)	5.48 (0.93)	6.43 (1.04)
LIST PRICE EACH	\$ 10.70	\$ 12.90	\$ 13.65	\$ 15.75

Case Pack: 6 InStock Color: Clear (135).

### PL60CW

Laguna® pitcher has a hammered texture that hides scratches. Design matches the Laguna Tumbler. Pour liquids from front or ice and liquid from sides.

### PE600CW

Economy polycarbonate pitcher. Lightweight design. Pour liquids from front or ice and liquid from sides.

### P64CW

Tapered design and drip-proof spout.

### PC64CW

Three position lid can strain ice, free pour or close to protect contents.

### PC34CW

Stackable Pitcher and Lid are made of virtually unbreakable polycarbonate and incorporate a frosted design to hide scratches.











CODE	PL60CW	PE600CW	P64CW	PC64CW	PC34CW
CAPACITY	60 oz.	60 oz.	64 oz.	64 oz.	34 oz.
HEIGHT WITH SPOUT	71/8"	71/8"	91/4"	9¾" with lid	7½" with lid
DIAMETER WITH HANDLE	63/4"	7¾"	75/16"	75/16"	63/3"
CASE LBS. (CUBE)	4.43 (1.15)	4.27 (1.21)	6.75 (1.31)	7.21 (1.19)	4.15 (0.93)
LIST PRICE EACH	\$ 9.35	\$ 9.35	\$ 15.75	\$ 20.25	\$ 9.50

# Aliso® Barware, Goblets and Dessert Glass

Aliso Barware replicates the look, heft and clarity of glass with shatterproof polycarbonate. The smooth seamless appearance makes Aliso Barware a stylish choice for casual dining, outdoor events or poolside service.

- Barware items have large, heavy bases for stability.
- Bases designed for fast draining and complete drying.
- Chill or frost barware without concerns of thermal shock damage.

Color: Clear (135).

Capacities calculated to rim.

































CODE	BWM10CW	BWW10CW	BWP14CW	BWB16CW	GB850CW	GB1200CW	DG3CW*
DESCRIPTION	Martini	Wine	Pilsner	Beer Mug	Goblet	Goblet	Dessert Glass
MAX DIAMETER	413/16"	215/16"	31/4"	43/4"	23/4"	23/4"	2 <sup>2</sup> / <sub>7</sub> "
MAX HEIGHT	61/8"	6¾"	9%16"	61/4"	61/4"	75/8"	3"
FULL SIZE CAMRACK®	9\$638	25\$638	25S958	9S638	36S638	36S738	49S318
CAPACITY TO RIM	10.5 oz.	10.5 oz.	15.5 oz.	16 oz.	9 oz.	12.8 oz.	3.4 oz.
CASE PACK	12	24	24	12	24	24	72
CASE LBS. (CUBE)	6.50 (1.38)	8.25 (1.16)	15.78 (1.71)	9 (0.85)	5.42 (0.83)	6.74 (0.97)	8.5 (0.65)
LIST PRICE EACH	\$ 11.10	\$ 8.75	\$ 12.05	\$ 11.55	\$ 4.15	\$ 4.90	\$ 2.35

InStock Color: Clear (135).

1.800.833.3003

<sup>\*</sup>Cases only. No broken cartons.

### Cambro<sup>®</sup> Tumblers

Cambro tumblers feature the look and feel of glass, but offer the cost savings and lightweight handling of break resistant plastic.

These tumblers weigh up to 50% less than glass, making it easier and safer for wait staff to carry and serve

beverages. Cambro tumblers cost about 33% less than comparable glassware. Less breakage means lower replacement costs and less staff time spent cleaning up broken glass. Cambro tumblers feature stacking lugs for easy stacking, transport and storage and are dishwasher safe. Expand your service options! Valued by restaurants, hospitals, hotels and schools, Cambro tumblers are ideal anywhere you want the upscale look of glass without the worry of breakage. Our elegant designs are ideal for outdoor catering and resort use. Whatever your need, there is a Cambro tumbler perfect for your operation.

### **Elegant Design**



**HUNTINGTON®**Elegant Design, Unbreakable



LAGUNA®
Hammered Texture



**NEWPORT** Fluted Design



**DEL MAR**® Crackled Glass Look

### **RECOMMENDED USE:**

Casual Dining, Fast Casual Dining, Poolside Service, Outdoor Dining, Catering, Bars, Hotels & Resorts, Country Clubs, Theme Parks, Cruise Ships, Colleges & Universities.

### All Purpose



**COLORWARE**Value Tumbler



**CAMWEAR®**Virtually Unbreakable



PERSONALIZATION

Available on all tumblers

### **RECOMMENDED USE:**

Family Dining, Pizzerias, Cafeterias, Hospitals & Nursing Homes, Colleges & Universities.



36

Add your logo to promote your establishment and build customer loyalty. See personalization page for details.

### Camrack® IceExpress Glass Filler



- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once.
- Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.

See Camrack section for more details.

www.cambro.com 1.800.833.3003

## **CamLid®**



- Disposable lids fit tightly on Newport, Laguna, and Colorware tumblers, avoiding spills.
- Provides a "green" solution to reduce the waste of using disposable cups for kids' drinks.
- Reusable tumblers save operators the expense of replacing disposable kids' cups.
- Tumblers are available in clear, which allows for visibility of contents.

- Doubles as an employee drink cup that requires a lid.
- Lids have tumbler code imprinted on them for easy cross reference.
- Includes a cross slot for straws.
- Tumblers can be personalized with logos or exclusive designs.



# Disposable Lids for Colorware Tumblers





LID CODE	CL900P	CL950P
FITS TUMBLERS	900P / 900P2	950P / 950P2
TUMBLER CAPACITY	9.7 oz.	9.8 oz.
CASE PACK	1,000	1,000
CASE LBS. (CUBE)	6 (1.05)	6 (0.85)
LIST PRICE PER CASE	\$ 97.75	\$ 71.30

Color: Translucent (190). Disposable lids are sold in full cases only. No broken cartons.

## Disposable Lids for Laguna® Tumblers







J	The same of the sa		
LID CODE	CLLT6	CLLT10	CLLT12
FITS TUMBLERS	LT6	LT10	LT12
TUMBLER CAPACITY	6 oz.	10 oz.	12 oz.
CASE PACK	1,500	1,000	1,000
CASE LBS. (CUBE)	6 (1.07)	5 (0.98)	6 (1.09)
LIST PRICE PER CASE	\$ 110.25	\$ 89.25	\$ 97.75

**Color:** Translucent (190). Disposable lids are sold in full cases only. No broken cartons.

# Disposable Lids for Newport Tumblers









•				
LID CODE	CLNT5	CLNT8	CLNT10	CLNT12
FITS TUMBLER	NT5	NT8	NT10	NT12
TUMBLER CAPACITY	6.4 oz.	8 oz.	10 oz.	12.6 oz.
CASE PACK	1,500	1,000	1,000	1,000
CASE LBS. (CUBE)	6 (1.07)	5 (0.85)	5 (1.0)	5 (0.98)
LIST PRICE PER CASE	\$ 110.25	\$ 69.60	\$ 89.25	\$ 97.75

Color: Translucent (190). Disposable lids are sold in full cases only. No broken cartons.

1.800.833.3003 USA / Table Service

# Camwear® Huntington® & Newport Tumblers

## **Huntington Tumblers**

- Feature the elegant look and feel of glass without the high replacement costs.
- Made of virtually unbreakable polycarbonate.
- Lightweight.
- Stacking lugs to prevent sticking.
- Three sided drain bottom for easy washing and drying.

Colors: Azure Blue (196), Clear (135).

Capacities calculated to rim.

























CODE	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
MAX DIAMETER	211/32"	211/16"	213/16"	3"	33/8"	31/4"	35/16"	3½"
MAX HEIGHT	39/16"	47/16"	413/16"	5"	3¾"	47/8"	5½"	611/16"
FULL SIZE CAMRACK®	49S434	36S418	36\$434	25\$434	25\$418	25S434	25\$534	25S638
CAPACITY TO RIM	5 oz.	8 oz.	10 oz.	12 oz.	12 oz.	14 oz.	16 oz.	22 oz.
CASE LBS. (CUBE)	3.86 (0.27)	5.22 (0.39)	7.2 (0.43)	7.18 (0.52)	6.98 (0.63)	3.42 (0.58)	8.50 (0.70)	10.55 (0.87)
LIST PRICE EACH	\$ 2.58	\$ 2.70	\$ 2.81	\$ 2.94	\$ 2.88	\$ 3.23	\$ 3.76	\$ 4.70

Case Pack: 36 InStock Color: Clear (135).

## **Newport Tumblers**

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

**Colors:** Clear (152), Blush (409), Amber (153), Slate Blue (401).

Capacities calculated to rim.

Liquids in SAN cannot exceed 185°F.

























CODE	NT5	NT8	NT9	NT10	NT12	NT14	NT16	NT20
MAX DIAMETER	2½"	211/16"	31/4"	213/16"	3"	31/8"	31/4"	37/16"
MAX HEIGHT	311/16"	4"	35/16"	49/16"	51/8"	5"	5¾"	6½"
FULL SIZE CAMRACK	36S318	36S418	25S318	36S434	25\$434	25\$434	25S534	25\$638
CAPACITY TO RIM	6.4 oz.	8.0 oz.	9.3 oz.	10 oz.	12.6 oz.	14 oz.	16.4 oz.	22 oz.
CASE LBS. (CUBE)	3.6 (0.31)	4.3 (0.34)	4.4 (0.36)	5.26 (0.45)	5.62 (0.49)	6.1 (0.54)	6.8 (0.60)	8.6 (0.76)
LIST PRICE EACH	\$ 1.47	\$ 1.52	\$ 1.66	\$ 1.81	\$ 1.88	\$ 2.18	\$ 2.25	\$ 2.78

Case Pack: 36 InStock Color: Clear (152).

38

# Laguna® & Del Mar® Tumblers

## **Laguna Tumblers**

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

**Colors:** Clear (152), Spanish Green (427).

Capacities calculated to rim.

Laguna Tumblers are covered by the following U.S. Patent D 405,319.

Liquids in SAN cannot exceed 185°F.























CODE	LT6	LT8	LT10	LT12	LT14	LT16	LT22
MAX DIAMETER	2½"	23/4"	21/8"	31/8"	31/4"	35/16"	311/16"
MAX HEIGHT	41/4"	41/4"	43/4"	5"	51/8"	5½"	61/16"
FULL SIZE CAMRACK®	36S418	36S418	36S434	25\$434	25\$434	25\$534	16S534
CAPACITY TO RIM	6 oz.	8 oz.	10 oz.	12 oz.	14 oz.	16 oz.	22 oz.
CASE LBS. (CUBE)	4.28 (0.37)	5.10 (0.44)	5.50 (0.55)	6.44 (0.61)	6.55 (0.7)	8 (0.82)	10.09 (1.05)
LIST PRICE EACH	\$ 1.84	\$ 2.01	\$ 2.08	\$ 2.28	\$ 2.41	\$ 2.67	\$ 3.00

Case Pack: 36 InStock Color: Clear (152).

## **Del Mar Tumblers**

- Crackled glass look features the lightweight handling of plastic.
- Thick sturdy base and rolled rim edge for added stability.
- Made of impact resistant SAN plastic.

**Colors:** Clear (152), Ruby Red (156), Sapphire Blue (608), Light Amber (609).

Capacities calculated to rim.

Del Mar Tumblers are covered by the following U.S. Patent D 478,778 S.

Liquids in SAN cannot exceed 185°F.





















CODE	D8	D12	D14	D16	D24
MAX DIAMETER	25/8"	215/16"	31/4"	31/16"	37/16"
MAX HEIGHT	43/16"	43/4"	43/16"	5 <sup>15</sup> / <sub>16</sub> "	65/8"
FULL SIZE CAMRACK	36S418	25S434	25S418	25\$534	25S638
CAPACITY TO RIM	8 oz.	12 oz.	14 oz.	16 oz.	24 oz.
CASE LBS. (CUBE)	4.75 (0.35)	6.63 (0.49)	7.50 (0.62)	8.50 (0.66)	11.13 (0.91)
LIST PRICE EACH	\$ 1.41	\$ 1.49	\$ 1.84	\$ 1.89	\$ 2.45

Case Pack: 36 InStock Color: Clear (152).

1.800.833.3003 USA / Table Service

## **Colorware Tumblers**

- A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

**Colors:** Blush (409), Slate Blue (401), Clear (152), Amber (153), Ruby Red (156).

Capacities calculated to rim.

Liquids in SAN cannot exceed 185°F.

























CODE (72 PACK)	500P	800P	900P	950P	1200P	1600P	2000P	_
CODE (24 PACK)	500P2	800P2	900P2	950P2	1200P2	1600P2	2000P2	3200P2
MAX DIAMETER	21/4"	25/8"	33/16"	23/4"	215/16"	31/8"	33/8"	315/16"
MAX HEIGHT	35/8"	4"	31/4"	43/8"	53/16"	5¾"	6½"	71/4"
FULL SIZE CAMRACK®	49S318	36S418	25S318	36S418	25S434	25S534	25S638	16S738
CAPACITY TO RIM	5.2 oz.	7.8 oz.	9.7 oz.	9.8 oz.	12.6 oz.	16.4 oz.	22 oz.	32 oz.
P CODE-CASE PACK	72	72	72	72	72	72	72	_
P2 CODE-CASE PACK	24	24	24	24	24	24	24	24
72 PACK-CASE LBS. (CUBE)	7.56 (0.46)	7.89 (0.56)	8.45 (0.69)	9.54 (0.73)	5.04 (0.84)	14.76 (1.07)	17.25 (1.30)	_
24 PACK-CASE LBS. (CUBE)	2.17 (0.16)	2.75 (0.20)	2.91 (0.23)	3.30 (0.25)	3.86 (0.28)	4.75 (0.54)	5.81 (0.45)	7.91 (0.72)
LIST PRICE EACH - 72 PACK	\$ 0.97	\$ 1.17	\$ 1.97	\$ 1.36	\$ 1.51	\$ 1.79	\$ 2.21	
LIST PRICE EACH - 24 PACK	\$ 1.04	\$ 1.26	\$ 2.15	\$ 1.48	\$ 1.60	\$ 1.90	\$ 2.41	\$ 3.59

InStock Color: Clear (152).

### Coca-Cola® Tumblers

- Colorware Tumblers featuring the Coca-Cola trademark logo in White.
- Available only to Coca-Cola fountain customers for foodservice use.

40

### Colors: Clear (152).

Coca-Cola Logo is imprinted in White only.

These trademarked tumblers may not be resold at retail and are available only for distribution to *Coca-Cola* Fountain customers for food service use.

Liquids in SAN cannot exceed 185°F.









CODE	20CC	32CC
MAX DIAMETER	33/8"	315/16"
MAX HEIGHT	61/2"	71/4"
FULL SIZE CAMRACK	25S638	16S738
CAPACITY TO RIM	22 oz.	32 oz.
CASE PACK	72	24
CASE LBS. (CUBE)	17.25 (1.30)	7.85 (0.70)
LIST PRICE EACH - 72 PACK	\$ 2.61	_
LIST PRICE EACH - 24 PACK	_	\$ 3.93

# Camwear® Tumblers & Camliters®

#### **Camwear Tumblers**

- The look and feel of glass but made of virtually unbreakable polycarbonate.
- Textured exterior surface resists scratching.
- Smooth interior promotes easy cleaning.
- Designed with a Sani-Rim lip for sanitary drinking.

Color: Clear (152).

Capacities calculated to rim.





















CODE	500CW	800CW	850CW	950CW	1200CW	1600CW
MAX DIAMETER	21/4"	25/8"	3¾"	23/4"	215/16"	31/8"
MAX HEIGHT	35/8"	31/8"	313/16"	43/8"	53/16"	53/4"
FULL SIZE CAMRACK®	49S318	36S418	25\$418	36S418	25\$434	25S534
CAPACITY TO RIM	5.4 oz.	8 oz.	9.1 oz. (Heavy Wall)	9.6 oz.	13 oz.	17 oz.
CASE LBS. (CUBE)	4.24 (0.28)	5.53 (0.42)	9.50 (0.61)	6.50 (0.52)	8.25 (0.67)	9.50 (0.80)
LIST PRICE EACH	\$ 1.55	\$ 1.90	\$ 4.85	\$ 2.20	\$ 2.50	\$ 3.10

Case Pack: 48

## **Camwear Camliter Beverage Decanters**

- Ideal for serving juice or wine on buffet lines or table side.
- Virtually unbreakable Camwear polycarbonate will not dent or scratch. Lightweight.
- Camliters ship with spill-proof flat lids.

• Pour Spout Lid, ordered separately, protects contents while allowing a free pour.

Color: Clear (135). Lid Color: White (148).







CODE	CAPACITY	HEIGHT	CASE LBS. (CUBE)	LIST Price ea.					
Camliters with Fla	t Lids								
WW1500CW	1⅓ L	10"	8.04 (1.56)	\$ 13.60					
WW1000CW	1 L	9¾"	7 (1.13)	10.45					
WW500CW	½ L	71/8"	4.25 (0.69)	7.70					
WW250CW	¹∕₄ L	61/4"	2.14 (0.32)	4.65					
Lids									
WW1000LS (Pour	Spout Lid for $1\frac{1}{2}$	0.2 (0.11)	0.95						
WW1000L (Repla	cement Lid for $1$ ½	0.62 (0.06)	0.95						
WW250L (Replac	ement Lid for ¼ L	0.13 (0.06)	0.95						

Case Pack: 12 InStock Color: Clear (135).









WW1000LS - Pour Spout



# Beverage Dispenser, Pail With Bail & Swirl Bowls®

# 6-Gallon Beverage Dispenser

- Perfect for mixing and serving concentrated beverages.
- Standard and metric graduations are printed on dispenser.
- Impact resistant polyethylene withstands temperatures from -40°F to 160°F (-40°C to 70°C).



CODE		CASE LBS. (CUBE)	LIST Price Ea.
DSPR6		3.79 (1.52)	\$ 45.35
Case Pack: 1	Color: White (148).	DSPR6 Capacity: 6 gallons (22,7 L).	





## Pail with Bail - Poly

- A large, multi-purpose, 22 quart (20,8 L) pail, ideal for mixing, storing and transporting.
- Durable polyethylene withstands temperatures from -40°F to 160°F (-40°C to 70°C), and is stain resistant.
- Snap-tight, thumb tab cover sold separately.











#### **Swirl Bowls**

42

- Ideal for hot or cold side dishes, desserts, dips, or fruit.
- Fits on a plate or stacks in place on a buffet station.
- Available in virtually unbreakable Camwear® polycarbonate or break resistant SAN.

## Colors:

SRB5CW and SRB13CW available in: Clear (135), Black (110), White (148). SRB5 and SRB13 available in: Clear (152), Black (110), White (148).









CLSRB5 Disposable lid not NSF listed.









CODE	CAPACITY	CASE PACK	CASE LBS. (CUBE)	LIST Price Ea.
Camwear Polycarbo	nate			
SRB5CW	5 oz.	24	3 (0.23)	\$ 2.25
SRB13CW	13 oz.	24	5.15 (0.33)	4.45
SAN				
SRB5	5 oz.	24	3 (0.23)	1.85
SRB13	13 oz.	24	4.46 (0.33)	3.40
Disposable Lid				
CLSRB5	_	1,000	10 (2.24)	146.45

Disposable Lid Color: Clear (152).


# Camwear® Wine Buckets, Punch Bowls & Bud Vase

#### **Wine Buckets**

- Chill and showcase wine or champagne.
- Tough Camwear polycarbonate won't crack or break and is easy to clean.
- Chrome stand available for space saving table side service.

Color: Clear (135). Stand Color: Chrome (136).





Case Pack: 1



#### Pebbled Pedestal Punch Bowls

- Perfect for parties, weddings and receptions.
- Made of virtually unbreakable Camwear polycarbonate.
- Attractive pebbled exterior is scratch resistant and smooth interior is easy to clean.

Color: Pebbled (176).

Capacities are calculated to rim.










CODE	INSIDE Diameter	APPROX. Capacity	CASE LBS. (CUBE)	LIST Price ea.
PPB15	15"	11.2 qt.	2.6 (1.27)	\$ 74.40
PPB18	18"	20.2 qt.	4.6 (2.12)	98.15
PPB23	23"	40.0 qt.	8.3 (4.38)	168.85
0 D I 1				

Case Pack: 1

#### **Bud Vase**

- Ideal for dining rooms, cafeteria tables and patient or room service trays.
- Made of virtually unbreakable Camwear polycarbonate.
- Fill with a fresh rose bud or a colorful faux flower.













CODE	DESCRIPTION	CASE LBS. (CUBE)	LIST Price ea.
BV6CW	6" Bud Vase	2.21 (0.36)	\$ 3.50
Case Pack: 12			

1.800.833.3003 USA / Table Service

## **Promote Your Brand**

Personalize tumblers, barware, pitchers or other table service items with your logo or design. Use personalized drinkware in promotions.

Food storage products can also be personalized to identify menu items, add fill lines for recipes or to add instructions in multiple languages to help ensure product quality and consistency.



Look for this icon that identifies items that can be personalized.

#### **IMPRINTING TABLE SERVICE AND STORAGE ITEMS**

Minimum Quantity: 6 Cases **Sample Turnaround Time:** 7-10 business days after receipt of

approved artwork

Print Area: 1/4" to 4", subject to printable area on each item

### **PERSONALIZATION CHARGES (NET)**

Sample Charge: \$ 50.00 (Charge will be billed on sample order, credited on first purchase order)

sample order, one time charge) Set-Up Charge: \$ 50.00 (per order) Cost Per Imprint: \$ 0.30 (per side)

#### **HOW TO ORDER A SAMPLE**

#### 1. Request a Sample

Contact your local Cambro representative to complete and submit your sample request to Cambro.

#### 2. Provide Artwork

Provide ready to use artwork, digital format only. Completed sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available at \$ 50.00 per hour.

#### 3. Submit Artwork

E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info.

File dimensions: 100% reproduction size, 300dpi resolution.

#### File type:

Adobe® Illustrator®, Photoshop®. File format: jpeg, tiff, and eps. Or mail digital artwork to: Cambro Attn: Kristie Patterson. 7601 Clay Avenue, Huntington Beach, CA 92648.

#### 4. Questions

Call Kristie Patterson at 714-230-4125 direct or 800-854-7631 ext. 4125.

#### 5. Sample Approval

A signed sample approval form must be faxed to Cambro customer service prior to processing any purchase orders. This form is included with each sample.



#### **CHOOSE ANY ONE OF THESE** STANDARD IMPRINT COLORS

44



Due to the catalog printing process, the colors shown may not be exact.



**DISPLAY** 

## **Deli Crocks & Platter**

- Prep, store and serve all in one with contemporary style at an economical price.
- Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.
- Handled covers are made of crystal clear, virtually unbreakable Camwear® polycarbonate.

Crock and Platter Colors: Clear (152), Black (110), White (148), Red (404).

Crock Cover Color: Clear (135).

Deli Crocks are covered by the following U.S. Patents D 504,283 S, D 503,871 S & D 494,419 S. Scalloped Food Service Cover is covered by the following U.S. Patent D 509,705 S.









Prep, stack, store and serve all in one.



Interstacking saves storage space.



Avoid cross contamination and keep food fresh by using clear cover with handle.



Lid can be used as a riser to provide additional height on the buffet table or in a deli display case.



Cover doubles as a false bottom for presentation and to reduce waste.

### Crocks & Platter







CODE	DC5	DC10	DP15
DESCRIPTION	Crock	Crock	Platter
DIM. W x D x H	10½ " x 6½ " x 3½ "	$13\frac{3}{16}$ " x $10\frac{7}{16}$ " x $3\frac{3}{16}$ "	115/16" x 153/4" x 23/16"
APPROX. CAPACITY	2.2 qt.	4.9 qt.	3.4 qt.
CASE LBS. (CUBE)	3.93 (0.30)	7.1 (1.4)	6.25 (0.49)
LIST PRICE EACH	\$ 10.90	\$ 15.00	\$ 12.85

Case Pack: 6

## Covers





001010		
CODE	DCC5 fits DC5	DCC10 fits DC10
DIM. W x D x H	9¾" x 5½" x 1½6"	12 <sup>3</sup> / <sub>16</sub> " x 9 <sup>7</sup> / <sub>16</sub> " x 1 <sup>7</sup> / <sub>16</sub> "
APPROX. CAPACITY	0.9 qt.	2.0 qt.
CASE LBS. (CUBE)	2.50 (0.21)	5 (0.38)
LIST PRICE EACH	\$ 7.65	\$ 10.65

Case Pack: 6



# **ShowFest® Display Bowls & Trays**

- Showcase cold deli, buffet and salad bar items.
- Made from SAN for impact, stain, break & chip resistance.
- Variety of shapes and sizes to make the best use of display area.

**Colors:** Black (110), White (148).

Triangle trays are covered under U.S. Patent D 419,364.









## **Scalloped Ovals**

CODE	SFV1015
DIM. W x L x H	10" x 15" x 2½"
APPROX. CAPACITY	3.0 qt.
CASE LBS. (CUBE)	4.8 (0.63)
LIST PRICE EACH	\$ 17.45





## **Scalloped Rectangles**

CODE	SFR1012
DIM. W x L x H	10" x 12½" x 3"
APPROX. CAPACITY	4.5 qt.
CASE LBS. (CUBE)	5.99 (0.46)
LIST PRICE EACH	\$ 16.75

Case Pack: 6











CODE	SFG1012	SFG1015	SFG820	SFG1220
DIM. W x L x H	10" x 12" x 2"	10" x 15" x 2"	8" x 20" x 2"	12" x 20" x 2"
APPROX. CAPACITY	3.0 qt.	3.5 qt.	4.0 qt.	6.0 qt.
CASE LBS. (CUBE)	5.16 (0.41)	6.25 (0.51)	6.64 (0.53)	9.82 (0.78)
LIST PRICE EACH	\$ 16.75	\$ 17.85	\$ 19.00	\$ 22.80

Case Pack: 6

Triangles	2200	- Date of the last	. selections
CODE	SFT1010	SFT1212	SFT1515
DIM. W x L x H	10" x 10" x 12" x 2½"	12" x 12" x 15" x 2½"	15" x 15" x 20" x 2½"
APPROX. CAPACITY	2.0 qt.	3.0 qt.	4.5 qt.
CASE LBS. (CUBE)	2.8 (0.40)	3.8 (0.54)	7.1 (0.82)
LIST PRICE EACH	\$ 15.85	\$ 17.15	\$ 19.90

Case Pack: 6

# Camwear® Polycarbonate Bowls

#### **Round Pebbled Bowls**

- Textured on the outside for an elegant look, smooth on the inside for easy cleaning.
- Made of virtually unbreakable Camwear polycarbonate for years of dependable service.
- Ideal for fruit, salads, snacks and desserts.

Color: Pebbled (176).

Capacities are calculated to rim.









#### **Ribbed Bowls**

- Stylish, contemporary appearance for a dramatic presentation.
- Made of virtually unbreakable Camwear polycarbonate that won't break like glass.
- Bowls are durable and lightweight.
   Will not chip and crack like acrylic.
- Resistant to stains, acids and odors.

**Colors:** Clear (135), Black (110), White (148)\*.

\* Rectangular Ribbed Bowls are not available in White (148).



#### Round Pebbled Bowls









CODE	PSB6	PSB8	PSB10	PSB12
INSIDE DIAMETER	6"	8"	10"	12"
APPROX. CAPACITY	18.8 oz.	1.8 qt.	3.2 qt.	5.8 qt.
CASE PACK	12	12	12	12
CASE LBS. (CUBE)	2.50 (0.19)	4.43 (0.43)	9.25 (0.79)	12.75 (1.30)
LIST PRICE EACH	\$ 3.55	\$ 6.05	\$ 11.95	\$ 15.45

InStock Color: Pebbled (176).

## Round Pebbled Bowls





CODE	PSB15	PSB18	PSB23
INSIDE DIAMETER	15"	18"	23"
APPROX. CAPACITY	11.2 qt.	20.2 qt.	40 qt.
CASE PACK	4	4	4
CASE LBS. (CUBE)	7 (1.19)	12.25 (2.09)	19.50 (4.08)
LIST PRICE EACH	\$ 25.15	\$ 40.05	\$ 61.00

InStock Color: Pebbled (176).

Rectangular	
Ribbed Bowls	







CODE	RSB912CW	RSB1014CW	RSB1419CW
INSIDE DIAMETER	9" x 121/8"	10¾" x 14½6"	14¼" x 19¾"
APPROX. CAPACITY	2.9 qt.	5 qt.	12 qt.
CASE PACK	12	4	4
CASE LBS. (CUBE)	8.75 (0.66)	4.64 (0.51)	8.85 (1.11)
LIST PRICE EACH	\$ 12.65	\$ 18.50	\$ 30.00

Rectangular Ribbed Bowls are not available in White (148).

## Round Ribbed Bowls









CODE	RSB6CW	RSB8CW	RSB10CW	RSB12CW
INSIDE DIAMETER	6"	8"	10"	12"
APPROX. CAPACITY	18.8 oz.	1.65 qt.	3.2 qt.	5.8 qt.
CASE PACK	12	12	12	12
CASE LBS. (CUBE)	6.9 (0.2)	5.92 (0.51)	11.50 (0.91)	19.75 (1.69)
LIST PRICE EACH	\$ 4.55	\$ 8.85	\$ 16.20	\$ 27.00







CODE	RSB15CW	RSB18CW	RSB23CW
INSIDE DIAMETER	15"	18"	221/8"
APPROX. CAPACITY	11.2 qt.	20.2 qt.	40 qt.
CASE PACK	4	4	4
CASE LBS. (CUBE)	8.25 (1.32)	13.4 (2.05)	22 (4.00)
LIST PRICE EACH	\$ 34.90	\$ 50.25	\$ 75.70

InStock Color: Black (110).

1.800.833.3003 USA / Display

# **Bell Shaped, Budget & Fiberglass Bowls**

#### Camwear® Bell-Shaped **Pebbled Bowls**

- Perfect for showcasing fruits and salads.
- A versatile alternative to Cambro traditional Round Pebbled Bowls.
- Made from virtually unbreakable Camwear polycarbonate.

Color: Pebbled (176).

Capacities are calculated to rim.









CODE	BSB10	BSB12	BSB18
INSIDE DIAMETER	91/8"	12"	18"
APPROX. CAPACITY	2.1 qt.	4.0 qt.	12.5 qt.
CASE PACK	12	4	4
CASE LBS. (CUBE)	7.25 (0.48)	4 (0.52)	9 (1.50)
LIST PRICE EACH	\$ 11.95	\$ 15.40	\$ 32.45

Color: Pebbled (176).

### **Budget Salad Bowls**

- An economical serving choice for fruit, salads, snacks and desserts.
- Impact resistant FDA approved material resists stains, acids and odors.

Colors: Birch (174), Black (110).

Capacities are calculated to rim.











CODE	SB55	SB60	SB80
INSIDE DIAMETER	511/16"	6"	8"
APPROX. CAPACITY	10.9 oz.	12.6 oz.	31.2 oz.
CASE LBS. (CUBE)	8.75 (0.56)	11 (0.54)	19.25 (1.07)
LIST PRICE EACH	\$ 1.85	\$ 2.20	\$ 4.45

Case Pack: 72



## **Fiberglass Bowls**

- Combines the look of warm wood grains with the durability of fiberglass.
- Colors won't fade even after years of service and washing.


Color: Dark Basketweave (301).

For a swatch of this color and pattern, see Camtray group section. Capacities are calculated to rim.









Case Pack: 12



1.800.833.3003 www.cambro.com

# Camwear® Polycarbonate Display Covers & Trays

- Display covers protect freshness of pastries, breads and desserts.
- Virtually unbreakable Camwear polycarbonate features the upscale look of glass.
- Openings on side or end provide quick and easy access to contents without removing cover.

Display Covers Color: Clear (135).

**Display Trays Color:** Clear (135), Black (110).








Display Trays are stackable.
Display Trays cannot be personalized.
Refer to page 18 for Market Tray
information.



RD1220CW



RD1200CW



<sup>\*</sup> Dimensions include handle(s). Handle height is  $^{13}\!\!/_{16}\text{"}.$ 



RD1220CWH



DD1220BECW



Display Tray — DT1220CW



 $\label{eq:decomposition} \mbox{Dome with side cut} - \mbox{DD1220SCW}$ 

## **Crocks And Ladles**

#### **Crocks**

CP15

**Solid Color Crocks** 

Lids For Solid Color Crocks

CODE

CP12

CP15

CP27

CPL12\*

CPL27\*

CCP12

CCP15

CCP27

CCPL12\*

**Clear Crocks** 

**Lids For Clear Crocks** 

CAPACITY

1.2 Quart w/Lid

1.5 Quart w/Lid

2.7 Quart w/Lid

1.2 Quart w/Lid

1.5 Quart w/Lid

2.7 Quart w/Lid

Fits Clear CCP12 Crock

Fits Colored CP12 Crock

Fits Colored CP15 & CP27

- Ideal for use with salad bars, on buffet tables or at food stations.
- Resists stains and odors caused by vinegar, salad oils, or mayonnaise.
- Made of high impact FDA accepted material.
- Smooth surface is easy-to-clean.

#### **Solid Color Crock Colors:**

Cranberry (416), Black (110), Beige (133), Reddish Brown (195), White (148). Lid Color: White (148). Clear Crock Color: Clear (152).

\* Lids for Solid Color and Clear Crocks are not interchangeable.







CP12

CASE LBS.

(CUBE)

7 (1.07)

6 (1.13)

4.2 (0.71)

0.8(0.08)

1.03 (0.13)

8 (1.07)

5 (0.69)

6.25 (1.15)

6.16 (0.08)

PRICE EA.

\$ 8.25

10.25

11.70

1.40

1.45

9.45

14.80

15.75

1.35

CASE Pack

12

6

6

12

12

12

6

6

12



#### Camwear® Ladles

- Portion control bowls serve the perfect amount of dressing or food ingredient.
- Angled for easy handling.
- Designed with a side rest so ladles don't slip into crocks or serving bowls.
- Made of virtually unbreakable Camwear polycarbonate for years of dependable service.

**Colors:** Black (110), Beige (133), Clear (135), White (148), Reddish Brown (195).

\* Cambro's assortment pack offers 8 imprinted ladles and 4 with no imprinting. The 8 imprints include: 1 Thousand Island, 1 French, 1 House, 1 Italian, 1 Bleu Cheese, 1 Ranch, 1 Low Cal, 1 Caesar. This makes a perfect start-up set for a salad bar.

Custom Order Ladle Imprints — See personalization section for information, ordering and pricing. Maximum imprint area is 1" x  $\frac{1}{2}$ ". Six dozen minimum.

No broken cartons on assortment pack or imprinted ladles. Special order item not carried in stock, non-returnable.



Imprinted Ladles shown.

CCPL27*	Fits Clear CCP15 & CCP27	12	13.27 (0.13)	1.40
CODE	HEIGHT	TOP DIA	METER	CUT OUT Diameter
Solid Color	Crock with Lid			
CP12	53/16"	51/16"		43/4"
CP15	45/16"	65/8"		63/16"
CP27	6¾"	65/8"		61/8"
Clear Color	Crock with Lid			
CCP12	53/8"	51/4"		47/8"
CCP15	43/8"	63/4"		61/4"
CCP27	67/8"	63/4"		63/16"

InStock Color: Black (110).

CODE	DESCRIPTION	LENGTH	CAPACITY	CASE LBS. (CUBE)	LIST Price ea.
LD85	Plain	81/2"	³∕₄ 0Z.	1 (0.09)	\$ 3.30
LD85A*	Assortment	81/2"	³∕₄ 0Z.	1 (0.09)	4.75
LD105	Plain	101/16"	1 oz.	1.25 (0.13)	3.30
LD105A*	Assortment	101/16"	1 oz.	1.25 (0.13)	4.75
LD130	Plain	13"	1 oz.	1.25 (0.11)	3.70

Case Pack: 12 InStock Color: Black (110).

# Serving Spoons, Camtensils® & Turners

## Camwear® Serving Spoons

- Made of virtually unbreakable polycarbonate, Camwear spoons won't tarnish, bend or dent.
- A wide handle and molded in thumb rest ensures a solid, ergonomic grip.
- Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

**Colors:** Black (110), Beige (133), Clear (135), White (148) Red (404).







### **Camwear Polycarbonate Serving Spoons**




CODE	SPOP10CW	SPOP11CW	SPOP13CW
DESCRIPTION	3/4 oz. 10"	11"	13"
	Perforated	Perforated	Perforated
	Salad Spoon	Deli Spoon	Deli Spoon
DIMENSIONS	101/4" x 111/16"	111/8" x 27/8"	131/8" x 27/8"
CASE LBS. (CUBE)	0.65 (0.04)	1 (0.01)	2.22 (0.25)
LIST PRICE EACH	\$ 2.85	\$ 3.50	\$ 6.00

Case Pack: 12

#### **Camwear Solid Serving Spoons**





Case Pack: 12 InStock Color: Black (110).

## **High Heat Solid Spoons & Turners**

## High Heat Camtensils, Spoons and Turners

- Ideal for preparing and serving hot and cold foods.
- Made of a durable high heat material that withstands temperatures from -40°F to 375°F (-40°C to 190°C).
- Handle includes a hole for hanging when not in use and notches to rest on pans.














Case Pack: 12

## **High Heat Perforated Spoons & Slotted Turners**



CODE	SPOP13	SPASL14	
DESCRIPTION	13" Perforated	14" Slotted	
	Spoon	Turner	
DIMENSIONS	131/8" x 27/8"	141/8" x 31/2"	
CASE LBS. (CUBE)	2.35 (0.26)	3.6 (0.3)	
LIST PRICE EACH	\$ 8.65	\$ 9.70	

Case Pack: 12



USA / Display

# **Lugano® Tongs**

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 300°F (149°C).
- Ideal for serving cold and hot food, even from steam tables.
- Clear tongs are made from virtually unbreakable polycarbonate, which is safe to 210°F (99°C).

### Lugano Flat and Scallop Grip Tongs

- Easily grasp hard to hold items such as salad greens and tomatoes.
- Scallop Tongs feature an ergonomic design and secure finger grip.
- Flat Tongs are ribbed to provide a secure hold.

## **Flat Grip Tongs**



CODE	TG6	TG9	
LENGTH	6"	9"	
CASE LBS. (CUBE)	1 (0.05)	1.64 (0.21)	
LIST PRICE EACH	\$ 2.45	\$ 3.90	
0 DI- 10			

Case Pack: 12

# **Colors:** Black (110), Beige (133), \* Clear (135), \*\* Red (404), White (148).

Two year warranty on colored tongs.

- \* Clear is safe to 210°F (99°C).
- \*\* Red is NSF to 210°F (99°C).







## **Scallop Grip Tongs**



CODE	6TGS	9TGS	12TGS
LENGTH	6"	9"	12"
CASE LBS. (CUBE)	0.81 (0.07)	1.85 (0.16)	2.5 (0.22)
LIST PRICE EACH	\$ 2.50	\$ 3.90	\$ 5.90

Case Pack: 12 InStock Color: Black (110).

# Lugano Angled and Easy-Grasp Tongs

- Angled tongs feature an ergonomic design that makes it easy to serve a variety of foods.
- Easy-Grasp Tongs combine a fork and spoon, providing a secure grip for hard to hold items.

**Colors:** Black (110), Beige (133), Clear (135), White (148).

Two year warranty on colored tongs.

Easy-Grasp Lugano Tongs are not NSF listed.







## **Angled Tongs**





TGA8	TGA11	
Angled Tong	Angled Tong	
81/4"	1013/16"	
2.2 (0.19)	2.86 (0.24)	
\$ 3.85	\$ 4.50	
	Angled Tong 8½" 2.2 (0.19)	Angled Tong Angled Tong  81/4" 10 <sup>13</sup> / <sub>16</sub> "  2.2 (0.19) 2.86 (0.24)

Case Pack: 12 InStock Color: Black (110).

## **Easy-Grasp Tongs**





CODE	TGG6	TGG9
DESCRIPTION	Easy-Grasp Tong	Easy-Grasp Tong
DIMENSIONS	6"	9½"
CASE LBS. (CUBE)	1.39 (0.16)	2.25 (0.25)
LIST PRICE EACH	\$ 3.85	\$ 4.15


Case Pack: 12 InStock Color: Black (110)



# Camwear® Polycarbonate Shakers/Dredges & Condiment Jars

### **Camwear Shakers/Dredges**

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear virtually unbreakable Camwear polycarbonate and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.









CODE	COLOR	APPROX. Capacity	CASE LBS. (CUBE)	LIST Price ea.
Shakers (complete with lids)				
96SKRF (w/fine ground lid)	_	10 oz.	3.09 (0.30)	\$ 5.70
96SKRP (w/parsley lid)	_	10 oz.	3.09 (0.30)	5.70
96SKRD (w/salt & pepper lid)	_	10 oz.	3.09 (0.30)	5.70
96SKRC (w/cheese lid)	_	10 oz.	3.09 (0.30)	5.70
96SKRM (w/medium ground lid)	_	10 oz.	3.10 (0.30)	5.70
InCtook Color: Cloor (125)				

InStock Color: Clear (135).



96SKRLF Fine Ground



96SKRLC Cheese



96SKRLD Salt & Pepper



Med. Ground



96SKRLP Parsley

#### **Replacement Lids**

replacement Elac				
96SKRLF fine ground lid	Green (407) —	0.24 (0.09)	0.95	
96SKRLP parsley lid	White (148) —	1.12 (0.01)	0.95	
96SKRLD salt & pepper lid	Beige (406) —	0.28 (0.05)	0.95	
96SKRLC cheese lid	Yellow (405) —	0.26 (0.05)	0.95	
96SKRLM medium ground lid	Rose (408) —	0.26 (0.07)	0.95	

Case Pack: 12

#### Camwear **Condiment Jars**

- Use to hold condiments such as mustard, ketchup, dressings, jam or salsa.
- · Made of clear, virtually unbreakable Camwear polycarbonate.
- Lids are slotted to hold serving spoons when not in use.

Color: Clear (135).









CODE	APPROX. Capacity	SIZE H x D	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.
Jar & Cover					
CJ80CM	8 oz.	4" x 3½"	24	0.8 (0.23)	\$ 8.25

<sup>\*</sup> Spoons not included

1.800.833.3003 USA / Display



SHELVING





Food Safely



Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.

(NSF.)



Dishwasher Safe

Except mobile parts













Recyclable

Consultant Cut Sheets and CAD drawings are available on www.cambro.com, KCL or AutoQuotes

# **Easy And Quick To Clean**

### For a Sanitary Storage Area

- Shelf plates are easy to remove and run through the dishwasher.
- Smooth polypropylene surface quickly wipes clean.
- Spills clean quickly and easily, reducing the risk of cross-contamination.
- Camshelving® is weldless, so liquids and dirt cannot get inside crevices.



Shelf plates can be placed in an open end Camrack® OETR314 and washed in a commercial dishwasher.

# GAMOUARD

ANTIMICROBIAL SHELF PLATES

- Inhibits the growth of mold, fungus and bacteria.
- Camguard works continuously to suppress the growth of microbes between cleanings.
- All shelf plates are embedded with Camguard antimicrobial so it will not scrape off, wash off or wear out.





# **Strong And Durable**

### Strong as Steel

- Posts and traverses are the weight bearing components, constructed with a steel core and encapsulated by a thick polypropylene outer layer.
- Inner steel core ensures that Camshelving is strong, durable and stable.
- Thick, polypropylene outer layer will not chip, break or corrode.
- Post connectors provide exceptional cross stabilization.



Weight bearing components are made with a steel core.









	SINGLE UNIT - 4 Shelves	SINGLE UNIT - 4 Shelves	DUNNAGE STAND	CORNER UNIT (Attached Unit)	MOBILE UNIT
TRAVERSE LENGTH	24" to 48" (610 mm to 1220 mm)	54" to 72" (1380 mm to 1830 mm)	54" to 72" (1380 mm to 1830 mm)	24" to 48" (610 mm to 1220 mm)	24" to 48" (610 mm to 1220 mm)
WEIGHT BEARING CAPACITY PER SHELF	800 lbs. (363 kg)	600 lbs. (272 kg)	1000 lbs. (454 kg)	400 lbs. (181 kg)	_
WEIGHT BEARING CAPACITY PER UNIT	3200 lbs. (1451 kg)	2400 lbs. (1089 kg)	_	1600 lbs. (726 kg)	750 lbs. (340 kg)
			Dunnage Stands are used only on the bottom shelf. Recommended for traverses 54" (1380 mm) or longer.	Corner Connectors are recommended for use on traverses 48" (1220 mm) or less.	Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Camshelving Unit is 750 lbs. (340 kg).

# Easy To Assemble & Adjust

# Build Any Configuration and Fit Any Size Area

- Create a space efficient layout for any area.
- Assembles in minutes, requiring only the use of a mallet.
- Shelves can be adjusted in 4" (100 mm) increments without disassembling the entire unit.
- Two units can be connected together with shelves at alternating heights for maximum storage flexibility.
- Corner Connectors attach units to create a 90° angle or U shape.

POST Height	DOVETAIL Increment	NUMBER OF Positions Per Post
Stationary		
32"	4"	6
(820 mm)	(100 mm)	
56"	4"	12
(1430 mm)	(100 mm)	
64"	4"	14
(1630 mm)	(100 mm)	
72"	4"	16
(1830 mm)	(100 mm)	
84"	4"	19
(2140 mm)	(100 mm)	
Mobile		
35"	4"	6
(890 mm)	(100 mm)	
59"	4"	12
(1500 mm)	(100 mm)	
67"	4"	14
(1700 mm)	(100 mm)	
75"	4"	16
(1910 mm)	(100 mm)	

## **Rust Free**

#### For Use in Any Area, Wet or Dry

- Camshelving is weldless with no exposed metal, so it remains rust free.
- Safe to -36°F (-38°C), making Camshelving the ideal shelving system for freezers, walk-ins or any wet or humid environment.
- Not even salt water or sea air will corrode Camshelving.




Lifetime limited warranty against rust and corrosion for traverses and stationary posts.

Dry Storage Room



Cold Storage Room

# EASY TO ADJUST!



Shelves can be adjusted in 4" (100 mm) increments, without disassembling the unit.

# EASY TO ASSEMBLE!



Traverses slide easily down onto dovetail.

# Free Camshelving® Consulting



Cambro provides a free consulting service to maximize your storage area. No cost or obligation.

- Simply provide the dimensions of the storage space, number of shelves per unit, height of the posts, and any additional requirements you have.
- 2. Cambro will provide a recommended floor plan and product order list.
- 3. Your Cambro distributor or sales representative will contact you with pricing.
- 4. To contact the Camshelving Consulting Department please call 1 800 854 7631 and ask the operator to direct you to the Camshelving Consulting department, extensions 4113 or 4189. Or by email; mperez@cambro.com or Idelgado@cambro.com.

1.800.833.3003 USA / Shelving

## **Components**

Camshelving® is a modular system that allows the flexibility to assemble shelving to fit any size area. The key components, including posts, post connectors, traverses and shelf plates, are available in a variety of

sizes. They can be easily configured to custom build shelving to maximize storage space. Unique design elements such as shared posts and corner connectors simplify assembly and increase storage capacity.

#### **Post Connectors**

Post connectors hold two posts together and define the width of the unit.

They are made of polypropylene and provide excellent cross stabilization.



Post Kit Includes two Posts and a set of one top and one bottom Post Connector

## **Traverses**

Traverses have a steel core with a polypropylene exterior to provide strength and durability.


Traverses connect to the post by sliding on to the dovetail on the post.


Two traverses are needed to build one shelf, and they define the length of the unit.

#### **Shelf Plates**

Shelf Plates are made of polypropylene. Dishwasher safe.








Post for Stationary Unit

Stationary Unit

## **Posts For Stationary Unit**

Posts have a steel core with a polypropylene exterior to provide strength and durability.

Posts define the height of the shelving unit and are measured with the leveling foot fully engaged.



# Posts For Mobile Camshelving

Mobile Camshelving posts must be used to build mobile Camshelving units.



#### **Casters**

Available in standard for dry storage or premium for freezers, cold, or wet applications.

## **Maximize Space Utilization**

Camshelving® is available in starter and add-on units for ease of ordering and assembly.

#### **Starter Units**

- Available in stationary or mobile units.
- Starter units ship complete with two post kits, traverses and shelf plates to build an entire unit.





#### Add-On Units

- Add-On units ship complete with one post kit, traverses and shelf plates to attach to an adjoining unit.
- The traverses on both the first and second unit share the middle post.
- No add-on clips or S-hooks required.
- There is no loss of weight bearing capacity when built in a straight line.



### **Corner Units & U-Shape Units**

- Corner connectors can be used to build corner units and U Shape units.
- Traverses snap onto corner connectors just like they snap onto the dovetails of the posts.

#### **Corner Connector Set**

- Attaches a basic unit to a second unit at a 90° angle or to form a U-shape.
- A set of corner connectors are needed for each shelf.



<sup>\*</sup> Corner connectors are recommended for use on traverses equal to or shorter than 48" (1220 mm), and covered by U.S. Patent D498,664S.

#### **Dunnage Stand**

- Increases weight bearing capacity to 1000 lbs. (454 kg) on the bottom shelf.
- Recommended for units 54" (1380 mm) or longer.



\* Dunnage stands are covered by U.S. Patent US 6,981,454B2.

## **Fence System**

- Prevents stored items from falling off shelving units.
- Ideal for mobile shelving.



#### **Mobile Units**

- Mobile Camshelving units are built by using posts for mobile carts and inserting casters.
- Mobile units are not designed to serve as transport carts.
- · Casters sold separately.



Mobile unit shown with optional fencing.

#### **Seismic Foot**

 Bolts a post to the floor for a more stable base.



#### Wall Fastener | Identifi

- Fastens a unit to a wall as a safety precaution.
- · Screws not included.

## **Identification Tag**

- Easily clips onto traverses to identify stored items.
- Made of PVC.
- Includes 12 HACCP labels.



## **Donut Bumper**

- Protects mobile Camshelving.
- 3½" (90 mm) Bumper.




1.800.833.3003 USA / Shelving

# **Camshelving® Configuration Details**

- The following charts are provided to assist in developing a footprint for your storage area.
- They can also be used to help determine your actual shelf space.
- Traverse measurements are based on outside, or The overall length varies slightly when using overall unit length.
- This includes the posts.

- a basic unit, add-on unit, intermediate unit or corner unit.
- These variations are outlined below.



UNIT	BASIC UNIT Overall Length	ADD-ON UNIT Overall Length	BASIC + ADD-ON UNIT Overall length
24"	24"	221/4"	461/4"
(610 mm)	(610 mm)	(565 mm)	(1175 mm)
30"	30"	281/4"	581/4"
(760 mm)	(760 mm)	(720 mm)	(1480 mm)
36"	36"	341/4"	701/4"
(910 mm)	(910 mm)	(870 mm)	(1780 mm)
42"	42"	401/4"	821/4"
(1070 mm)	(1070 mm)	(1025 mm)	(2095 mm)
48"	48"	461/4"	941/4"
(1220 mm)	40 (1220 mm)	4074 (1175 mm)	(2395 mm)
54"	EAU	E01/II	1001/11
(1380 mm)	54" (1380 mm)	52½" (1330 mm)	106½" (2710 mm)
60"			
(1530 mm)	60" (1530 mm)	58½" (1480 mm)	118¼" (3010 mm)
	(1000 11111)	(1100 11111)	(0010 11111)
72"	72"	701/4"	1421/4"
(1830 mm)	(1830 mm)	(1790 mm)	(3620 mm)


# Overall Length **Corner Unit** Overall Depth Using one set of Corner **Corner Unit** Connectors per shelf. Overall Depth Corner

UNIT	CURNER UNIT OVERALL LENGTH	INTERMEDIATE UNIT OVERALL LENGTH
<del>24</del> "	23"	22"
(610 mm)	(585 mm)	(560 mm)
30"	29"	28"
(760 mm)	(740 mm)	(715 mm)
36"	35"	34"
(910 mm)	(890 mm)	(865 mm)
42"	41"	40"
(1070 mm)	(1045 mm)	(1020 mm)
48"	47"	46"
(1220 mm)	(1195 mm)	(1170 mm)

Corner Connectors are recommended for use on traverses 48" (1220 mm) or less.

#### **Intermediate Unit**

Using two sets of corner connectors on each side of a shelf.



## **Shelf Spacing**

Dovetails are spaced every 4" (100 mm)



POST HEIGHT	NUMBER OF Positions Per Post	POST HEIGHT	NUMBER OF Positions Per Post
Stationary		Mobile	
32" (820 mm)	6	35" (890 mm)	6
56" (1430 mm)	12	59" (1500 mm)	12
64" (1630 mm)	14	67" (1700 mm)	14
72" (1830 mm)	16	75" (1910 mm)	16
84" (2140 mm)	19		

# **Stationary Post Kits and Accessories**

Stationary	y Post Kits				
HEIGHT	WIDTH	14"	18"	21"	24"
		360 mm	460 mm	540 mm	610 mm
0011	CODE	CSPK1432	CSPK1832	CSPK2132	CSPK2432
32"	CASE LBS. (CUBE)	8.6 (0.30)	8.91 (0.32)	9.2 (0.31)	9.69 (0.3)
<b>-</b>	CASE KG (CUBE M³)	3,9 (0,01)	4,04 (0,01)	4,17 (0,01)	4,4 (0,01)
820 mm	LIST PRICE KIT	\$ 69.25	\$ 74.10	\$ 76.90	\$ 77.75
	CODE	CSPK1456	CSPK1856	CSPK2156	CSPK2456
56"	CASE LBS. (CUBE)	13.18 (0.47)	13.49 (0.47)	13.78 (0.47)	14.27 (0.47)
00	CASE KG (CUBE M³)	5,98 (0,01)	6,12 (0,01)	6,25 (0,01)	6,47 (0,01)
1430 mm	LIST PRICE KIT	\$ 94.60	\$ 99.45	\$ 102.30	\$ 103.10
	CODE	CSPK1464	CSPK1864	CSPK2164	CSPK2464
64"	CASE LBS. (CUBE)	14.77 (0.46)	15.07 (0.46)	15.37 (0.46)	15.86 (0.46)
UT	CASE KG (CUBE M³)	6,7 (0,01)	6,84 (0,01)	6,97 (0,01)	7,19 (0,01)
1630 mm	LIST PRICE KIT	\$ 103.20	\$ 108.05	\$ 110.85	\$ 111.65
	CODE	CSPK1472	CSPK1872	CSPK2172	CSPK2472
72"	CASE LBS. (CUBE)	16.73 (0.52)	17.04 (0.52)	17.33 (0.52)	17.82 (0.52)
1 4	CASE KG (CUBE M <sup>3</sup> )	7,59 (0,01)	7,73 (0,01)	7,86 (0,01)	8,08 (0,01)
1830 mm	LIST PRICE KIT	\$ 105.65	\$ 110.45	\$ 113.10	\$ 114.15
0.41	CODE	CSPK1484	CSPK1884	CSPK2184	CSPK2484
84"	CASE LBS. (CUBE)	19 (0.61)	19.3 (0.61)	19.59 (0.61)	20.08 (0.61)
0 1	CASE KG (CUBE M³)	8,62 (0,02)	8,75 (0,02)	8,89 (0,02)	9,11 (0,02)
2140 mm	LIST PRICE KIT	\$ 122.70	\$ 127.65	\$ 130.25	\$ 131.25

Case Pack: 1 Color: Speckled Gray (480).

Dunnage S	Stands				
HEIGHT	WIDTH	14"	18"	21"	24"
		360 mm	460 mm	540 mm	610 mm
04.711	CODE	CSDS14	CSDS18	CSDS21	CSDS24
61/2"	CASE LBS. (CUBE)	2.6 (0.18)	2.9 (0.22)	3.1 (0.26)	3.3 (0.30)
	CASE KG (CUBE M³)	1,2 (0,0050)	1,3 (0,0062)	1,4 (0,0074)	1,5 (0,0085)
165 mm	LIST PRICE KIT	\$ 69.05	\$ 71.30	\$ 73.10	\$ 74.95

Case Pack: 1 Color: Speckled Gray (480).

Accessor	ries				Poultry	Poultry
		Seismic Foot	Wall Fastener	Corner Connectors	ld Tag 6"	ld Tag 3"
	CODE	CSEQ3	CSWF	CSCC	CSID	CSID3
	DESCRIPTION	Seismic Foot	Wall Fastener	90° Left & Right	6" ID Tag	3" ID Tag
	COLOR	Silver	Silver	Speckled Gray (480)	White/Clear	White/Clear
	SIZE: L x W x H	4" x 3½" 2½6" (100 x 85 x 60 mm)	9¾" x 1½" x 2½" (238 x 48 x 73 mm)	_	1" x 6" (25 x 150 mm)	1" x 3" (25 x 80 mm)
	CASE LBS. (CUBE)	1.43 (0.04)	4.08 (0.27)	0.38 (0.05)	0.82 (0.08)	0.58 (0.06)
	CASE KG (CUBE M³)	0,017 (0,011)	1,85 (0,0006)	0,017 (0,014)	0,35 (0,0079)	0,35 (0,0079)
	CASE PACK	4 each	4 each	1 set of 2 parts	12 each	12 each
	LIST PRICE EA.	\$ 33.00	\$ 25.00	\$ 5.40	\$ 2.25	\$ 2.25

USA / Shelving 63 1.800.833.3003

# **Solid Shelf Kits**

		<b>\( \)</b>							
WIDTH	LENGTH	24"	30"	36"	42"	48"	54"	60"	72"
		610 mm	760 mm	910 mm	1070 mm	1220 mm	1380 mm	1530 mm	1830 mm
4 411	CODE	CS1424SK	CS1430SK	CS1436SK	CS1442SK	CS1448SK	CS1454SK	CS1460SK	CS1472SK
14"	CASE LBS. (CUBE)	6.9 (1.0)	8.52 (1.0)	10.37 (1.38)	12.54 (1.69)	13.65 (1.39)	15.69 (1.73)	17.34 (2.07)	21.08 (2.50)
• •	CASE KG (CUBE M³)	3,13 (0,03)	3,86 (0,03)	4,7 (0,04)	5,69 (0,05)	6,19 (0,04)	7,12 (0,05)	7,87 (0,06)	9,56 (0,07)
360 mm	LIST PRICE KIT	\$ 65.20	\$ 80.95	\$ 89.95	\$ 103.60	\$ 114.20	\$ 127.75	\$ 137.80	\$ 161.65
4.011	CODE	CS1824SK	CS1830SK	CS1836SK	CS1842SK	CS1848SK	CS1854SK	CS1860SK	CS1872SK
18"	CASE LBS. (CUBE)	7.62 (1.0)	9.39 (1.0)	11.37 (1.38)	13.85 (1.69)	14.93 (1.39)	17.29 (1.73)	19.25 (2.07)	23.28 (2.50)
. 0	CASE KG (CUBE M³)	3,46 (0,03)	4,26 (0,03)	5,16 (0,04)	6,28 (0,05)	6,77 (0,04)	7,84 (0,05)	8,73 (0,06)	10,56 (0,07)
460 mm	LIST PRICE KIT	\$ 68.45	\$ 84.20	\$ 93.60	\$ 112.05	\$ 118.10	\$ 136.60	\$ 149.60	\$ 173.55
	CODE	CS2124SK	CS2130SK	CS2136SK	CS2142SK	CS2148SK	CS2154SK	CS2160SK	CS2172SK
21"	CASE LBS. (CUBE)	8.54 (1.0)	10.49 (1.0)	12.79 (1.38)	15.38 (1.69)	16.84 (1.39)	19.31 (1.73)	21.38 (2.07)	25.90 (2.5)
<b>~</b> ·	CASE KG (CUBE M³)	3,87 (0,03)	4,76 (0,03)	5,8 (0,04)	6,98 (0,05)	7,64 (0,04)	8,76 (0,05)	9,70 (0,06)	11,75 (0,07)
540 mm	LIST PRICE KIT	\$ 76.10	\$ 95.25	\$ 106.45	\$ 126.50	\$ 136.10	\$ 156.05	\$ 169.90	\$ 199.15
0.115	CODE	CS2424SK	CS2430SK	CS2436SK	CS2442SK	CS2448SK	CS2454SK	CS2460SK	CS2472SK
24"	CASE LBS. (CUBE)	8.85 (1.0)	11.05 (1.0)	13.54 (1.38)	16.26 (1.69)	18.04 (1.39)	20.64 (1.73)	22.84 (2.07)	27.81 (2.50)
4	CASE KG (CUBE M³)	4,01 (0,03)	5,01 (0,03)	6,14 (0,04)	7,38 (0,05)	8,18 (0,04)	9,36 (0,05)	10,36 (0,06)	12,61 (0,07)
610 mm	LIST PRICE KIT	\$81.00	\$ 100.05	\$ 112.35	\$ 130.05	\$ 142.50	\$ 160.45	\$ 173.95	\$ 203.95

Case Pack: 1

Color: Speckled Gray (480).

# **Vented Shelf Kits**

WIDTH	LENGTH	24"	30"	36"	42"	48"	54"	60"	72"
		610 mm	760 mm	910 mm	1070 mm	1220 mm	1380 mm	1530 mm	1830 mm
4 4 11	CODE	CS1424VK	CS1430VK	CS1436VK	CS1442VK	CS1448VK	CS1454VK	CS1460VK	CS1472VK
14"	CASE LBS. (CUBE)	6.73 (1.0)	8.26 (1.0)	10.02 (1.38)	12.12 (1.69)	13.11 (1.39)	15.1 (1.73)	16.68 (2.07)	20.24 (2.5)
• •	CASE KG (CUBE M³)	3,05 (0,03)	3,75 (0,03)	4,54 (0,04)	5,50 (0,05)	5,95 (0,04)	6,85 (0,05)	7,57 (0,06)	9,18 (0,07)
360 mm	LIST PRICE KIT	\$ 63.60	\$ 79.05	\$ 87.60	\$ 100.30	\$ 111.10	\$ 123.65	\$ 132.65	\$ 155.80
4.011	CODE	CS1824VK	CS1830VK	CS1836VK	CS1842VK	CS1848VK	CS1854VK	CS1860VK	CS1872VK
18"	CASE LBS. (CUBE)	7.32 (1.0)	8.98 (1.0)	10.89 (1.38)	13.23 (1.69)	14.27 (1.39)	16.49 (1.73)	18.30 (2.07)	22.14 (2.5)
	CASE KG (CUBE M <sup>3</sup> )	3,32 (0,03)	4,07 (0,03)	4,94 (0,04)	6 (0,05)	6,47 (0,04)	7,48 (0,05)	8,3 (0,06)	10,04 (0,07
460 mm	LIST PRICE KIT	\$ 65.25	\$ 80.70	\$ 89.40	\$ 106.70	\$ 112.95	\$ 130.15	\$ 141.95	\$ 165.00
0411	CODE	CS2124VK	CS2130VK	CS2136VK	CS2142VK	CS2148VK	CS2154VK	CS2160VK	CS2172VK
21"	CASE LBS. (CUBE)	7.96 (1.0)	9.78 (1.0)	11.88 (1.38)	14.4 (1.69)	15.61 (1.39)	18.01 (1.73)	20.01 (2.07)	24.21 (2.5)
	CASE KG (CUBE M <sup>3</sup> )	3,61 (0,03)	4,44 (0,03)	5,39 (0,04)	6,53 (0,05)	7,08 (0,04)	8,17 (0,05)	9,08 (0,06)	10,98 (0,07
540 mm	LIST PRICE KIT	\$ 73.10	\$ 90.60	\$ 100.95	\$ 120.65	\$ 128.10	\$ 147.70	\$ 161.15	\$ 187.95
	CODE	CS2424VK	CS2430VK	CS2436VK	CS2442VK	CS2448VK	CS2454VK	CS2460VK	CS2472VK
24"	CASE LBS. (CUBE)	8.31 (1.0)	10.38 (1.0)	12.70 (1.38)	15.35 (1.69)	16.89 (1.39)	19.43 (1.73)	21.56 (2.07)	26.22 (2.5)
_ '	CASE KG (CUBE M³)	3,77 (0,03)	4,71 (0,03)	5,76 (0,04)	6,96 (0,05)	7,66 (0,04)	8,81 (0,05)	9,78 (0,06)	11,89 (0,07
610 mm	LIST PRICE KIT	\$ 74.80	\$ 93.10	\$ 104.75	\$ 122.25	\$ 133.85	\$ 150.20	\$ 162.30	\$ 191.15

Case Pack: 1

Color: Speckled Gray (480).

# **Vented Starter Units 18" Width**

•	WIDTH 18" 460 mm	35. (812 mm)	95. (1910 mm)	45° (1220 mm)	54" (1300 mm)	gp (150 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSU48366	CSU48426	CSU48486	CSU48546	CSU48606
64"	CASE LBS. (CUBE)	72.82 (5.92)	80.24 (5.92)	85.36 (5.92)	92.22 (5.92)	98.92 (5.92)
•	CASE KG (CUBE M³)	33,03 (0,17)	36,4 (0,17)	38,72 (0,17)	41,83 (0,17)	44,87 (0,17)
1630 mm	LIST PRICE KIT	\$ 573.70	\$ 642.90	\$ 667.90	\$ 736.70	\$ 783.90
0.411	CODE - 5 SHELVES	CSU58366	CSU58426	CSU58486	CSU58546	CSU58606
64"	CASE LBS. (CUBE)	82.36 (5.92)	91.63 (5.92)	98.04 (5.92)	106.61 (5.92)	114.99 (5.92)
•	CASE KG (CUBE M³)	37,36 (0,17)	41,56 (0,17)	44,47 (0,17)	48,36 (0,17)	52,16 (0,17)
1630 mm	LIST PRICE KIT	\$ 663.10	\$ 749.60	\$ 780.85	\$ 866.85	\$ 925.85
7011	CODE - 4 SHELVES	CSU48367	CSU48427	CSU48487	CSU48547	CSU48607
72"	CASE LBS. (CUBE)	76.34 (5.92)	83.76 (5.92)	88.89 (5.92)	95.75 (5.92)	102.44 (5.92)
	CASE KG (CUBE M³)	34,63 (0,17)	37,99 (0,17)	40,32 (0,17)	43,43 (0,17)	46,47 (0,17)
1830 mm	LIST PRICE KIT	\$ 578.50	\$ 647.70	\$ 672.70	\$ 741.50	\$ 788.70
70"	CODE - 5 SHELVES	CSU58367	CSU58427	CSU58487	CSU58547	CSU58607
72"	CASE LBS. (CUBE)	88.27 (5.92)	98.28 (5.92)	104.85 (5.92)	110.14 (5.92)	118.51 (5.92)
	CASE KG (CUBE M³)	40,04 (0,17)	44,58 (0,17)	47,56 (0,17)	49,96 (0,17)	53,75 (0,17)
1830 mm	LIST PRICE KIT	\$ 667.90	\$ 754.40	\$ 785.65	\$ 871.65	\$ 930.65

Case Pack: 1

Color/InStock Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

## **Vented Add-On Units**

•	VIDTH 18" 460 mm	3/27 (870mm)	40.25" (1025 mm)	46.25° (1175 mm)	52.25° (1350 mm)	58.25° (1480 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSA48366	CSA48426	CSA48486	CSA48546	CSA48606
64"	CASE LBS. (CUBE)	58.84 (5.92)	66.26 (5.92)	71.38 (5.92)	78.24 (5.92)	84.94 (5.92)
0.	CASE KG (CUBE M³)	26,69 (0,17)	30,05 (0,17)	32,38 (0,17)	35,49 (0,17)	38,53 (0,17)
1630 mm	LIST PRICE KIT	\$ 465.65	\$ 534.85	\$ 559.85	\$ 628.65	\$ 675.85
0.411	CODE - 5 SHELVES	CSA58366	CSA58426	CSA58486	CSA58546	CSA58606
64"	CASE LBS. (CUBE)	68.38 (5.92)	77.65 (5.92)	84.06 (5.92)	92.63 (5.92)	101.01 (5.92)
•	CASE KG (CUBE M³)	31,02 (0,17)	35,22 (0,17)	38,13 (0,17)	42,02 (0,17)	45,82 (0,17)
1630 mm	LIST PRICE KIT	\$ 555.05	\$ 641.55	\$ 672.80	\$ 758.80	\$ 817.80
	CODE - 4 SHELVES	CSA48367	CSA48427	CSA48487	CSA48547	CSA48607
72"	CASE LBS. (CUBE)	60.6 (5.92)	68.02 (5.92)	73.15 (5.92)	80 (5.92)	86.7 (5.92)
, _	CASE KG (CUBE M³)	27,49 (0,17)	30,85 (0,17)	33,18 (0,17)	36,29 (0,17)	39,33 (0,17)
1830 mm	LIST PRICE KIT	\$ 468.05	\$ 537.25	\$ 562.25	\$ 631.05	\$ 678.25
_	CODE - 5 SHELVES	CSA58367	CSA58427	CSA58487	CSA58547	CSA58607
72"	CASE LBS. (CUBE)	70.14 (5.92)	79.41 (5.92)	85.82 (5.92)	94.4 (5.92)	102.77 (5.92)
1 4	CASE KG (CUBE M³)	31,81 (0,17)	36,02 (0,17)	38,93 (0,17)	42,82 (0,17)	46,62 (0,17)
1830 mm	LIST PRICE KIT	\$ 557.45	\$ 643.95	\$ 675.20	\$ 761.20	\$ 820.20

Case Pack: 1

Color/InStock Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

# Vented Starter Units 21" Width

2	<b>VIDTH 21"</b> 640 mm	35° (315 mm)	AZ (1010 mm)	45° (1220 mm)	54 (1380 mm)	95° (1530 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSU41366	CSU41426	CSU41486	CSU41546	CSU41606
64"	CASE LBS. (CUBE)	78 (7.39)	86.17 (7.39)	91.95 (7.39)	99.56 (7.39)	107.01 (7.39)
•	CASE KG (CUBE M³)	35,38 (0,21)	39,09 (0,21)	41,71 (0,21)	45,16 (0,21)	48,54 (0,21)
1630 mm	LIST PRICE KIT	\$ 625.50	\$ 704.30	\$ 734.10	\$ 812.50	\$ 866.30
	CODE - 5 SHELVES	CSU51366	CSU51426	CSU51486	CSU51546	CSU51606
64"	CASE LBS. (CUBE)	88.53 (7.39)	98.74 (7.39)	105.97 (7.39)	115.48 (7.39)	124.79 (7.39)
0.	CASE KG (CUBE M³)	40,16 (0,21)	44,79 (0,21)	48,07 (0,21)	52,38 (0,21)	56,60 (0,21)
1630 mm	LIST PRICE KIT	\$ 726.45	\$ 824.95	\$ 862.20	\$ 960.20	\$ 1,027.45
	CODE - 4 SHELVES	CSU41367	CSU41427	CSU41487	CSU41547	CSU41607
72"	CASE LBS. (CUBE)	81.53 (7.39)	89.7 (7.39)	95.48 (7.39)	103.09 (7.39)	110.54 (7.39)
, _	CASE KG (CUBE M³)	36,98 (0,21)	40,69 (0,21)	43,31 (0,21)	46,76 (0,21)	50,14 (0,21)
1830 mm	LIST PRICE KIT	\$ 630.00	\$ 708.80	\$ 738.60	\$ 817.00	\$ 870.80
	CODE - 5 SHELVES	CSU51367	CSU51427	CSU51487	CSU51547	CSU51607
72"	CASE LBS. (CUBE)	92.06 (7.39)	102.27 (7.39)	109.49 (7.39)	119 (7.39)	128.32 (7.39)
	CASE KG (CUBE M³)	41,76 (0,21)	46,39 (0,21)	49,66 (0,21)	53,98 (0,21)	58,20 (0,21)
1830 mm	LIST PRICE KIT	\$ 730.95	\$ 829.45	\$ 866.70	\$ 964.70	\$ 1,031.95

#### Case Pack: 1

Color/InStock Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

## **Vented Add-On Units**

2	/ <b>IDTH 2 1 ''</b> 40 mm	3/25' (ET num)	4025* (1025 mm)	4225°(1175 mm)	52.25° (1330 mm)	5825' (1480 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSA41366	CSA41426	CSA41486	CSA41546	CSA41606
64"	CASE LBS. (CUBE)	63.73 (7.39)	71.9 (7.39)	77.68 (7.39)	85.29 (7.39)	92.74 (7.39)
•	CASE KG (CUBE M³)	28,91 (0,21)	32,61 (0,21)	35,23 (0,21)	38,69 (0,21)	42,07 (0,21)
1630 mm	LIST PRICE KIT	\$ 514.65	\$ 593.45	\$ 623.25	\$ 701.65	\$ 755.45
	CODE - 5 SHELVES	CSA51366	CSA51426	CSA51486	CSA51546	CSA51606
64"	CASE LBS. (CUBE)	74.26 (7.39)	84.47 (7.39)	91.7 (7.39)	101.21 (7.39)	110.52 (7.39)
0.	CASE KG (CUBE M³)	33,68 (0,21)	38,31 (0,21)	41,59 (0,21)	45,91 (0,21)	50,13 (0,21)
1630 mm	LIST PRICE KIT	\$ 615.60	\$ 714.10	\$ 751.35	\$ 849.35	\$ 916.60
	CODE - 4 SHELVES	CSA41367	CSA41427	CSA41487	CSA41547	CSA41607
72"	CASE LBS. (CUBE)	65.49 (7.39)	73.66 (7.39)	79.44 (7.39)	87.05 (7.39)	94.5 (7.39)
1 -	CASE KG (CUBE M³)	29,71 (0,21)	33,41 (0,21)	36,03 (0,21)	39,49 (0,21)	42,86 (0,21)
1830 mm	LIST PRICE KIT	\$ 516.90	\$ 595.70	\$ 625.50	\$ 703.90	\$ 757.70
	CODE - 5 SHELVES	CSA51367	CSA51427	CSA51487	CSA51547	CSA51607
72"	CASE LBS. (CUBE)	76.02 (7.39)	86.23 (7.39)	93.46 (7.39)	102.97 (7.39)	112.28 (7.39)
1 -	CASE KG (CUBE M³)	34,48 (0,21)	39,11 (0,21)	42,39 (0,21)	46,71 (0,21)	50,93 (0,21)
1830 mm	LIST PRICE KIT	\$ 617.85	\$ 716.35	\$ 753.60	\$ 851.60	\$ 918.85

Case Pack: 1

Color/InStock Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

# Vented Starter Units 24" Width

	VIDTH 24" 510 mm	37 (815 mm)	42 (1010 mm)	45° (1220 mm)	- 54- (1380 mm)	BDT (1550 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSU44366	CSU44426	CSU44486	CSU44546	CSU44606
64"	CASE LBS. (CUBE)	83.18 (8.49)	91.88 (8.49)	99.01 (8.49)	107.14 (8.49)	115.12 (9.46)
0.	CASE KG (CUBE M³)	37,73 (0,24)	41,68 (0,24)	44,91 (0,24)	48,6 (0,24)	52,22 (0,27)
1630 mm	LIST PRICE KIT	\$ 642.30	\$ 712.30	\$ 758.70	\$ 824.10	\$ 872.50
CAII	CODE - 5 SHELVES	CSU54366	CSU54426	CSU54486	CSU54546	CSU54606
64"	CASE LBS. (CUBE)	94.53 (8.49)	105.4 (8.49)	114.31 (8.49)	124.48 (8.49)	134.44 (9.46)
1630 mm	CASE KG (CUBE M³)	42,88 (0,24) \$ 747.05	47,81 (0,24) \$ 834.55	51,85 (0,24) \$ 892.55	56,46 (0,24) \$ 974.30	60,98(0,27) \$ 1,034.80
		ψ 7 1 1 1 d c	<b>4 00 1100</b>	¥ 002.00	<b>4</b> 07 1100	¥ 2,0000
	CODE - 4 SHELVES	CSU44367	CSU44427	CSU44487	CSU44547	CSU44607
72"	CASE LBS. (CUBE)	86.71 (8.49)	95.4 (8.49)	102.53 (8.49)	110.66 (8.49)	123.76 (9.46)
<i>,</i> –	CASE KG (CUBE M³)	39,33 (0,24)	43,27 (0,24)	46,51 (0,24)	50,19 (0,24)	56,14 (0,27)
1830 mm	LIST PRICE KIT	\$ 647.30	\$ 717.30	\$ 763.70	\$ 829.10	\$ 877.50
70"	CODE - 5 SHELVES	CSU54367	CSU54427	CSU54487	CSU54547	CSU54607
72"	CASE LBS. (CUBE)	102.29 (8.49)	113.48 (8.49)	123.59 (8.49)	128 (8.49)	144.37 (9.46)
, _	CASE KG (CUBE M³)	46,4 (0,24)	51,47 (0,24)	56,06 (0,24)	58,06 (0,24)	65,48 (0,27)
1830 mm	LIST PRICE KIT	\$ 752.05	\$ 839.55	\$ 897.55	\$ 979.30	\$ 1,039.80

Case Pack: 1

Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

# **Vented Add-On Units**

4	NIDTH <b>24"</b> 610 mm	34.25 (STO mm)	40.25° (1025 mm)	46.25° (1175 mm)	52.25° (1330 mm)	58.25° (1480 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 4 SHELVES	CSA44366	CSA44426	CSA44486	CSA44546	CSA44606
64"	CASE LBS. (CUBE)	68.42 (8.49)	77.12 (8.49)	84.24 (8.49)	92.38 (8.49)	100.35 (9.46)
•	CASE KG (CUBE M³)	31,03 (0,24)	34,98 (0,24)	38,21 (0,24)	41,90 (0,24)	45,52 (0,27)
1630 mm	LIST PRICE KIT	\$ 530.65	\$ 600.65	\$ 647.05	\$ 712.45	\$ 760.85
0.411	CODE - 5 SHELVES	CSA54366	CSA54426	CSA54486	CSA54546	CSA54606
64"	CASE LBS. (CUBE)	79.77 (8.49)	90.64 (8.49)	99.54 (8.49)	109.71 (8.49)	119.68 (9.46)
<b>.</b>	CASE KG (CUBE M³)	36,18 (0,24)	41,11 (0,24)	45,15 (0,24)	49,76 (0,24)	54,29 (0,27)
1630 mm	LIST PRICE KIT	\$ 635.40	\$ 722.90	\$ 780.90	\$ 862.65	\$ 923.15
	CODE - 4 SHELVES	CSA44367	CSA44427	CSA44487	CSA44547	CSA44607
72"	CASE LBS. (CUBE)	70.18 (8.49)	78.88 (8.49)	86 (8.49)	94.14 (8.49)	102.11 (9.46)
, _	CASE KG (CUBE M³)	31,83 (0,24)	35,78 (0,24)	39,01 (0,24)	42,70 (0,24)	46,32 (0,27)
1830 mm	LIST PRICE KIT	\$ 533.15	\$ 603.15	\$ 649.55	\$ 714.95	\$ 763.35
	CODE - 5 SHELVES	CSA54367	CSA54427	CSA54487	CSA54547	CSA54607
72"	CASE LBS. (CUBE)	81.53 (8.49)	92.4 (8.49)	101.31 (8.49)	111.47 (8.49)	121.44 (9.46)
1 4	CASE KG (CUBE M³)	36,98 (0,24)	41,91 (0,24)	45,95 (0,24)	50,56 (0,24)	55,08 (0,27)
1830 mm	LIST PRICE KIT	\$ 637.90	\$ 725.40	\$ 783.40	\$ 865.15	\$ 925.65

Case Pack: 1

Color: Speckled Gray (480).

Dimensions provided with line drawings above are actual dimensions.

# 84" Shelving

- 84" (2140 mm) Camshelving® provides maximum storage capacity in limited space.
- Ideal for operations with high product turnover and extensive menu offerings.
- Add a dunnage stand for greater stability and weight bearing capability.

DUE TO THE HEAVY WEIGHT OF 84" (2140 MM) SHELVING, STARTER AND ADD-ON UNITS WILL BE SHIPPED IN MULTIPLE CARTONS.

Starter Units will ship in three separate cartons: two cartons containing one post kit each, and one carton containing five sets of shelf kits.

Add-On Units will ship in two separate cartons: one carton containing one post kit and one carton containing five sets of shalf kits



## Vented Starter Units 24" Width

2	/IDTH 24" 10 mm	35' (315 mm)	42° (1010 mm)	48° (1220 mm)	\$4.(1380 mm)	60° (1530 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
	CODE - 5 SHELVES	CSU54368PKG480	CSU54428PKG480	CSU54488PKG480	CSU54548PKG480	CSU54608PKG480
84"	POST KIT BOX (2)	2 Post Kits				
0.	CASE LBS. (CUBE)	40.16 (1.23)	40.16 (1.23)	40.16 (1.23)	40.16 (1.23)	40.16 (1.23)
2140 mm	CASE KG (CUBE M³)	18,22 (0,0346)	18,22 (0,0346)	18,22 (0,0346)	18,22 (0,0346)	18,22 (0,0346)
	SHELF KIT BOX (1)	Set of 5 Shelf Kits				
	CASE LBS. (CUBE)	62.77 (5.28)	73.57 (6.16)	83.1 (7.04)	95.85 (7.92)	104.64 (8.8)
	CASE KG (CUBE M³)	28,47 (0,15)	33,37 (0,174)	37,69 (0,199)	43,48 (0,224)	47,46 (0,249)
	LIST PRICE KIT	\$ 786.25	\$ 873.75	\$ 931.75	\$ 1,013.50	\$ 1,074.00

**Case Pack:** Three cartons per unit Shipping weight listed above is per carton. Color: Speckled Gray (480). Dimensions provided with line drawings above are actual dimensions.

# **Vented Add-On Units**

2	/IDTH <b>24"</b> 10 mm	3425 (870 mm)	4025° (1025 mm)	48.25° (1175 mm)	\$2.25° (1330 mm)	59.25" (1480 mm)
HEIGHT	LENGTH	36"	42"	48"	54"	60"
		910 mm	1070 mm	1220 mm	1380 mm	1530 mm
0.411	CODE - 5 SHELVES	CSA54368PKG480	CSA54428PKG480	CSA54488PKG480	CSA54548PKG480	CSA54608PKG480
84"	POST KIT BOX (1)	1 Post Kit				
0.	CASE LBS. (CUBE)	20.08 (0.61)	20.08 (0.61)	20.08 (0.61)	20.08 (0.61)	20.08 (0.61)
2140 mm	CASE KG (CUBE M³)	9,11 (0,02)	9,11 (0,02)	9,11 (0,02)	9,11 (0,02)	9,11 (0,02)
	SHELF KIT BOX (1)	Set of 5 Shelf Kits				
	CASE LBS. (CUBE)	62.77 (5.28)	73.57 (6.16)	83.1 (7.04)	95.85 (7.92)	104.64 (8.8)
	CASE KG (CUBE M³)	28,47 (0,15)	33,37 (0,17)	37,69 (0,20)	43,48 (0,22)	47,46 (0,25)
	LIST PRICE KIT	\$ 655.00	\$ 742.50	\$ 800.50	\$ 882.25	\$ 942.75

Case Pack: Two cartons per unit

**Color:** Speckled Gray (480). Dimensions provided with line drawings above are actual dimensions.

# **Mobile Post Kits & Casters**

Mobile Po easters are not in e ordered sepa	ncluded and must			
HEIGHT	WIDTH	18"	21"	24"
		460 mm	540 mm	610 mm
<b>A =</b>	CODE	CSPRK1835	CSPRK2135	CSPRK2435
35"	CASE LBS. (CUBE)	7.93 (0.32)	8.23 (0.32)	8.72 (0.32)
00	CASE KG (CUBE M³)	3,6 (0,0091)	3,73 (0,0091)	3,96 (0,0091)
890 mm	LIST PRICE KIT	\$ 76.60	\$ 79.30	\$ 80.25
	CODE	CSPRK1859	CSPRK2159	CSPRK2459
59"	CASE LBS. (CUBE)	12.93 (0.41)	13.23 (0.41)	13.72 (0.41)
00	CASE KG (CUBE M³)	5,86 (0,0116)	6 (0,0116)	6,22 (0,0116)
1500 mm	LIST PRICE KIT	\$ 103.40	\$ 106.15	\$ 107.00
	CODE	CSPRK1867	CSPRK2167	CSPRK2467
67"	CASE LBS. (CUBE)	14.57 (0.46)	14.86 (0.46)	15.35 (0.46)
01	CASE KG (CUBE M³)	6,61 (0,01)	6,74 (0,01)	6,96 (0,01)
1700 mm	LIST PRICE KIT	\$ 112.40	\$ 115.05	\$ 115.90
	CODE	CSPRK1875	CSPRK2175	CSPRK2475
75"	CASE LBS. (CUBE)	16.43 (0.52)	16.73 (0.52)	17.22 (0.52)
, 0	CASE KG (CUBE M³)	7,45 (0,01)	7,59 (0,01)	7,81 (0,01)
1910 mm	LIST PRICE KIT	\$ 114.80	\$ 117.50	\$ 118.40

Case Pack: 1 Color: Speckled Gray (480). Casters are not included and must be ordered separately.

		Premium	Premium	Standard	Standard	Standard	Donut Bumper
Casters							
	DIAMETER	5"	5"	5"	5"	5"	31/2"
		127 mm	127 mm	127 mm	127 mm	127 mm	90 mm
	CODE	CSCSL	CSCTL	CSSB	CSCS	CSCR	CSRDB
	DESCRIPTION	Swivel Caster	Total Locking Caster	Swivel Chrome with Brake	Swivel Chrome Caster	Rigid Chrome Caster	Donut Bumper
	CASE LBS. (CUBE)	2.16 (0.16)	2.17 (0.16)	2.41 (0.16)	2.22 (0.16)	2.35 (0.16)	0.74 (0.05)
	CASE KG (CUBE M³)	0,98 (0,004)	0,98 (0,004)	1,09 (0,004)	1,01 (0,004)	1,07 (0,004)	0,34 (0,001)
	LIST PRICE EACH	\$ 56.00	\$ 68.00	\$ 45.40	\$ 40.25	\$ 40.25	\$ 9.30

Caster Case Pack: 2

Donut Bumper Case Pack: 4.

**PREMIUM CASTERS** The premium line is made with a zinc plated post and a non-marking polyurethane wheel. Recommended for use in wet areas or in walk-in refrigerators and freezers.

 $\bf STANDARD\ CASTERS\ The\ standard\ casters\ are\ chrome\ plated\ and\ can\ be\ used\ for\ dry\ storage.$ 

1.800.833.3003 USA / Shelving

# **Vented Mobile Starter Units**

		Premium	Standard	Premium	Standard	Premium	Standard
•	VIDTH 18" 460 mm						
HEIGHT (with casters)	LENGTH	36"	36"	42"	42"	48"	48"
(		910 mm	910 mm	1070 mm	1070 mm	1220 mm	1220 mm
0711	CODE - 4 SHELVES	CSUR48366	CSURS48366	CSUR48426	CSURS48426	CSUR48486	CSURS48486
67"	CASE LBS. (CUBE)	80.01 (5.92)	80.62 (5.92)	87.43 (5.92)	88.04 (5.92)	92.56 (5.92)	93.17 (5.92)
• •	CASE KG (CUBE M³)	36,29 (0,17)	36,57 (0,17)	39,66 (0,17)	39,93 (0,17)	41,98 (0,17)	42,26 (0,17)
1700 mm	LIST PRICE KIT	\$ 830.40	\$ 753.70	\$ 899.60	\$ 822.90	\$ 924.60	\$ 847.90
0.711	CODE - 5 SHELVES	CSUR58366	CSURS58366	CSUR58426	CSURS58426	CSUR58486	CSURS58486
67"	CASE LBS. (CUBE)	89.55 (5.92)	90.16 (5.92)	98.83 (5.92)	99.43 (5.92)	105.24 (5.92)	105.85 (5.92)
0,	CASE KG (CUBE M³)	40,62 (0,17)	40,90 (0,17)	44,83 (0,17)	45,10 (0,17)	47,74 (0,17)	48,01 (0,17)
1700 mm	LIST PRICE KIT	\$ 919.80	\$ 843.10	\$ 1,006.30	\$ 929.60	\$ 1,037.55	\$ 960.85
	CODE - 4 SHELVES	CSUR48367	CSURS48367	CSUR48427	CSURS48427	CSUR48487	CSURS48487
75"	CASE LBS. (CUBE)	83.34 (5.92)	83.95 (5.92)	90.76 (5.92)	91.37 (5.92)	95.89 (5.92)	96.5 (5.92)
10	CASE KG (CUBE M³)	37,80 (0,17)	38,08 (0,17)	41,17 (0,17)	41,44 (0,17)	43,49 (0,17)	43,77 (0,17)
1910 mm	LIST PRICE KIT	\$ 835.20	\$ 758.50	\$ 904.40	\$ 827.70	\$ 929.40	\$ 852.70
750	CODE - 5 SHELVES	CSUR58367	CSURS58367	CSUR58427	CSURS58427	CSUR58487	CSURS58487
75"	CASE LBS. (CUBE)	92.89 (5.92)	93.49 (5.92)	102.16 (5.92)	102.77 (5.92)	108.57 (5.92)	109.18 (5.92)
. •	CASE KG (CUBE M³)	42,13 (0,17)	42,41 (0,17)	46,34 (0,17)	46,62 (0,17)	49,25 (0,17)	49,52 (0,17)
1910 mm	LIST PRICE KIT	\$ 924.60	\$ 847.90	\$ 1,011.10	\$ 934.40	\$ 1,042.35	\$ 965.65

Case Pack: 1

Color: Speckled Gray (480).

Premium Casters: include two non-corrosive swivel locking casters (CSCSL) and two total locking casters (CSCTL). Standard Casters: include two swivel chrome casters (CSCS) and two swivel chrome with brakes (CSSB).

		Premium	Standard	Premium	Standard	Premium	Standard
WIDTH <b>21"</b> 540 mm							
HEIGHT (with casters)	LENGTH	36"	36"	42"	42"	48"	48"
(With Susters)		910 mm	910 mm	1070 mm	1070 mm	1220 mm	1220 mm
0711	CODE - 4 SHELVES	CSUR41366	CSURS41366	CSUR41426	CSURS41426	CSUR41486	CSURS41486
67"	CASE LBS. (CUBE)	85.2 (7.39)	85.81 (7.39)	93.37 (7.39)	93.98 (7.39)	99.15 (7.39)	99.75 (7.39)
0,	CASE KG (CUBE M³)	38,65 (0,21)	38,92 (0,21)	42,35 (0,21)	42,63 (0,21)	44,97 (0,21)	45,25 (0,21)
1700 mm	LIST PRICE KIT	\$ 881.90	\$ 805.20	\$ 960.70	\$ 884.00	\$ 990.50	\$ 913.80
0711	CODE - 5 SHELVES	CSUR51366	CSURS51366	CSUR51426	CSURS51426	CSUR51486	CSURS51486
67"	CASE LBS. (CUBE)	95.73 (7.39)	96.33 (7.39)	105.94 (7.39)	106.55 (7.39)	113.16 (7.39)	113.77 (7.39)
0,	CASE KG (CUBE M³)	43,42 (0,21)	43,99 (0,21)	48,05 (0,21)	48,33 (0,21)	51,33 (0,21)	51,60 (0,21)
1700 mm	LIST PRICE KIT	\$ 982.85	\$ 906.15	\$ 1,081.35	\$ 1,004.65	\$ 1,118.60	\$ 1,041.90
	CODE - 4 SHELVES	CSUR41367	CSURS41367	CSUR41427	CSURS41427	CSUR41487	CSURS41487
75"	CASE LBS. (CUBE)	88.53 (7.39)	89.14 (7.39)	96.7 (7.39)	97.31 (7.39)	102.48 (7.39)	103.09 (7.39)
, 0	CASE KG (CUBE M³)	40,16 (0,21)	40,43 (0,21)	43,86 (0,21)	44,14 (0,21)	46,48 (0,21)	46,76 (0,21)
1910 mm	LIST PRICE KIT	\$ 886.80	\$ 810.10	\$ 965.60	\$ 888.90	\$ 995.40	\$ 918.70
	CODE - 5 SHELVES	CSUR51367	CSURS51367	CSUR51427	CSURS51427	CSUR51487	CSURS51487
75"	CASE LBS. (CUBE)	99.06 (7.39)	99.67 (7.39)	109.27 (7.39)	109.88 (7.39)	116.5 (7.39)	117.1 (7.39)
, ,	CASE KG (CUBE M³)	44,93 (0,21)	45,21 (0,21)	49,56 (0,21)	49,84 (0,21)	52,84 (0,21)	53,12 (0,21)
1910 mm	LIST PRICE KIT	\$ 987.75	\$ 911.05	\$ 1,086.25	\$ 1,009.55	\$ 1,123.50	\$ 1,046.80

# **Vented Mobile Starter Units**

		Premium	Standard	Premium	Standard	Premium	Standard
	VIDTH 24" 510 mm						
HEIGHT (with casters)	LENGTH	36"	36"	42"	42"	48"	48"
(With Sustains)		910 mm	910 mm	1070 mm	1070 mm	1220 mm	1220 mm
0711	CODE - 4 SHELVES	CSUR44366	CSURS44366	CSUR44426	CSURS44426	CSUR44486	CSURS44486
67"	CASE LBS. (CUBE)	90.38 (8.49)	90.99 (8.49)	99.07 (8.49)	99.68 (8.49)	106.2 (8.49)	106.81 (8.49)
•	CASE KG (CUBE M³)	41 (0,24)	41,27 (0,24)	44,94 (0,24)	45,21 (0,24)	48,17 (0,24)	48,45 (0,24)
1700 mm	LIST PRICE KIT	\$ 898.80	\$ 821.90	\$ 968.80	\$ 891.90	\$ 1,015.20	\$ 938.30
	CODE - 5 SHELVES	CSUR54366	CSURS54366	CSUR54426	CSURS54426	CSUR54486	CSURS54486
67"	CASE LBS. (CUBE)	101.72 (8.49)	102.33 (8.49)	112.59 (8.49)	113.2 (8.49)	121.5 (8.49)	122.11 (8.49)
0,	CASE KG (CUBE M³)	46,14 (0,24)	46,42 (0,24)	51,07 (0,24)	51,35 (0,24)	55,11 (0,24)	55,39 (0,24)
1700 mm	LIST PRICE KIT	\$ 1,003.55	\$ 926.65	\$ 1,091.05	\$ 1,014.15	\$ 1,149.05	\$ 1,072.15
	CODE - 4 SHELVES	CSUR44367	CSURS44367	CSUR44427	CSURS44427	CSUR44487	CSURS44487
75"	CASE LBS. (CUBE)	93.71 (8.49)	94.32 (8.49)	106.06 (8.49)	103.01 (8.49)	109.53 (8.49)	110.14 (8.49)
, 0	CASE KG (CUBE M³)	42,51 (0,24)	42,78 (0,24)	48,11 (0,24)	46,72 (0,24)	49,68 (0,24)	49,96 (0,24)
1910 mm	LIST PRICE KIT	\$ 903.80	\$ 827.10	\$ 973.80	\$ 897.10	\$ 1,020.20	\$ 943.50
	CODE - 5 SHELVES	CSUR54367	CSURS54367	CSUR54427	CSURS54427	CSUR54487	CSURS54487
75"	CASE LBS. (CUBE)	105.06 (8.49)	105.66 (8.49)	115.93 (8.49)	116.53 (8.49)	124.83 (8.49)	125.44 (8.49)
, 0	CASE KG (CUBE M³)	47,65 (0,24)	47,93 (0,24)	52,58 (0,24)	52,86 (0,24)	56,62 (0,24)	56,9 (0,24)
1910 mm	LIST PRICE KIT	\$ 1,008.55	\$ 931.85	\$ 1,096.05	\$ 1,019.35	\$ 1,154.05	\$ 1,077.35

Case Pack: 1

Color: Speckled Gray (480).

Premium Casters: include two non-corrosive swivel locking casters (CSCSL) and two total locking casters (CSCTL). Standard Casters: include two swivel chrome casters (CSCS) and two swivel chrome with brakes (CSSB).

# **Fence System**

PRODUCT	FITS	24"	30"	36"	42"	48"	54"	60"	72"
	Traverse	610 mm	760 mm	910 mm	1070 mm	1220 mm	1380 mm	1530 mm	1830 mm
Double Level	CODE	CSFT242	CSFT302	CSFT362	CSFT422	CSFT482	CSFT542	CSFT602	CSFT722
Traverse Fence	# OF BRACKETS	2	2	2	3	4	4	4	5
4" (10 cm)	# OF RODS	2	2	2	2	2	2	2	2
	CASE LBS. (CUBE)	1.94 (0.23)	2.06 (0.30)	2.17 (0.37)	2.31 (0.43)	2.43 (0.50)	2.56 (0.57)	2.68 (0.64)	2.93 (0.77)
	CASE KG (CUBE M³)	3,53 (0,0235)	4,36 (0,0235)	5,19 (0,0235)	6,03 (0,0274)	6,85 (0,0300)	7,68 (0,035)	18,30 (0,039)	10,07 (0,047)
	LIST PRICE KIT	\$ 26.10	\$ 28.70	\$ 31.35	\$ 34.95	\$ 37.65	\$ 41.20	\$ 43.80	\$ 50.10
<b>&amp;</b>	CODE	CSFT241	CSFT301	CSFT361	CSFT421	CSFT481	CSFT541	CSFT601	CSFT721
	# OF BRACKETS	2	2	2	3	3	4	4	5
	# OF RODS	1	1	1	1	1	1	1	1
	CASE LBS. (CUBE)	1.74 (0.13)	1.80 (0.17)	1.86 (0.21)	1.91 (0.25)	1.99 (0.29)	2.07 (0.33)	2.13 (0.37)	2.27 (0.45)
	CASE KG (CUBE M³)	3,78 (0,0235)	4,63 (0,0235)	5,47 (0,0235)	6,53 (0,0274)	7,16 (0,03)	8,22 (0,0351)	9,05 (0,039)	10,84 (0,047)
	LIST PRICE KIT	\$ 19.80	\$ 21.10	\$ 22.40	\$ 23.80	\$ 25.85	\$ 27.90	\$ 29.20	\$ 32.60

PRODUCT	FITS	14"	18"	21"	24"
	Post Connector	360 mm	460 mm	540 mm	610 mm
End Fence	CODE	CSFE14	CSFE18	CSFE21	CSFE24
	# OF BRACKETS	2	2	2	2
r <sub>©</sub>	# OF RODS	2	2	2	2
	CASE LBS. (CUBE)	1.73 (0.03)	1.81 (0.05)	1.87 (0.06)	1.93 (0.07)
	CASE KG (CUBE M³)	3,53 (0,0235)	4,36 (0,0235)	5,19 (0,0235)	6,03 (0,0274)
	LIST PRICE KIT	\$ 19.75	\$ 21.35	\$ 22.55	\$ 23.80

Case Pack: 1

Color: Speckled Gray (480).

1.800.833.3003

# Camshelving® High Density Storage System

High Density Camshelving maximizes storage capacity by eliminating aisles and utilizing all available space. Ideal for operations with limited space or that need to use their space more effectively. Floor track system provides safe and easy access to stored product. Heavy weight loads roll securely on raised floor track.



Increases Storage Capacity up to **40%** 





## **Easy to Clean**

- Camshelving is the most hygienic high density storage system available.
- Raised track ensures dirt will not get trapped, and is easy to clean.
- Aluminum track and stainless steel hardware are rust resistant.
- Shelf plates easily wipe clean or can be removed and run through the dishwasher.

#### Ergonomic Access to Stored Product

Active aisle of 30"-36" provides easy access to all stored product. Low profile sloped rail design ensures easy access to product using the active aisle.



#### Roll Easily and Securely

Grooved casters roll easily and securely on raised track. Can be used on any surface, including tile and choppy floors.

#### Raised Track

Raised track provides a smooth and level surface to easily roll mobile units. It ensures dirt will not get trapped, and is easy to clean. Mobile Units with heavy weight loads roll smoothly on track.



Easy Glide Floor Tracks
The track simply
connects to the bottom
of the Stationary
Camshelving Unit.
No bolts or drilling into
the floor are required.

## Camshelving® High Density Storage System

### Easy to Order

- Camshelving stationary units act as the system anchor.
- Mobile units with exclusive high density casters are available with vented or solid shelves.
- Mobile units can be ordered in convenient starter units, or custom built using Camshelving mobile post kits, shelf kits and high density casters.\*
- Raised track kits ship with all hardware necessary for installation.
- \* Refer to pages 64 and 69 for components to build custom size mobile Camshelving units.

## Easy to Configure and Assemble

- Determine your room size and needs.
   Multiple track kits can be used together to build the desired length of track.\*\*
- Choose starter unit size. Existing Camshelving stationary units can be retrofitted and utilized as the system anchors.
- Select high density mobile units.
   Choose either starter units, or build custom size units from components.
- 4. Different width stationary and mobile units may be used in a single run of track.
- \*\* It is recommended to use a stationary unit for every 15' of track to further stabilize the system.


### **System Components**

**A** Stationary Units

**B** Mobile Units

C Track

**D** Active Aisle



High Density Mobile Units include 4 High Density Casters. Weight bearing capacity of High Density Mobile Camshelving Units is

It is recommended to use Fencing with High Density Camshelving. Refer to page 71 for product details.

750 lbs. (340 kg).

All necessary hardware is included in the track kit.

CODE	DESCRIPTION	SIZE	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.	
Track Kits				(===,		
CSHDTK10	10' Track Kit for 3 Mobile Units*	120"	1	23.4 (0.34)	\$ 620.00	
CSHDTK12	12' Track Kit for 4 Mobile Units*	144"	1	27.2 (0.40)	715.00	
CSHDTK145	14.5' Track Kit for 5 Mobile Units*	174"	1	32.3 (0.6)	805.00	
High Density Mobile	Starter Units with Vented Shelves					
CSUHD44486	Mobile Unit 4 Vented Shelves	24" x 48" x 67"	1	105.66 (8.49)	926.70	
CSUHD44487	Mobile Unit 4 Vented Shelves	24" x 48" x 75"	1	108.99 (8.49)	931.70	
CSUHD44427	Mobile Unit 4 Vented Shelves	24" x 42" x 75"	1	101.87 (8.49)	885.30	
CSUHD44367	Mobile Unit 4 Vented Shelves	24" x 36" x 75"	1	93.17 (8.49)	815.30	
High Density Mobile	Starter Units with Solid Shelves					
CSUHD44486S	Mobile Unit 4 Solid Shelves	24" x 48" x 67"	1	110.27 (8.49)	961.30	
CSUHD44487S	Mobile Unit 4 Solid Shelves	24" x 48" x 75"	1	113.6 (8.49)	966.30	
CSUHD44427S	Mobile Unit 4 Solid Shelves	24" x 42" x 75"	1	115.52 (8.49)	916.50	
CSUHD44367S	Mobile Unit 4 Solid Shelves	24" x 36" x 75"	1	96.56 (8.49)	845.70	
Accessories						
CSHDDB	High Density Donut Bumper		4	2.01 (0.05)	10.70	
CSHDC	High Density Caster		2	4.10 (0.16)	42.00	
Color: Speekled Cray (190) Trook Kite Color: (100)						

Color: Speckled Gray (480) Track Kits Color: (000)

1.800.833.3003 USA / Shelving

<sup>\*</sup> Track holds up to 24" wide mobile units.

## Security Cage For Camshelving®

- Provides safe storage for valuables such as steaks, seafood, wine, champagne and spirits.
- Stainless steel material is safe for use in coolers and freezers.
- Ideal for securing personal items such as purses and backpacks.
- Unique modular design provides the flexibility to retrofit one shelf at a time or an entire shelving unit.

CODE	DIMENSIONS	CASE LBS.	LIST
	W x L x H	(CUBE)	Price ea.
CSSC2448	25¼" x 42½" x 18" (64 x 108 x 46 cm)	31½ (5.73)	\$ 640.00



Ideal for use in coolers and freezers.



Fits on US Standard Camshelving and Elements Series Units 24" (61 cm) wide, 48" (122 cm) in length and longer.



## **Divider Bar for Camshelving®**

 Creates a custom storage unit that can accommodate a variety of storage products and sizes on a single Camshelving unit.

Case Pack: 1 Padlock not included.

- Angled and straight designs hold food pans and boxes straight or on an angle for more ergonomic reach.
- Divider bars fit on 24" (610 mm) wide Camshelving units and hold up to 200 lbs. (91 kg) per shelf.
- Divider bars feature a raised bar on the front edge to keep racks and pans from sliding off the front of the unit.



CODE	DESCRIPTION	CASE LBS. (CUBE)	LIST Price ea.
CSDBA	Divider Bar Angled	1.9 (0.096)	\$ 5.50
CSDBS	Divider Bar Straight	1.9 (0.096)	5.50

Case Pack: 4 Color: Speckled Gray (480).



Camracks® fit on divider bars to create a warewashing drying and storage station.



Divider bars can accommodate any size food pans from GN 1/1 to GN 1/9.



 $12\mbox{"}~x\,18\mbox{"}$  food boxes with sliding lids can be used with divider bars for hygienic food storage.

## Tray Slide Rack for Camshelving®

- Holds six 18" x 26" sheet pans.
- Made from Aluminum which is safe for use in coolers and freezers.
- Fits on Camshelving and Camshelving Elements Series Units 24" wide and 24" in length or longer.





CODE	DIMENSIONS	CASE LBS.	LIST
	D x L x H	(CUBE)	Price ea.
CSTSR	23" x 20%" x 20"	15 (5.65)	\$ 287.00

Case Pack: 1 InStock Color: (000).

## Camshelving® Wall Shelves And Storesafe® Shelf Extenders

#### **Wall Shelves**

- Expand storage space in kitchens, above work stations and sinks.
- Features virtually indestructible I-beam supports that hold up to 150 lbs. (68 kg) per shelf.
- Durable polypropylene withstands temperatures up to 190°F (88°C), and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- 2" (5 cm) backsplash and marine front edge controls spills and cross contamination.

#### **Shelf Extenders**

- Convert empty wall space into a functional storage area.
- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 190°F (88°C), and will not rust or corrode.

Wall Shelf Color: Speckled Gray (480).

Extender Peg Strip Color: Black (110).

Wall Shelf Kits are covered by the following U.S. Patents D 508,646S & D 512,867 S.













Shelf Extenders ship in one carton with all hardware and includes:

LENGTH	<b>PEG STRIPS</b>	BRACKETS	HOOKS
36"	3	2	6
10"	3	3	q



CODE	CSWS1436SK	CSWS1448SK	CSWS1436VK	CSWS1448VK
DESCRIPTION	36" x 14" Wall Shelf, Solid	48" x 14" Wall Shelf, Solid	36" x 14" Wall Shelf, Vented	48" x 14" Wall Shelf, Vented
EXTERIOR DIMENSIONS	<b>L</b> 36" x <b>W</b> 14" x <b>H</b> 13½"	<b>L</b> 48" x <b>W</b> 14" x <b>H</b> 13½"	<b>L</b> 36" x <b>W</b> 14" x <b>H</b> 13½"	<b>L</b> 48" x <b>W</b> 14" x <b>H</b> 13½"
CASE LBS. (CUBE)	10 (1.31)	12.50 (1.73)	9.75 (1.31)	11.50 (1.73)
LIST PRICE EACH	\$ 145.15	\$ 166.65	\$ 145.15	\$ 166.65

Case Pack: 1








CODE	CSWS1836SK	CSWS1848SK	CSWS36EK	CSWS48EK
DESCRIPTION	36" x 18" Wall Shelf, Solid	48" x 18" Wall Shelf, Solid	36" Shelf Extender	48" Shelf Extender
EXTERIOR DIMENSIONS	L 36" x W 18" x H 13½"	L 48" x <b>W</b> 18" x <b>H</b> 13½"	L 35½" x W 2" x H 15½"	L 47½" x W 2" x H 15½"
CASE LBS. (CUBE)	11.77 (1.54)	14.45 (2.05)	6 (0.37)	8.25 (0.49)
LIST PRICE EACH	\$ 166.65	\$ 182.75	\$ 205.00	\$ 305.00

Case Pack: 1

1.800.833.3003 USA / Shelving

















## Camshelving® Elements Series

### STRONG TECHNOLOGY



- Composite material is as strong as steel.
- 78" (1980 mm) stationary traverse is the longest and strongest in the industry; supports loads up to 600 lbs. (272 kg) per shelf.
- 60% lighter in weight than steel; easy to set up, adjust and change configurations.
- Resistant to moisture; won't rust or corrode.

### HYGIENIC DESIGN



- Non-porous surface simply wipes clean.
- Shelf plates are easily removed for thorough dishwasher cleaning.
- Camguard® Antimicrobial protection is permanently embedded in shelf plates.
- Camguard works continuously to suppress the growth of microbes between cleanings.



#### SHELVING FOR LIFE



- Lifetime warranty against corrosion and rust.
- Withstands temperatures as cold as -36°F (-38°C) or warm environments up to 190°F (88°C).
- Ideal for wet, dry, cold or humid environments.
- Impervious to moisture and chemicals.
- Won't peel, dent or warp; corrosion resistant.

**Weight Capacity** 

	TRAVERSE LENGTH	WEIGHT BEA	RING CAPACITY
		PER SHELF	PER UNIT
Single Unit	30"- 48"	800 lbs.	3200 lbs.
(4 shelves)	760 mm - 1220 mm	363 kg	1451 kg
Single Unit	54"- 78"	600 lbs.	2400 lbs.
(4 shelves)	1380 mm - 1530 mm	272 kg	1089 kg
Dunnage Stand	54"- 78"	1000 lbs.	_
	1380 mm - 1980 mm	454 kg	
		bottom shelf only	
Corner Unit	36"- 48"	400 lbs.	1600 lbs.
(4 shelves)	910 mm - 1220 mm	180 kg	720 kg
Mobile Unit	36"- 60"	_	900 lbs.
(4 shelves)	910 mm - 1530 mm		409 kg

Dunnage Stands are recommended for units 54" (1380 mm) or longer.

Corner Connectors are recommended for use on traverses 48" (1220 mm) or less.

Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Elements unit is 900 lbs. (409 kg).



Camshelving® Elements Series Stationary Traverse Dovetails are covered by Patent # D 623,929. Camshelving® Elements Series Stationary Traverse Corner Connectors are covered by Patent # D 624,764. Other Camshelving® Elements Series Components are Patent Pending.

1.800.833.3003 USA / Shelving

## **Maximize Space Utilization**

## 4-Shelf Stationary Starter Units

 Ship complete in one box with two post kits, 8 stationary traverses, 32 stationary dovetails and shelf plates to build one entire unit.



# and add-on units for ease of ordering and assembly. Dunnage Stand

Elements is available in partially assembled starter

- Increases weight bearing capacity to 1000 lbs. (454 kg) on the bottom shelf.
- Recommended for units 54" (1380 mm) or longer.



#### 4-Shelf Add-On Units

- Ship complete in one box with one post kit, 8 traverses, 32 dovetails and shelf plates to attach to an adjoining unit.
- The traverses on both units share the middle posts, maximizing space.
- No add-on clips or S-hooks required.
- No loss of weight bearing capacity when built in a straight line.



#### **Seismic Foot**

- Bolts a post to the floor for a more stable base.
- · Screws not included.



### Wall Fastener

- Fastens a unit to a wall as a safety precaution.
- · Screws not included.



## Corner Units & U-Shape Units

- Corner connectors can be used to build Corner and U-Shaped units.
- Corner connectors easily snap onto traverses.
- Corner connector set attaches a starter unit to a second unit at a 90° angle or to form a U-shape.
- A set of corner connectors are needed for each shelf.



Corner connectors are recommended for use on traverses equal to or shorter than 48" (1220 mm), and are covered by U.S. Patent D624,764.

### **Identification Tag**

- Easily clips onto traverses to identify stored items.
- · Made of PVC.
- Includes 12 HACCP labels.



## 4-Shelf Mobile Starter Units

- Mobile starter units ship complete in one box with 2 post kits, 8 mobile traverses, 32 mobile dovetails, shelf plates and 4 casters.
- Mobile traverses feature a 45° gusset for maximum cross-stabilization.
- Available with standard or premium casters.
- Mobile units are not designed to serve as transport carts.
- Mobile traverses and mobile dovetails are required to build a Mobile Elements Series Unit.



### **Donut Bumper**

- Protects posts and casters.
- 5" (127 mm) Bumper.



1.800.833.3003

## Camshelving® Elements Series Configuration Details

- The following charts are provided to assist in developing a footprint for your storage area.
- They can also be used to help determine your actual shelf space.
- · Shelf measurements are based on outside, or overall unit length & width including the posts.

Notches for dovetails are spaced every 4" (100 mm).

HEIGHT

Mobile

WITH CASTER

70" (1778 mm)

78" (1980 mm)

14

16

NUMBER OF POST

PER POST

14

16

19

**Shelf Spacing** 

HEIGHT

**Stationary** 

64" (1630 mm)

72" (1830 mm)


84" (2140 mm)

POST HEIGHT

78" (1980 mm)


**Stationary** 64" (1630 mm)

- The overall length varies slightly when using an add-on, intermediate or corner unit.
- These variations are outlined below.




#### Add-on Unit

Shared posts between starter unit and add-on unit maximize space.



#### **Corner Unit**

Using one set of Corner Connectors per shelf.





## **Easy To Adjust**

### **Build Any Configuration and Fit Any Size Area**

- Create a space efficient layout for any area.
- Assembles requiring only the use of a rubber mallet.
- Shelves can be adjusted in 4" (100 mm) increments without disassembling the entire unit.
- Corner Connectors attach units to create a 90° angle or U-shape.

•	Two units can be connected				
	together by sharing posts with				
	shelves at alternating heights for				
	maximum storage flexibility.				

DOVETAIL INCREMENT	NUMBER OF Positions per post
4" (100 mm)	14
4" (100 mm)	16
4" (100 mm)	19
4" (100 mm)	14
4" (100 mm)	16

#### 72" (1830 mm) 4" (100 m 84" (2140 mm) 4" (100 m Mobile 70" (1778 mm) 4" (100 m

### **Shelving Consulting**

Cambro provides a free consulting service to maximize your storage area. No cost or obligation.




1. Simply provide the dimensions of the storage space, number of shelves per unit, height of the posts, and any additional requirements you have.

- 2. Cambro will provide a recommended floor plan, 3-D view and product order list in Excel.
- 3. Your Cambro distributor or sales representative will contact you with pricing.
- 4. To contact the Camshelving Consulting Department please call 1 800 854 7631 and ask the operator to direct you to the Camshelving Consulting department, extensions 4113 or 4189. Or by email; mperez@cambro.com or Idelgado@cambro.com.

### **U-Shaped Unit**

Requires two sets of corner connectors per shelf.



UNIT	CORNER UNIT Overall length	INTERMEDIATE UNIT Overall length			
<b>30"</b> (760 mm)	29" (740 mm)	28" (715 mm)			
<b>36"</b> (910 mm)	35" (890 mm)	34" (865 mm)			
<b>42"</b> (1070 mm)	41" (1045 mm)	40" (1020 mm)			
<b>48"</b> (1220 mm)	47" (1195 mm)	46" (1170 mm)			
Corner Connectors are recommended for use on traverses 48" (1220 mm) or less.					

UNIT	STARTER UNIT Overall Length	ADD-ON UNIT Overall Length	STARTER + ADD-ON UNIT OVERALL LENGTH
<b>30"</b> (760 mm)	30" (760 mm)	28½" (720 mm)	58½" (1480 mm)
<b>36"</b> (910 mm)	36" (910 mm)	341/4" (870 mm)	70½" (1780 mm)
<b>42"</b> (1070 mm)	42" (1070 mm)	40½" (1025 mm)	82½" (2095 mm)
<b>48"</b> (1220 mm)	48" (1220 mm)	46¼" (1175 mm)	941/4" (2395 mm)
<b>54"</b> (1380 mm)	54" (1380 mm)	52½" (1330 mm)	106¼" (2710 mm)
<b>60"</b> (1530 mm)	60" (1530 mm)	58½" (1480 mm)	118¼" (3010 mm)
<b>72"</b> (1830 mm)	72" (1830 mm)	70¼" (1790 mm)	142½" (3620 mm)
<b>78"</b> (1980 mm)	78" (1980 mm)	76¼" (1940 mm)	154¼" (3920 mm)

1.800.833.3003 USA / Shelving



Width	WIDTH	<b>14"</b> 360 mm	<b>18"</b> 460 mm	<b>21"</b> 540 mm	<b>24"</b> 610 mm
HEIGHT	CODE	EPK1464	EPK1864	EPK2164	EPK2464
64"	CASE LBS. (CUBE)	8.43 (0.46)	8.66 (0.46)	8.84 (0.46)	9.02 (0.46)
04	CASE KG (CUBE M³)	3,82 (0,01)	3,93 (0,01)	4,01 (0,01)	4,09 (0,01)
1630 mm	LIST PRICE KIT	\$ 77.70	\$ 81.30	\$ 83.40	\$ 84.05
	CODE	EPK1472	EPK1872	EPK2172	EPK2472
72"	CASE LBS. (CUBE)	9.27 (0.52)	9.50 (0.52)	9.68 (0.52)	9.86 (0.52)
1 Z	CASE KG (CUBE M³)	4,20 (0,01)	4,31 (0,01)	4,39 (0,01)	4,47 (0,01)
1830 mm	LIST PRICE KIT	\$ 79.45	\$ 83.15	\$ 85.15	\$ 85.90
	CODE	EPK1484	EPK1884	EPK2184	EPK2484
84"	CASE LBS. (CUBE)	10.49 (0.61)	10.72 (0.61)	10.90 (0.61)	11.08 (0.61)
04	CASE KG (CUBE M³)	4,76 (0,02)	4,86 (0,02)	4,94 (0,02)	5,02 (0,02)
2140 mm	LIST PRICE KIT	\$ 92.35	\$ 96.10	\$ 98.05	\$ 98.80

Includes 2 stationary posts with leveling feet installed, 1 top post connector, 1 bottom post connector, 8 post connector wedges in a bag and instructions. Case Pack: 1 Color: Brushed Graphite (580).

## **Optional Accessories**

### **Dunnage Stands**

	WIDTH	<b>14"</b> 360 mm	<b>18"</b> 460 mm	<b>21"</b> 540 mm	<b>24"</b> 610 mm
HEIGHT	CODE	EDS14	EDS18	EDS21	EDS24
61/2"	CASE LBS. (CUBE)	1.94 (0.18)	2.06 (0.22)	2.14 (0.26)	2.23 (0.30)
0/2	CASE KG (CUBE M³)	0,88 (0,001)	0,93 (0,006)	0,97 (0,007)	1,01 (0,008)
165 mm	LIST PRICE KIT	\$ 49.50	\$ 51.10	\$ 52.45	\$ 53.70

Case Pack: 1 Color: Brushed Graphite (580).

### Accessories











DESCRIPTION	Seismic Foot	Wall Fastener	90° Left & Right Corner Connectors	ID Tag 6"	ID Tag 3"
CODE	CSEQ3	CSWF	ECC	CSID	CSID3
COLOR	Silver	Silver	Brushed Graphite (580)	White/Clear	White/Clear
CASE LBS. (CUBE)	1.43 (0.04)	4.08 (0.27)	0.70 (0.04)	0.82 (0.28)	0.58 (0.28)
CASE KG (CUBE M³)	0,62 (0,011)	1,85 (0,006)	0,32 (0,001)	0,37 (0,01)	0,35 (0,01)
CASE PACK	4 each	4 each	1 set	12 each	12 each
LIST PRICE EACH	\$ 33.00	\$ 25.00	\$ 5.80	\$ 2.25	\$ 2.25

1.800.833.3003

## **Solid Single Shelf Kits for Stationary Units**

### Camshelving® Elements Series

	LENGTH	30"	36"	42"	48"
Milly Length	LLNUIII	760 mm	910 mm	1070 mm	1220 mm
WIDTH	CODE	ESK1430S	ESK1436S	ESK1442S	ESK1448S
14"	CASE LBS. (CUBE)	6.68 (0.96)	8.23 (1.51)	9.77 (2.03)	10.50 (1.54)
14	CASE KG (CUBE M³)	3,03 (0,03)	3,73 (0,04)	4,43 (0,06)	4,76 (0,04)
360 mm	LIST PRICE KIT	\$ 60.25	\$ 69.65	\$ 80.20	\$ 88.45
	CODE	ESK1830S	ESK1836S	ESK1842S	ESK1848S
18"	CASE LBS. (CUBE)	7.55 (0.96)	9.23 (1.51)	11.09 (2.03)	11.78 (1.54)
10	CASE KG (CUBE M³)	3,42 (0,03)	4,19 (0,04)	5,03 (0,06)	5,34 (0,04)
460 mm	LIST PRICE KIT	\$ 61.95	\$ 72.45	\$ 86.75	\$ 91.35
	CODE	ESK2130S	ESK2136S	ESK2142S	ESK2148S
21"	CASE LBS. (CUBE)	8.38 (0.96)	10.65 (1.51)	12.61 (2.03)	13.70 (1.54)
	CASE KG (CUBE M³)	3,80 (0,03)	4,83 (0,04)	5,72 (0,06)	6,21 (0,04)
540 mm	LIST PRICE KIT	\$ 70.40	\$ 82.45	\$ 97.90	\$ 105.35
	CODE	ESK2430S	ESK2436S	ESK2442S	ESK2448S
24"	CASE LBS. (CUBE)	9.13 (0.96)	11.40 (1.51)	13.50 (2.03)	14.90 (1.54)
	CASE KG (CUBE M³)	4,14 (0,03)	5,17 (0,04)	6,12 (0,06)	6,76 (0,04)
610 mm	LIST PRICE KIT	\$ 75.10	\$ 86.95	\$ 100.70	\$ 110.30
		54"	60"	72"	78" CAMBRO
Milly Length	LENGTH	_		<del></del>	UAIVIDINU
		1380 mm	1530 mm	1830 mm	1980 mm Exclusive
WIDTH	CODE	1380 mm ESK1454S	1530 mm ESK1460S	1830 mm	1980 mm Exclusive
WIDTH	CODE CASE LBS. (CUBE)	1380 mm ESK1454S 12.15 (2.49)	1530 mm ESK1460S 13.66 (2.77)	1830 mm  ESK1472S  15.79 (3.31)	1980 mm <b>Exclusive</b> ESK1478S 16.73 (3.60)
WIDTH 14"	CODE CASE LBS. (CUBE) CASE KG (CUBE M³)	1380 mm ESK1454S 12.15 (2.49) 5,51 (0,07)	1530 mm ESK1460S 13.66 (2.77) 6,20 (0,08)	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)	1980 mm <b>Exclusive</b> ESK1478S  16.73 (3.60)  7,59 (0,10)
WIDTH	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)  \$ 125.15	1980 mm <b>Exclusive</b> ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35
<b>WIDTH 14"</b> 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15 ESK1872S	1980 mm <b>Exclusive</b> ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S
<b>WIDTH 14"</b> 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE)	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15 ESK1872S 17.98 (3.31)	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)
WIDTH 14" 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³)	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15 ESK1872S 17.98 (3.31) 8,16 (0,09)	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)
<b>WIDTH 14"</b> 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)  \$ 115.80	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15 ESK1872S 17.98 (3.31) 8,16 (0,09) \$ 134.35	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)  \$ 115.80  ESK2160S	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15 ESK1872S 17.98 (3.31) 8,16 (0,09) \$ 134.35 ESK2172S	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE MS)	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)  \$ 115.80  ESK2160S  17.70 (2.77)	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)  \$ 125.15  ESK1872S  17.98 (3.31)  8,16 (0,09)  \$ 134.35  ESK2172S  20.61 (3.31)	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE M³) CASE KG (CUBE M³)	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)  7,15 (0,07)	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)  \$ 115.80  ESK2160S  17.70 (2.77)  8,03 (0,08)	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15  ESK1872S 17.98 (3.31) 8,16 (0,09) \$ 134.35  ESK2172S 20.61 (3.31) 9,35 (0,09)	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)  9,78 (0,10)
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE M³) LIST PRICE KIT CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)  7,15 (0,07)  \$ 120.80	1530 mm  ESK1460S  13.66 (2.77)  6,20 (0,08)  \$ 106.65  ESK1860S  15.58 (2.77)  7,07 (0,08)  \$ 115.80  ESK2160S  17.70 (2.77)  8,03 (0,08)  \$ 131.55	1830 mm  ESK1472S 15.79 (3.31) 7,16 (0,09) \$ 125.15  ESK1872S 17.98 (3.31) 8,16 (0,09) \$ 134.35  ESK2172S 20.61 (3.31) 9,35 (0,09) \$ 154.15	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)  9,78 (0,10)  \$ 165.40
WIDTH 14" 360 mm 18" 460 mm 21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)  7,15 (0,07)  \$ 120.80  ESK2454S	1530 mm  ESK1460S  13.66 (2.77) 6,20 (0,08) \$ 106.65  ESK1860S  15.58 (2.77) 7,07 (0,08) \$ 115.80  ESK2160S  17.70 (2.77)  8,03 (0,08) \$ 131.55  ESK2460S	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)  \$ 125.15  ESK1872S  17.98 (3.31)  8,16 (0,09)  \$ 134.35  ESK2172S  20.61 (3.31)  9,35 (0,09)  \$ 154.15  ESK2472S	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)  9,78 (0,10)  \$ 165.40  ESK2478S
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M°)	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)  7,15 (0,07)  \$ 120.80  ESK2454S  17.10 (2.49)	1530 mm  ESK1460S  13.66 (2.77) 6,20 (0,08) \$ 106.65  ESK1860S  15.58 (2.77) 7,07 (0,08) \$ 115.80  ESK2160S  17.70 (2.77)  8,03 (0,08) \$ 131.55  ESK2460S  19.16 (2.77)	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)  \$ 125.15  ESK1872S  17.98 (3.31)  8,16 (0,09)  \$ 134.35  ESK2172S  20.61 (3.31)  9,35 (0,09)  \$ 154.15  ESK2472S  22.51 (3.31)	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)  9,78 (0,10)  \$ 165.40  ESK2478S  23.45 (3.60)
WIDTH 14" 360 mm 18" 460 mm 21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M°) LIST PRICE KIT CODE	1380 mm  ESK1454S  12.15 (2.49)  5,51 (0,07)  \$ 98.90  ESK1854S  13.74 (2.49)  6,23 (0,07)  \$ 105.75  ESK2154S  15.77 (2.49)  7,15 (0,07)  \$ 120.80  ESK2454S	1530 mm  ESK1460S  13.66 (2.77) 6,20 (0,08) \$ 106.65  ESK1860S  15.58 (2.77) 7,07 (0,08) \$ 115.80  ESK2160S  17.70 (2.77)  8,03 (0,08) \$ 131.55  ESK2460S	1830 mm  ESK1472S  15.79 (3.31)  7,16 (0,09)  \$ 125.15  ESK1872S  17.98 (3.31)  8,16 (0,09)  \$ 134.35  ESK2172S  20.61 (3.31)  9,35 (0,09)  \$ 154.15  ESK2472S	1980 mm Exclusive  ESK1478S  16.73 (3.60)  7,59 (0,10)  \$ 134.35  ESK1878S  18.92 (3.60)  8,58 (0,10)  \$ 143.70  ESK2178S  21.55 (3.60)  9,78 (0,10)  \$ 165.40  ESK2478S

Includes solid shelf plates for 1 shelf, 2 stationary traverses, 1 bag of 8 stationary traverse dovetails (4 each A and B) and instructions. Case Pack: 1 **Color**: Brushed Graphite (580).

## **Vented Single and 4-Shelf Kits for Stationary Units**

### **Camshelving® Elements Series**

	LENGTH	30"	36"	42"	48"
Midly Length	LENGTH	760 mm	910 mm	1070 mm	1220 mm
WIDTH	CODE	ESK1430V	ESK1436V	ESK1442V	ESK1448V
	CASE LBS. (CUBE)	6.41 (0.96)	7.88 (1.51)	9.36 (2.03)	9.97 (1.54)
14¦¦	CASE KG (CUBE M³)	2,91 (0,03)	3,57 (0,04)	4,24 (0,06)	4,52 (0,04)
360 mm	LIST PRICE KIT	\$ 59.05	\$ 67.85	\$ 77.65	\$86.00
	CODE	ESK1830V	ESK1836V	ESK1842V	ESK1848V
1011	CASE LBS. (CUBE)	7.14 (0.96)	8.75 (1.51)	10.46 (2.03)	11.12 (1.54)
18¦¦	CASE KG (CUBE M³)	3,24 (0,03)	3,97 (0,04)	4,75 (0,06)	5,05 (0,04)
460 mm	LIST PRICE KIT	\$ 59.35	\$ 69.20	\$ 82.60	\$ 87.45
	CODE	ESK2130V	ESK2136V	ESK2142V	ESK2148V
2111	CASE LBS. (CUBE)	7.65 (0.96)	9.74 (1.51)	11.64 (2.03)	12.46 (1.54)
<b>21</b> "	CASE KG (CUBE M³)	3,47 (0,03)	4,42 (0,04)	5,28 (0,06)	5,65 (0,04)
540 mm	LIST PRICE KIT	\$ 66.75	\$ 78.20	\$ 93.35	\$ 99.15
	CODE	ESK2430V	ESK2436V	ESK2442V	ESK2448V
2411	CASE LBS. (CUBE)	8.48 (0.96)	10.55 (1.51)	12.58 (2.03)	13.75 (1.54)
<b>24</b> "	CASE KG (CUBE M³)	3,85 (0,03)	4,79 (0,04)	5,70 (0,06)	6,24 (0,04)
610 mm	LIST PRICE KIT	\$ 71.15	\$81.10	\$ 94.65	\$ 103.55
	CODE	_	ESK1836V4	_	ESK1848V4
1011	CASE LBS. (CUBE)		32.10 (3.75)		41.04 (4.31)
18" <sub>B</sub>	CASE KG (CUBE M³)		14,57 (0,11)		18,63 (0,12)
460 mm	LIST PRICE KIT		\$ 276.80		\$ 349.80
	CODE	_	ESK2436V4	_	ESK2448V4
2411	CASE LBS. (CUBE)		39.31 (3.75)		51.53 (4.31)
24" <sub>B</sub>	CASE KG (CUBE M³)		17,85 (0,11)		23,39 (0,12)
610 mm	LIST PRICE KIT		\$ 324.40		\$ 414.20
	î				
Moli, Length	LENGTH	54"	<b>60"</b>	<b>72"</b>	78" CAMBRO
		1380 mm	1530 mm	1830 mm	1980 mm Exclusive
WIDTH	CODE	1380 mm ESK1454V	1530 mm ESK1460V	1830 mm ESK1472V	1980 mm Exclusive ESK1478V
WIDTH	CODE CASE LBS. (CUBE)	1380 mm ESK1454V 11.55 (2.49)	1530 mm ESK1460V 13.01 (2.77)	1830 mm ESK1472V 14.95 (3.31)	1980 mm <b>Exclusive</b> ESK1478V 15.89 (3.60)
WIDTH <b>14"</b>	CODE CASE LBS. (CUBE) CASE KG (CUBE M³)	1380 mm ESK1454V 11.55 (2.49) 5,24 (0,07)	1530 mm ESK1460V 13.01 (2.77) 5,90 (0,08)	1830 mm ESK1472V 14.95 (3.31) 6,78 (0,09)	1980 mm <b>Exclusive</b> ESK1478V 15.89 (3.60) 7,21 (0,10)
WIDTH	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm ESK1454V 11.55 (2.49) 5,24 (0,07) \$ 95.75	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70	1830 mm ESK1472V 14.95 (3.31) 6,78 (0,09) \$ 120.55	1980 mm <b>Exclusive</b> ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50
WIDTH 14" 360 mm	CODE  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE	1380 mm  ESK1454V  11.55 (2.49)  5,24 (0,07)  \$ 95.75  ESK1854V	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V	1830 mm  ESK1472V 14.95 (3.31) 6,78 (0,09) \$ 120.55 ESK1872V	1980 mm <b>Exclusive</b> ESK1478V 15.89 (3.60) 7,21 (0,10) \$ 129.50 ESK1878V
WIDTH 14" 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49)  5,24 (0,07)  \$ 95.75  ESK1854V  12.94 (2.49)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)	1980 mm <b>Exclusive</b> ESK1478V 15.89 (3.60) 7,21 (0,10) \$ 129.50 ESK1878V 17.79 (3.60)
WIDTH 14" 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)	1980 mm <b>Exclusive</b> ESK1478V 15.89 (3.60) 7,21 (0,10) \$ 129.50 ESK1878V 17.79 (3.60) 8,07 (0,10)
WIDTH 14" 360 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm  ESK1454V  11.55 (2.49)  5,24 (0,07)  \$ 95.75  ESK1854V  12.94 (2.49)  5,87 (0,07)  \$ 100.75	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454V  11.55 (2.49)  5,24 (0,07)  \$ 95.75  ESK1854V  12.94 (2.49)  5,87 (0,07)  \$ 100.75  ESK2154V	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V	1830 mm  ESK1472V 14.95 (3.31) 6,78 (0,09) \$ 120.55 ESK1872V 16.85 (3.31) 7,64 (0,09) \$ 127.75 ESK2172V	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V
WIDTH 14" 360 mm 18" 460 mm	CODE  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE KG (CUBE KIT)	1380 mm  ESK1454V  11.55 (2.49)  5,24 (0,07)  \$ 95.75  ESK1854V  12.94 (2.49)  5,87 (0,07)  \$ 100.75  ESK2154V  14.46 (2.49)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) CASE KG (CUBE M³) CASE LBS. (CUBE) CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)
WIDTH 14" 360 mm 18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) LIST PRICE KIT	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90
WIDTH 14" 360 mm 18" 460 mm 21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KB. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V
WIDTH 14" 360 mm 18" 460 mm 21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KB. (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE) CASE KG (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) CODE CASE LBS. (CUBE) CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm 18" 460 mm 21" 540 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm	CODE  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE KG (CUBE M³)  LIST PRICE KIT  CODE  CASE LBS. (CUBE)  CASE LBS. (CUBE)  CASE KG (CUBE M³)  LIST PRICE KIT  CODE	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)  23,32 (0,16)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)  23,32 (0,16)  \$ 439.60	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm  18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)  23,32 (0,16)  \$ 439.60  ESK2460V	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm  18" 460 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE)	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)  23,32 (0,16)  \$ 439.60  ESK2460V4  64.40 (5.84)	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)
WIDTH 14" 360 mm  18" 460 mm  21" 540 mm  24" 610 mm	CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE CASE KG (CUBE M³) LIST PRICE KIT CODE CASE LBS. (CUBE) CASE LBS. (CUBE) CASE LBS. (CUBE) CASE KG (CUBE M³) LIST PRICE KIT CODE	1380 mm  ESK1454V  11.55 (2.49) 5,24 (0,07) \$ 95.75  ESK1854V  12.94 (2.49) 5,87 (0,07) \$ 100.75  ESK2154V  14.46 (2.49) 6,56 (0,07) \$ 114.35  ESK2454V  15.88 (2.49) 7,20 (0,07)	1530 mm  ESK1460V  13.01 (2.77)  5,90 (0,08)  \$ 102.70  ESK1860V  14.62 (2.77)  6,63 (0,08)  \$ 109.90  ESK2160V  16.34 (2.77)  7,41 (0,08)  \$ 124.75  ESK2460V  17.88 (2.77)  8,11 (0,08)  \$ 125.65  ESK1860V4  51.36 (5.84)  23,32 (0,16)  \$ 439.60  ESK2460V	1830 mm  ESK1472V  14.95 (3.31)  6,78 (0,09)  \$ 120.55  ESK1872V  16.85 (3.31)  7,64 (0,09)  \$ 127.75  ESK2172V  18.91 (3.31)  8,58 (0,09)  \$ 145.50  ESK2472V  20.93 (3.31)  9,49 (0,09)	1980 mm Exclusive  ESK1478V  15.89 (3.60)  7,21 (0,10)  \$ 129.50  ESK1878V  17.79 (3.60)  8,07 (0,10)  \$ 136.75  ESK2178V  19.85 (3.60)  9,00 (0,10)  \$ 155.90  ESK2478V  21.87 (3.60)  9,92 (0,10)

A - SINGLE SHELF - Includes vented shelf plates for 1 shelf, 2 stationary traverses, 1 bag of 8 stationary traverse dovetails (4 each A and B) and instructions.
 B - FOUR SHELVES - Includes vented shelf plates for 4 shelves, 8 stationary traverses, 1 bag of 32 stationary traverse dovetails (16 each A and B) and instructions. Case Pack: 1 Color: Brushed Graphite (580).

## **Vented 4-Shelf Stationary Starter Units 18" Width (460 mm)**

### Camshelving® Elements Series

He set the set of the	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
HEIGHT	CODE	ESU183664	ESU184264	ESU184864	ESU185464	ESU186064
64"	CASE LBS. (CUBE)	49.99 (5.92)	54.53 (5.92)	58.94 (5.92)	63.64 (5.92)	68.26 (5.92)
04	CASE KG (CUBE M³)	22,68 (0,17)	24,74 (0,17)	26,74 (0,17)	28,87 (0,17)	30,96 (0,17)
1630 mm	LIST PRICE KIT	\$ 439.40	\$ 493.00	\$ 512.40	\$ 565.60	\$ 602.20
	CODE	ESU183672	ESU184272	ESU184872	ESU185472	ESU186072
72"	CASE LBS. (CUBE)	51.27 (5.92)	55.81 (5.92)	60.22 (5.92)	64.92 (5.92)	69.54 (5.92)
ΙZ	CASE KG (CUBE M³)	23,26 (0,17)	25,32 (0,17)	27,32 (0,17)	29,45 (0,17)	31,54 (0,17)
1830 mm	LIST PRICE KIT	\$ 443.10	\$ 496.70	\$ 516.10	\$ 569.30	\$ 605.90

Includes 4 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

 $1 \ \text{bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 \ \text{stationary traverses and instructions.} \\$ 

Case Pack: 1 Color: Brushed Graphite (580).

### **Vented 4-Shelf Stationary Starter Units 21" Width (540 mm)**

Height Height	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
HEIGHT	CODE	ESU213664	ESU214264	ESU214864	ESU215464	ESU216064
64"	CASE LBS. (CUBE)	54.94 (7.39)	60.23 (7.39)	65.28 (7.39)	70.74 (7.39)	76.11 (7.39)
04	CASE KG (CUBE M³)	24,92 (0,21)	27,32 (0,21)	29,61 (0,21)	32,09 (0,21)	34,52 (0,21)
1630 mm	LIST PRICE KIT	\$ 479.60	\$ 540.20	\$ 563.40	\$ 624.20	\$ 665.80
	CODE	ESU213672	ESU214272	ESU214872	ESU215472	ESU216072
72"	CASE LBS. (CUBE)	56.22 (7.39)	61.51 (7.39)	66.57 (7.39)	72.02 (7.39)	77.39 (7.39)
1 Z	CASE KG (CUBE M³)	25,50 (0,21)	27,90 (0,21)	30,20 (0,21)	32,67 (0,21)	35,10 (0,21)
1830 mm	LIST PRICE KIT	\$ 483.10	\$ 543.70	\$ 566.90	\$ 627.70	\$ 669.30

Includes 4 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

1 bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 stationary traverses and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

## **Vented 4-Shelf Stationary Starter Units 24" Width (610 mm)**

Length	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
HEIGHT	CODE	ESU243664	ESU244264	ESU244864	ESU245464	ESU246064
64"	CASE LBS. (CUBE)	59.50 (8.49)	61.66 (8.49)	71.72 (8.49)	77.70 (8.49)	83.59 (8.49)
04	CASE KG (CUBE M³)	26,99 (0,24)	27,97 (0,24)	32,53 (0,24)	35,24 (0,24)	37,92 (0,24)
1630 mm	LIST PRICE KIT	\$ 492.50	\$ 546.70	\$ 582.30	\$ 633.10	\$ 670.70
	CODE	ESU243672	ESU244272	ESU244872	ESU245472	ESU246072
72"	CASE LBS. (CUBE)	60.78 (8.49)	66.59 (8.49)	72.99 (8.49)	79.98 (8.49)	84.87 (8.49)
1 Z	CASE KG (CUBE M³)	27,57 (0,24)	30,21 (0,24)	33,11 (0,24)	35,82 (0,24)	38,50 (0,24)
1830 mm	LIST PRICE KIT	\$ 496.20	\$ 550.40	\$ 586.00	\$ 636.80	\$ 674.40
	CODE	ESU243684PKG	ESU244284PKG	ESU244884PKG	ESU245484PKG	ESU246084PKG
*84"	CASE LBS. (CUBE)	61.46 (14.30)	67.27 (15.57)	73.68 (12.57)	80.66 (14.59)	86.55 (15.14)
04	CASE KG (CUBE M³)	27,88 (0,14)	30,51 (0,17)	33,42 (0,16)	36,58 (0,2)	39,26 (0,2)
2140 mm	LIST PRICE KIT	\$ 522.00	\$ 576.20	\$ 611.80	\$ 662.60	\$ 700.20

Includes 4 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

1 bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 stationary traverses and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

<sup>\*</sup> Due to the size of 84" (2140 mm) shelving, starter units ship in 3 cartons.

## Vented 4-Shelf Stationary Add-On Units 18" Width (460 mm) Camshelving®

## **Elements Series**

Length Height	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
HEIGHT	CODE	EA183664	EA184264	EA184864	EA185464	EA186064
CAII	CASE LBS. (CUBE)	42.35 (5.92)	46.88 (5.92)	51.30 (5.92)	55.99 (5.92)	60.61 (5.92)
64"	CASE KG (CUBE M³)	19,21 (0,17)	21,27 (0,17)	23,27 (0,17)	25,40 (0,17)	27,49 (0,17)
1630 mm	LIST PRICE KIT	\$ 358.10	\$ 411.70	\$ 431.10	\$ 484.30	\$ 520.90
	CODE	EA183672	EA184272	EA184872	EA185472	EA186072
7211	CASE LBS. (CUBE)	42.99 (5.92)	47.53 (5.92)	51.94 (5.92)	56.64 (5.92)	61.25 (5.92)
72"	CASE KG (CUBE M³)	19,50 (0,17)	21,56 (0,17)	23,56 (0,17)	25,69 (0,17)	27,78 (0,17)
1830 mm	LIST PRICE KIT	\$ 359.95	\$ 413.55	\$ 432.95	\$ 486.15	\$ 522.75

Includes 2 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

1 bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 stationary traverses and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

## Vented 4-Shelf Stationary Add-On Units 21" Width (540 mm)

Length	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b>	<b>60"</b> 1530 mm
HEIGHT	CODE	EA213664	EA214264	EA214864	EA215464	EA216064
64"	CASE LBS. (CUBE)	47.13 (7.39)	52.41 (7.39)	57.47 (7.39)	62.92 (7.39)	68.29 (7.39)
04	CASE KG (CUBE M³)	21,38 (0,21)	23,78 (0,21)	26,07 (0,21)	28,54 (0,21)	30,98 (0,21)
1630 mm	LIST PRICE KIT	\$ 396.20	\$ 456.80	\$ 480.00	\$ 540.80	\$ 582.40
	CODE	EA213672	EA214272	EA214872	EA215472	EA216072
72"	CASE LBS. (CUBE)	47.77 (7.39)	53.05 (7.39)	58.11 (7.39)	63.56 (7.39)	68.93 (7.39)
ΙZ	CASE KG (CUBE M³)	21,67 (0,21)	24,07 (0,21)	26,36 (0,21)	28,83 (0,21)	31,27 (0,21)
1830 mm	LIST PRICE KIT	\$ 397.95	\$ 458.55	\$ 481.75	\$ 542.55	\$ 584.15

Includes 2 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

1 bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 stationary traverses and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

## **Vented 4-Shelf Stationary Add-On Units 24" Width (610 mm)**

Length Height	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
HEIGHT	CODE	EA243664	EA244264	EA244864	EA245464	EA246064
64"	CASE LBS. (CUBE)	51.50 (8.49)	57.32 (8.49)	63.72 (8.49)	69.70 (8.49)	73.42 (8.49)
04	CASE KG (CUBE M³)	23,36 (0,24)	25,99 (0,24)	28,91 (0,24)	31,62 (0.24)	34,29 (0,24)
1630 mm	LIST PRICE KIT	\$ 408.45	\$ 462.65	\$ 498.25	\$ 549.05	\$ 586.65
	CODE	EA243672	EA244272	EA244872	EA245472	EA246072
72"	CASE LBS. (CUBE)	52.14 (8.49)	57.96 (8.49)	64.36 (8.49)	70.34 (8.49)	74.26 (8.49)
12	CASE KG (CUBE M³)	23,65 (0,24)	26,29 (0,24)	29,20 (0,24)	31,91 (0,24)	34,58 (0,24)
1830 mm	LIST PRICE KIT	\$ 410.30	\$ 464.50	\$ 500.10	\$ 550.90	\$ 588.50
	CODE	EA243684PKG	EA244284PKG	EA244884PKG	EA245484PKG	EA246084PKG
*84"	CASE LBS. (CUBE)	50.38 (11.62)	56.20 (12.88)	62.60 (10.05)	69.58 (11.91)	75.48 (11.82)
04	CASE KG (CUBE M³)	22,85 (0,12)	25,49 (0,16)	28,40 (0,14)	31,56 (0,18)	34,24 (0,18)
2140 mm	LIST PRICE KIT	\$ 423.20	\$ 477.40	\$ 513.00	\$ 563.80	\$ 601.40

Includes 2 stationary posts with leveling feet installed - pre-assembled with post connectors and wedges,

1 bag of 32 stationary traverse dovetails (16 A and 16 B), vented shelf plates (for 4 shelves), 8 stationary traverses, instructions Case Pack: 1 Color: Brushed Graphite (580).

USA / Shelving 1.800.833.3003

<sup>\*</sup> Due to the size of 84" (2140 mm) shelving, add-on units ship in 2 cartons.

### **Mobile Post Kits**

Width	WIDTH	<b>18"</b> 460 mm	<b>21"</b> 540 mm	<b>24"</b> 610 mm	
HEIGHT	CODE	EMPK1870	EMPK2170	EMPK2470	
70"	CASE LBS. (CUBE)	8.66 (0.46)	8.84 (0.46)	9.02 (0.46)	
<i>/</i> U	CASE KG (CUBE M³)	3,93 (0,01)	4,01 (0,01)	4,09 (0,01)	
1778 mm	LIST PRICE KIT	\$ 84.40	\$ 86.45	\$ 87.15	
	CODE	EMPK1878	EMPK2178	EMPK2478	
78"	CASE LBS. (CUBE)	9.50 (0.52)	9.68 (0.52)	9.86 (0.52)	
<i>1</i> O	CASE KG (CUBE M³)	4,31 (0,01)	4,39 (0,01)	4,47 (0,01)	
1980 mm	LIST PRICE KIT	\$ 86.25	\$ 88.20	\$ 89.00	

Includes 2 mobile posts without leveling feet installed, 1 top post connector, 1 bottom post connector, 8 post connector wedges in a bag and instructions. Casters are not included and must be ordered separately. **Note:** Height in chart includes casters.

#### Case Pack: 1 Color: Brushed Graphite (580).

## **Solid Shelf Kits for Mobile Units**

Length	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
WIDTH	CODE	EMSK1836S	EMSK1842S	EMSK1848S	EMSK1854S	EMSK1860S
18"	CASE LBS. (CUBE)	9.69 (1.51)	11.55 (2.03)	12.25 (1.54)	13.99 (2.63)	15.85 (2.91)
10	CASE KG (CUBE M³)	4,40 (0,04)	5,24 (0,06)	5,55 (0,04)	6,35 (0,07)	7,12 (0,08)
460 mm	LIST PRICE KIT	\$ 78.95	\$ 93.20	\$ 97.85	\$ 112.20	\$ 122.30
	CODE	EMSK2136S	EMSK2142S	EMSK2148S	EMSK2154S	EMSK2160S
21"	CASE LBS. (CUBE)	11.11 (1.51)	13.08 (2.03)	14.16 (1.54)	16.01 (2.63)	17.98 (2.91)
ZI	CASE KG (CUBE M³)	5,04 (0,04)	5,93 (0,06)	6,24 (0,04)	7,26 (0,07)	8,16 (0,08)
540 mm	LIST PRICE KIT	\$ 88.95	\$ 104.40	\$ 111.85	\$ 127.30	\$ 138.00
	CODE	EMSK2436S	EMSK2442S	EMSK2448S	EMSK2454S	EMSK2460S
24"	CASE LBS. (CUBE)	11.87 (1.51)	13.96 (2.03)	15.36 (1.54)	17.34 (2.63)	19.43 (2.91)
<b>4</b>	CASE KG (CUBE M³)	5,38 (0,04)	6,33 (0,06)	6,97 (0,04)	7,86 (0,07)	8,81 (0,08)
610 mm	LIST PRICE KIT	\$ 93.40	\$ 107.15	\$ 116.80	\$ 130.70	\$ 141.15

Includes solid shelf plates for 1 shelf, 2 mobile traverses, 1 bag of 8 mobile traverse dovetails (4 each A and B) and instructions. Case Pack: 1 Color: Brushed Graphite (580).

## **Vented Shelf Kits for Mobile Units**

Length	LENGTH	<b>36"</b> 910 mm	<b>42"</b> 1070 mm	<b>48"</b> 1220 mm	<b>54"</b> 1380 mm	<b>60"</b> 1530 mm
WIDTH	CODE	EMSK1836V	EMSK1842V	EMSK1848V	EMSK1854V	EMSK1860V
18"	CASE LBS. (CUBE)	9.22 (1.51)	10.93 (2.03)	11.59 (1.54)	13.18 (2.63)	14.89 (2.91)
10	CASE KG (CUBE M³)	4,18 (0,04)	4,96 (0,06)	5,26 (0,04)	5,97 (0,07)	6,75 (0,08)
460 mm	LIST PRICE KIT	\$ 75.70	\$ 89.10	\$ 93.95	\$ 107.20	\$ 116.40
	CODE	EMSK2136V	EMSK2142V	EMSK2148V	EMSK2154V	EMSK2160V
21"	CASE LBS. (CUBE)	10.20 (1.51)	12.10 (2.03)	12.93 (1.54)	14.71 (2.63)	16.61 (2.91)
<b>Z</b> I	CASE KG (CUBE M³)	4,63 (0,04)	5,49 (0,06)	5,86 (0,04)	6,67 (0,07)	7,53 (0,08)
540 mm	LIST PRICE KIT	\$ 84.65	\$ 99.85	\$ 105.65	\$ 120.80	\$ 131.20
	CODE	EMSK2436V	EMSK2442V	EMSK2448V	EMSK2454V	EMSK2460V
24"	CASE LBS. (CUBE)	11.02 (1.51)	13.05 (2.03)	14.21 (1.54)	16.12 (2.63)	18.15 (2.91)
<b>Z4</b>	CASE KG (CUBE M³)	4,99 (0,04)	5,92 (0,06)	6,45 (0,04)	7,31 (0,07)	8,23 (0,08)
610 mm	LIST PRICE KIT	\$ 87.60	\$ 101.15	\$ 110.05	\$ 122.70	\$ 132.15

Includes vented shelf plates for 1 shelf, 2 mobile traverses, 1 bag of 8 mobile traverse dovetails (4 each A and B) and instructions. Case Pack: 1 Color: Brushed Graphite (580).

### **Vented 4-Shelf Mobile Starter Units 18" Width (460 mm)**

Camshelving® Elements Series

Length Height	LENGTH	<b>36"</b> 910 mm PREMIUM	36" 910 mm standard	<b>42"</b> 1070 mm PREMIUM	<b>42"</b> 1070 mm <b>STANDARD</b>	<b>48"</b> 1220 mm PREMIUM	<b>48"</b> 1220 mm STANDARD
HEIGHT	CODE	EMU183670P	EMU183670	EMU184270P	EMU184270	EMU184870P	EMU184870
70"	CASE LBS. (CUBE)	60.13 (5.92)	60.13 (5.92)	64.67 (5.92)	64.67 (5.92)	69.08 (5.92)	69.08 (5.92)
70"	CASE KG (CUBE M³)	33,48 (0,17)	33,48 (0,17)	36,52 (0,17)	36,52 (0,17)	39,61 (0,17)	39,61 (0,17)
1778 mm	LIST PRICE KIT	\$ 671.60	\$ 655.60	\$ 725.20	\$ 709.20	\$ 744.60	\$ 728.60
	CODE	EMU183678P	EMU183678	EMU184278P	EMU184278	EMU184878P	EMU184878
78"	CASE LBS. (CUBE)	61.41 (5.92)	61.41 (5.92)	65.95 (5.92)	65.95 (5.92)	70.36 (5.92)	70.36 (5.92)
10	CASE KG (CUBE M³)	34,06 (0,17)	34,06 (0,17)	37,09 (0,17)	37,09 (0,17)	40,19 (0,17)	40,19 (0,17)
1980 mm	LIST PRICE KIT	\$ 675.30	\$ 659.30	\$ 728.90	\$ 712.90	\$ 748.30	\$ 732.30

**Premium** - Includes 4 mobile posts without leveling feet, post connectors and wedges installed, 1 bag of 32 mobile traverse dovetails (16 each A and B), vented shelf plates, 8 mobile traverses, 4 premium casters and instructions.

Standard - Includes 4 mobile posts without leveling feet, post connectors and wedges installed, 1 bag of 32 mobile traverse dovetails (16 each A and B), vented shelf plates, 8 mobile traverses, 4 standard casters and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

### **Vented 4-Shelf Mobile Starter Units 21" Width (540 mm)**

Length Height	LENGTH	<b>36"</b> 910 mm PREMIUM	36" 910 mm standard	<b>42"</b> 1070 mm PREMIUM	<b>42"</b> 1070 mm STANDARD	<b>48</b> " 1220 mm <b>PREMIUM</b>	<b>48"</b> 1220 mm STANDARD
HEIGHT	CODE	EMU213670P	EMU213670	EMU214270P	EMU214270	EMU214870P	EMU214870
70"	CASE LBS. (CUBE)	65.08 (7.39)	65.08 (7.39)	70.37 (7.39)	70.37 (7.39)	75.43 (7.39)	75.43 (7.39)
/ U	CASE KG (CUBE M³)	35,72 (0,21)	35,72 (0,21)	39,10 (0,21)	39,10 (0,21)	42,49 (0,21)	44,82 (0,21)
1778 mm	LIST PRICE KIT	\$ 711.50	\$ 695.50	\$ 772.30	\$ 756.30	\$ 795.50	\$ 779.50
	CODE	EMU213678P	EMU213678	EMU214278P	EMU214278	EMU214878P	EMU214878
78"	CASE LBS. (CUBE)	66.36 (7.39)	66.36 (7.39)	71.65 (7.39)	71.65 (7.39)	76.71 (7.39)	76.71 (7.39)
10	CASE KG (CUBE M³)	36,31 (0,21)	36,31 (0,21)	39,68 (0,21)	39,68 (0,21)	43,07 (0,21)	45,40 (0,21)
1980 mm	LIST PRICE KIT	\$ 715.00	\$ 699.00	\$ 775.80	\$ 759.80	\$ 799.00	\$ 783.00

**Premium** - Includes 4 mobile posts without leveling feet, post connectors and wedges installed, 1 bag of 32 mobile traverse dovetails (16 each A and B), vented shelf plates, 8 mobile traverses, 4 premium casters and instructions.

Standard - Includes 4 mobile posts without leveling feet, post connectors and wedges installed, 1 bag of 32 mobile traverse dovetails (16 each A and B), vented shelf plates, 8 mobile traverses, 4 standard casters and instructions.

Case Pack: 1 Color: Brushed Graphite (580).

### Vented 4-Shelf Mobile Starter Units 24" Width (610 mm)

Feight	LENGTH	<b>36"</b> 910 mm PREMIUM	36" 910 mm standard	<b>42</b> " 1070 mm PREMIUM	<b>42</b> " 1070 mm standard	<b>48"</b> 1220 mm PREMIUM	48" 1220 mm standard
HEIGHT	CODE	EMU243670P	EMU243670	EMU244270P	EMU244270	EMU244870P	EMU244870
70"	CASE LBS. (CUBE)	69.64 (8.49)	69.64 (8.49)	75.45 (8.49)	75.45 (8.49)	81.86 (8.49)	81.86 (8.49)
70"	CASE KG (CUBE M³)	37,79 (0,24)	37,79 (0,24)	41,41 (0,24)	41,41 (0,24)	45,40 (0,24)	45,40 (0,24)
1778 mm	LIST PRICE KIT	\$ 724.70	\$ 708.70	\$ 778.90	\$ 762.90	\$ 814.50	\$ 798.50
	CODE	EMU243678P	EMU243678	EMU244278P	EMU244278	EMU244878P	EMU244878
78"	CASE LBS. (CUBE)	70.92 (8.49)	70.92 (8.49)	76.71 (8.49)	76.71 (8.49)	83.14 (8.49)	83.14 (8.49)
10	CASE KG (CUBE M³)	38,37 (0,24)	38,37 (0,24)	41,99 (0,24)	41,99 (0,24)	45,98 (0,24)	45,98 (0,24)
1980 mm	LIST PRICE KIT	\$ 728.40	\$ 712.40	\$ 782.60	\$ 766.60	\$ 818.20	\$ 802.20

**Premium** - Includes 4 mobile posts without leveling feet, connectors and wedges installed, 1 bag of 32 mobile traverse dovetails (16 each A and B), vented shelf plates, 8 mobile traverses, 4 premium casters, instructions.

Standard - Includes 4 posts without leveling feet, connectors and wedges installed, 1 bags of 32 mobile traverse dovetails (16 each A and B), shelf plates, 8 mobile traverses, 4 standard casters, instructions

Case Pack: 1 Color: Brushed Graphite (580).

1.800.833.3003 USA / Shelving

## **Casters and Donut Bumper**

### Camshelving® Elements Series



DIAMETER	127 mm PREMIUM	<b>1</b> 127 mm Premium	<b>J</b> 127 mm <b>Standard</b>	<b>1</b> 127 mm Standard	127 mm
CODE	EMSCBP	EMSCP	EMSCB	EMSC	CSHDDB
DESCRIPTION	Swivel with Brake	Swivel No Brake	Swivel with Brake	Swivel No Brake	Donut Bumper
CASE LBS. (CUBE)	4.75 (0.16)	4.35 (0.16)	4.75 (0.16)	4.35 (0.16)	2.01 (0.05)
CASE KG (CUBE M³)	2,16 (0,005)	1,97 (0,005)	2,16 (0,005)	1,97 (0,005)	0,91 (0,001)
CASE PACK	2	2	2	2	4
LIST PRICE EACH	\$ 55.00	\$ 45.00	\$ 47.00	\$ 45.00	\$ 10.70

**PREMIUM CASTERS** - Stainless steel with a non-marking polyurethane wheel. Recommended for use in wet areas or in walk-in refrigerators and freezers. **STANDARD CASTERS** - Zinc plated with a non-marking polyurethane wheel. Recommended for use in dry storage areas.

### **Divider Bar for Elements Series**

- Creates a custom storage unit that can accommodate a variety of storage products and sizes on a single unit.
- Divider bars fit on 24" (610 mm) wide Elements Series units and hold up to 200 lbs. (91 kg) per shelf.

CODE	DESCRIPTION	CASE LBS. (CUBE)	CASE KG (CUBE M³)	LIST Price ea.
EDBA	Divider Bar Angled	1.91 (0.10)	0,87 (0,003)	\$ 4.40
EDBS	Divider Bar Straight	1.91 (0.10)	0,87 (0,003)	4.40

Case Pack: 4 Color: Speckled Gray (480).



Camshelving Elements Cash & Carry 4-Shelf Stationary Starter Unit

 Easy to merchandise in Cash and Carry showrooms. Innovative, lighter-weight packaging features less corrugate and an appealing POS merchandising label.



Contact your Cambro Sales Representative for more information on sizes and pricing.

## **Dunnage Racks**





### S-Series Dunnage Racks

- Keep frozen, cold or dry inventory 12" (30,5 cm) safely off the floor.
- One piece construction and sturdy legs provide strength and stability.
- Heavy duty polypropylene is safe to -36°F (-38°C), and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products.
- Solid tops catch spills for easy clean up.



CODE	EXTERIOR DIMENSIONS H x D x W	LOAD Capacity	CASE LBS. (CUBE)	LIST Price ea
Solid Top				
DRS30	12" x 21" x 30"	1500 lbs.	22.05 (4.75)	\$ 220.00
DRS36	12" x 21" x 36"	1500 lbs.	26 (5.72)	240.00
DRS48	12" x 21" x 48"	3000 lbs.	35.10 (7.41)	290.00
DRS60	12" x 21" x 60"	3000 lbs.	44.66 (9.53)	330.00
Slotted Top				
DRS300	12" x 21" x 30"	1500 lbs.	20 (4.78)	220.00
DRS360	12" x 21" x 36"	1500 lbs.	25 (5.72)	240.00
DRS480	12" x 21" x 48"	3000 lbs.	34.07 (7.45)	290.00
DRS600	12" x 21" x 60"	3000 lbs.	42.37 (9.36)	330.00

Case Pack: 1 InStock Color: Speckled Gray (480).

### Camlink®

Camlink connectors securely lock dunnage racks together for greater stability.

CODE	CASE PACK	LIST Price ea.
DRLNK	6	\$ 2.40



Color: Black (110).

Camlink is covered by U.S. Patent D 397,289.

Camlink fits all sizes and styles. One free Camlink supplied with every Dunnage Rack.




1.800.833.3003 USA / Shelving



STORAGE

## Pizza Dough Boxes



### **Polypropylene**

- Ideal for storing, transporting, proofing and cooling dough.
- Lightweight, durable, and break resistant.
- Chemical resistant material won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- The previous box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40°F to 160°F.\*
- Cover can be used as an 18" x 26" tray.

#### Color: White (148).

Polycarbonate & Polypropylene dough boxes do not inter stack.

\* Polypropylene dough boxes are safe for use in high temperature dishwashers.

Caster Type A: 5" Casters: 2 fixed, 2 swivel, 1 with brake.







Case Pack: 1 \*\*Optional Strap Available





Capacity: 300 Lbs. Caster Type: A Holds: DB18263CW, DB18266CW, DB18263P





### Camwear® **Polycarbonate**

- Prevents crusting to increase the storage life of dough.
- · Virtually unbreakable polycarbonate construction is reinforced on all sides.
- Boxes won't bend or lose



- Withstands temperatures from -40°F to 210°F.
- Available in 3" and 6" depths.

CODE	OUTSIDE DIMENSIONS Inside dimensions	CASE LBS. (CUBE)	LIST Price ea.
Polypropylene Piz	zza Dough Box		
DB18263P	18" x 26" x 3" 16" x 24"	24.35 (5.37)	\$ 39.40
Polypropylene Co	ver		
DBC1826P	18" x 26"	17.85 (2.27)	26.50
Case Pack: 6 In	Stock Color: White (148).		
Camwear Pizza D	ough Boxes		
DB18263CW	18" x 26" x 3" 16" x 24"	24.03 (4.62)	49.25
DB18266CW	18" x 26" x 6" 16" x 24"	35.5 (9.47)	66.20
Camwear Cover			
DBC1826CW	18" x 26"	14.81 (1.21)	35.90
Case Pack: 6			
Camdolly® For Piz	zza Dough Boxes		
CD1826PDB**	19%" x 27%" x 101/4" 17½" x 25%"	22 (3.67)	340.00

USA / Storage 1.800.833.3003

## **Quick Guide To Storage Solutions**





## **Storage Containers**

### CamSquares® Food Storage Containers

Keeps food fresh and maximizes storage areas.

7	3	2
SIZES	MATERIALS	LID TYPES



## **Coldfest®**

#### **GN Pans**

Holds cold food at safe temperatures without ice for hours.

hout ice	for hours.			
4	<b>1</b>	1	<b>5</b>	
SIZES	DEPTH	Material	LID TYPES	

### **Round Food Storage Containers**

Store ingredients or transport ready to serve or partially prepared foods.





## **Ingredient Bins**

Store dry bulk ingredients such as flour and grain.

6	1	3
CAPACITIES	COLOR	LID TYPES



## **Food Storage Boxes**

Safely store bulk produce, meat, poultry and seafood.





## **Materials**

## Camwear® Polycarbonate

Virtually unbreakable polycarbonate material will not crack, bend or dent. Withstands temperatures from -40°F to 210°F (-40°C to 99°C).

### High Heat H-Pans™

High heat material is safe for use in microwaves, ovens and steam tables. Withstands extreme temperatures from -40°F to 375°F (-40°C to 190°C).

### Polypropylene

Translucent polypropylene material provides a high chemical resistance.
Withstands temperatures from -40°F to 160°F (-40°C to 70°C).

### Polyethylene

High chemical and impact resistant material. Withstands temperatures from -40°F to 160°F (-40°C to 70°C).

#### **ABS**

High-performance and impact resistant material. Ideal for temperatures at or below 41°F (4°C).

















### **Food Pans**

#### Camwear® Polycarbonate **Food Pans**

Store, transport and serve all in one pan. Virtually unbreakable polycarbonate will not crack, bend or dent. Withstands temperatures from -40°F to 210°F (-40°C to 99°C).

7	4	3	7
SIZES	DEPTHS	COLORS	LID TYPES



#### Translucent Food Pans


An economical choice for storage and serving. Ideal for use in cold and ambient environments. Withstands temperatures from -40°F to 160°F (-40°C to 70°C).

6	2	1	4
SIZES	DEPTHS	COLOR	LID TYPES



### High Heat H-Pans™

Pans can go from prep to cooler to oven to steam table. Withstands temperatures



#### **Colander Pans**

Liquids drain away from food into the pan below for enhanced food quality and improved food safety.



4	2	2	3
SIZES	DEPTHS	MATERIALS	LID TYPES

### **Food Pan Lids**

Covers protect contents better than plastic wrap or foil while saving time and money. Lids improve food safety and extend product freshness. Fit selected Camwear, High Heat and Poly Food Pans.

7	7	3	5
TYPES	SIZES	MATERIALS	COLORS

#### Flat Cover

Basic cover available in all pan sizes.



### Notched FlipLid

FlipLid with notch to rest spoon in contents with lid closed.



#### **Cover with Handle**

Deep molded handle provides secure grip. Available in Black and Clear.



#### Seal Cover

Economical cover for all pan sizes. Fits Camwear and High Heat pans.



#### **Notched Cover** with Handle

Notched cover allows utensils to remain in pan and off of potentially contaminated counters.



#### **GripLid®**

Lid grips the side of the pan, reducing spills and points of cross contamination. Fits Camwear and High Heat pans.



### FlipLid®

Keeps contents covered yet flips up easily for service.



### **Seal Cover for Translucent Food Pans**

Translucent seal covers provide a tight fit, to protect food quality while eliminating the expense of plastic wrap.



USA / Storage 1.800.833.3003

## Camwear® Polycarbonate CamSquare® Food Storage Containers

Maximize your storage area with CamSquare food storage containers. The square shape provides 33% better space usage than traditional round containers. Clear polycarbonate provides product visibility for at a glance inventory management. Seal covers feature an inner and outer seal for superior spill resistance, even during transport.

Note: All graduations are approximate.











Tight fitting Seal Cover is spill resistant, saves expense & is safer for employees to handle during transport.



## Seal Covers for Camwear CamSquares\*

- Inner and outer seal provide excellent spill resistance.
- Includes a hole on the corner for hanging during storage.
- Translucent lid easily identifies contents.
- Withstands temperatures from -40°F to 160°F (-40°C to 70°C).
- \* Seal covers only fit Camwear Square Containers.





## **CamSquare® Food Storage Containers**

#### **Translucent**

- Translucent material provides some content visibility and high chemical resistance.
- Withstands temperatures from -40°F to 160°F (-40°C to 70°C).
- Easy to read graduations are printed on the outside for at a glance inventory management.

Note: All graduations are approximate.



### StoreSafe

### **Poly**

- Economical storage choice.
- Made of impact, stain and chemical resistant material.
- Withstands temperatures from -40°F to 160°F (-40°C to 70°C).





#### **Covers for CamSquares**

- Snap-tight polyethylene covers feature thumb tabs for easy removal.
- Covers fit Camwear®, Translucent and Poly CamSquare Containers.



## Personalized Storage Products

Personalize food storage products to identify menu items, add fill lines for recipes, or use personalization in multiple languages to help ensure product quality and consistency.



1.800.833.3003 USA / Storage

## **Camwear® Polycarbonate CamSquare® Food Storage Containers**







CODE	2SFSCW	4SFSCW	6SFSCW	8SFSCW	12SFSCW**	18SFSCW**	22SFSCW**
CAPACITY	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIM. L x W x H	7¼" x 7¼" x 3%"	7¼" x 7¼" x 7¾"	8¾" x 8¾" x 7¼"	8¾" x 8¾" x 9¼"	$11\frac{1}{4}$ " x $12\frac{1}{4}$ " x $8\frac{3}{4}$ "	11¼" x 12¼" x 12%"	1111/4" x 121/4" x 153/4"
CASE LBS. (CUBE)	3.34 (0.42)	5.28 (0.61)	7.01 (0.97)	8.41 (1.09)	12.98 (2.31)	19.65 (2.74)	24.3 (3.05)
LIST PRICE EACH	\$ 8.55	\$ 13.05	\$ 16.90	\$ 19.85	\$ 26.45	\$ 39.25	\$ 49.75

Case Pack: 6 Color/InStock Color: Clear (135). Height includes covers.

### Seal Covers For Camwear CamSquares\*



Case Pack: 6 InStock Color: Translucent (190).

96

**Note:** All graduations are approximate.

- \* Seal covers fit Camwear Polycarbonate CamSquare containers only.
- \*\* Dimensions include handles.













## **CamSquare® Food Storage Containers**



















CODE	2SFSPP	4SFSPP	6SFSPP	8SFSPP	12SFSPP**	18SFSPP**	22SFSPP**
CAPACITY	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIM. L x W x H	7½" x 7½" x 3½"	7½" x 7½" x 7¾"	83/8" x 83/8" x 71/4"	83/8" x 83/8" x 91/8"	11½" x 12½" x 8¾"	11½" x 12½" x 125%"	11½" x 12½" x 15¾"
CASE LBS. (CUBE)	2.6 (0.42)	4.45 (0.61)	5.62 (0.98)	6.87 (1.05)	9 (2.34)	14.75 (2.74)	19.10 (3.01)
LIST PRICE EACH	\$ 6.70	\$ 9.20	\$ 11.40	\$ 13.50	\$ 19.05	\$ 25.90	\$ 31.90

Case Pack: 6 Color/InStock Color: Translucent (190). Height includes covers.

					 -1-
Poly	=1° =1°	72	 25	44	

CODE	2SFSP	4SFSP	6SFSP	8SFSP	12SFSP**	18SFSP**	22SFSP**
CAPACITY	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIM. L x W x H	71/4" x 71/4" x 37/8"	7½" x 7½" x 7¾"	83/8" x 83/8" x 71/4"	8¾" x 8¾" x 9¼"	11½" x 12½" x 8¾"	$11\frac{1}{4}$ " x $12\frac{1}{4}$ " x $12\frac{5}{8}$ "	11½" x 12½" x 15¾"
CASE LBS. (CUBE)	2.43 (0.41)	4.49 (0.61)	5.66 (0.93)	7.4 (1.06)	9 (2.34)	14.75 (2.74)	20.25 (3.05)
LIST PRICE EACH	\$ 6.35	\$ 8.65	\$ 10.75	\$ 12.75	\$ 18.15	\$ 24.55	\$ 30.00

Case Pack: 6 Color: Natural White (148). Height includes covers.

Covers*			
CODE	SFC2	SFC6	SFC12
COLOR	Kelly Green (452)	Winter Rose (451)	Midnight Blue (453)
DESCRIPTION	Fits 2 & 4 qt.	Fits 6 & 8 qt.	Fits 12, 18 & 22 qt.
CASE LBS. (CUBE)	1.25 (0.11)	1.64 (0.16)	2.54 (0.25)
LIST PRICE EACH	\$ 3.45	\$ 4.30	\$ 6.25

Case Pack: 6 InStock Color: Kelly Green (452), Winter Rose (451), Midnight Blue (453).

**Note:** All graduations are approximate.

- \* PolyCovers fit Camwear, Translucent and Poly CamSquare Containers.
- \*\* Dimensions include handles.











1.800.833.3003 USA / Storage

## Camwear® Polycarbonate Round Food Storage Containers

Store ingredients or transport ready to serve or partially prepared foods. Clear Camwear polycarbonate allows for easy content identification at a glance. Reduces risk of contamination and enhances food safety. Round shape promotes proper air circulation, ideal for stirring soups and sauces.

Note: All graduations are approximate.

**Note:** To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.













Seal Cover provides excellent spill resistance.





### **Camwear Polycarbonate Covers**

- Snap on covers fit tightly.
- Stain resistant to food acids and oils.
- Withstands temperatures from -40°F to 210°F (-40°C to 99°C).

98



#### **Round Seal Covers**

- Inner and outer seal provide excellent spill resistance.
- Safe from -40°F to 160°F (-40°C to 70°C).
- Thumb tab for easy removal.





## **Round Food Storage Containers**

#### **Translucent**

- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40°F to 160°F (-40°C to 70°C).
- Snap on covers fit tightly to protect contents and extend product freshness.

**Note:** All graduations are approximate.

**Note:** To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.









### **Poly**

- Impact, stain and chemical resistant material.
- An affordable storage choice.
- Safe from -40°F to 160°F (-40°C to 70°C).
- Snap on covers fit tightly yet are easily removed.

Note: All graduations are approximate.

Note: To order Round Food Storage
Containers without imprinted
graduations, simply add "N" to the end of
the code number.

Lids are not interchangeable.

INST

StoreSafe

1.800.833.3003

## **Camwear® Polycarbonate Round Food Storage Containers**



### Camwear Polycarbonate

















CODE	RFSCW1	RFSCW2	RFSCW4	RFSCW6	RFSCW8	RFSCW12	RFSCW18	RFSCW22
CAPACITY	1 qt.	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIMENSIONS	Top Dia. 6½6" Height 5"	Top Dia. 8¾6" Height 4¾6"	Top Dia. 8½6" Height 8½6"	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 7 <sup>15</sup> / <sub>16</sub> "	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 10 <sup>7</sup> / <sub>8</sub> "	Top Dia. 14½" Height 8½"	Top Dia. 14½" Height 12"	Top Dia. 14%" Height 15"
CASE PACK	12	12	12	12	12	6	6	6
CASE LBS. (CUBE)	4.50 (0.44)	6.57 (0.70)	10.75 (0.83)	3.47 (0.31)	15.75 (1.46)	11.52 (1.79)	16.25 (2.63)	19.17 (3.27)
LIST PRICE EACH	\$ 6.65	\$ 9.20	\$ 15.55	\$ 18.20	\$ 23.05	\$ 32.55	\$ 44.65	\$ 51.40

**Color/InStock Color:** Clear (135). Top diameter dimension includes handle. Height dimension includes cover. Two year warranty on Polycarbonate Rounds.



#### **Camwear Covers**

DESCRIPTION	CASE PACK	CODE	CASE LBS. (CUBE)	LIST Price ea.
Fits 1 qt.	12	RFSCWC1	1.25 (0.08)	\$ 2.40
Fits 2 & 4 qt.	12	RFSCWC2	2.75 (0.24)	4.30
Fits 6 & 8 qt.	12	RFSCWC6	3.47 (0.31)	5.45
Fits 12, 18 & 22 qt.	6	RFSCWC12	4.2 (0.42)	12.45

Color/InStock Color: Clear (135).



### **Seal Covers for Camwear Rounds**

DESCRIPTION	CASE Pack	CODE	CASE LBS. (CUBE)	LIST Price ea.
Fits 1 qt.	12	RFS1SCPP	1.04 (0.05)	\$ 2.05
Fits 2 & 4 qt.	12	RFS2SCPP	2.03 (0.37)	3.15
Fits 6 & 8 qt.	12	RFS6SCPP	2.7 (0.27)	3.25
Fits 12, 18 & 22 qt.	6	RFS12SCPP	3.23 (0.51)	7.00

Color/InStock Color: Translucent (190).

## **Round Food Storage Containers**



Translucent	7		77.4	#	+	11-1-1		
CODE	RFS1PP	RFS2PP	RFS4PP	RFS6PP	RFS8PP	RFS12PP	RFS18PP	RFS22PP
CAPACITY	1 qt.	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIMENSIONS	Top Dia. 6½6" Height 5"	Top Dia. 8¾6" Height 4¾6"	Top Dia. 8½6" Height 8½6"	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 7 <sup>15</sup> / <sub>16</sub> "	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 10 <sup>7</sup> / <sub>8</sub> "	Top Dia. 14½" Height 8¾"	Top Dia. 14½" Height 12"	Top Dia. 14%" Height 15"
CASE PACK	12	12	12	12	12	6	6	6
CASE LBS. (CUBE)	2.9 (0.45)	3.68 (0.68)	6 (0.83)	8.50 (1.44)	11.35 (1.40)	7.26 (1.74)	10 (2.63)	3.70 (1.56)
LIST PRICE EACH	\$ 4.30	\$ 4.75	\$ 5.55	\$ 6.70	\$ 8.90	\$ 15.85	\$ 19.25	\$ 22.60

Color/InStock Color: Translucent (190). Top diameter dimension includes handle. Height dimension includes cover.

Poly	1+	7-		7	1	111	111111111111111111111111111111111111111	F
CODE	RFS1	RFS2	RFS4	RFS6	RFS8	RFS12	RFS18	RFS22
CAPACITY	1 qt.	2 qt.	4 qt.	6 qt.	8 qt.	12 qt.	18 qt.	22 qt.
DIMENSIONS	Top Dia. 6½6" Height 5"	Top Dia. 8 <sup>3</sup> / <sub>16</sub> " Height 4 <sup>3</sup> / <sub>16</sub> "	Top Dia. 8 <sup>3</sup> / <sub>16</sub> " Height 8 <sup>9</sup> / <sub>16</sub> "	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 7 <sup>15</sup> / <sub>16</sub> "	Top Dia. 9 <sup>15</sup> / <sub>16</sub> " Height 10½"	Top Dia. 14%" Height 8%"	Top Dia. 14%" Height 12"	Top Dia. 14%" Height 15"
CASE PACK	12	12	12	12	12	6	6	6
CASE LBS. (CUBE)	3.06 (0.44)	3.96 (0.66)	6.25 (0.95)	8.76 (1.36)	11.57 (1.41)	7.50 (1.83)	10.24 (2.49)	13.61 (3.28)
LIST PRICE EACH	\$ 4.15	\$ 4.45	\$ 5.10	\$ 6.35	\$ 8.30	\$ 14.90	\$ 18.10	\$ 21.30

**Color:** Natural White (148). Top diameter dimension includes handle. Height dimension includes cover.

### **Covers for Translucent Rounds**

DESCRIPTION	CASE PACK	CODE	CASE LBS. (CUBE)	LIST Price ea.
Fits 1 qt.	12	RFSC1PP	0.6 (0.08)	\$ 1.60
Fits 2 & 4 qt.	12	RFSC2PP	1.40 (0.13)	1.65
Fits 6 & 8 qt.	12	RFSC6PP	2.10 (0.20)	2.35
Fits 12, 18 & 22 at.	6	RFSC12PP	3.6 (0.42)	5.45

Color/InStock Color: Translucent (190).

### **Covers for Poly Rounds**

DESCRIPTION	CASE Pack	CODE	CASE LBS. (CUBE)	LIST Price ea.
Fits 1 qt.	12	RFSC1	0.78 (0.08)	\$ 1.40
Fits 2 & 4 qt.	12	RFSC2	1.44 (0.13)	1.45
Fits 6 & 8 qt.	12	RFSC6	2.2 (0.21)	2.05
Fits 12, 18 & 22 qt.	6	RFSC12	3.75 (0.42)	4.95

Color: Natural White (148).

1.800.833.3003 USA / Storage

## **Camwear® Food Storage Boxes** — Eliminate the hazard of cross contamination.

Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock. A safe solution for storing bulk fruits and vegetables. Clear polycarbonate allows visibility for product identification. Snap tight Camwear covers or SlidingLids™, sold separately, won't come off during transportation.

SlidingLids are covered by the following U.S. Patents D 447,906 S & 6,540,098 B1.


















#### **Camwear Flat Lids**

- Snap-tight covers won't come off during transport.
- Top molded-in rails for safer, more secure stacking.
- Durable Camwear polycarbonate is safe from -40°F to 210°F (-40°C to 99°C).

102

### Camwear SlidingLids fits Camwear Food Storage Boxes

- Lid slides back to easily access contents, minimizing handling.
- Reduces the risk of cross contamination since lid remains on food box.
- Made of virtually unbreakable Camwear polycarbonate.



### **Food Storage Boxes**

#### **ColanderKits™**

- A complete food safety system packaged in one carton.
- Store raw meats, fish on ice or bulk produce safely.
- Juices and liquids drip into the food box below for quick and easy disposal.
- Reduces handling and risk of cross contamination.





#### Camwear® Colanders

• Enhances food quality and reduces risk of cross contamination.

 Liquids and juices drain directly into food box for improved food safety.

 Ideal for draining fruits and vegetables, thawing meat or poultry, or storing seafood on ice.



 Lifts contents out of liquids to enhance food quality and freshness.

Made of virtually unbreakable polycarbonate.

 Camwear drain shelves fit in both Camwear boxes and white poly boxes.



#### **Poly Food Storage Boxes**

- Economical choice for storing bulk produce and ingredients.
- Impact, stain and chemical resistant material.

• Withstands temperatures from -40°F to 160°F (-40°C to 70°C).



#### Camwear Safety Red and Yellow Food Storage Boxes

- Helps prevent cross-contamination between raw meats, poultry and other food products.
- Red and Translucent yellow color clearly identifies product inside.
- Matching flat cover also available.



1.800.833.3003 USA / Storage

## **Camwear® Food Boxes**



### **Camwear Polycarbonate**







CODE	18263CW	.:• ● 18266CW	18269CW
DIMENSIONS	18" x 26" x 3½"	18" x 26" x 6"	18" x 26" x 9"
APPROX. CAPACITY	5.0 gal.	8.75 gal.	13.0 gal.
CASE PACK	6	6	4
CASE LBS. (CUBE)	21.93 (2.14)	30.05 (4.61)	27.03 (4.45)
LIST PRICE EACH	\$ 44.00	\$ 57.00	\$ 75.00











CODE	182612CW	182615CW	12183CW	• <b>:</b> • ● 12186CW	+:• 12189CW
DIMENSIONS	18" x 26" x 12"	18" x 26" x 15"	12" x 18" x 3½"	12" x 18" x 6"	12" x 18" x 9"
APPROX. CAPACITY	17.0 gal.	22.0 gal.	1.75 gal.	3.0 gal.	4.75 gal.
CASE PACK	4	3	6	6	6
CASE LBS. (CUBE)	34.4 (5.56)	31.68 (6.56)	12.15 (1.01)	16.02 (2.13)	20.45 (2.70)
LIST PRICE EACH	\$ 91.35	\$ 107.80	\$ 24.10	\$ 30.50	\$ 41.00

Color/InStock Color: Clear (135). 18266CW & 12186CW are available in Clear & Red.

• Safety Red (467). •: Safety Yellow (464) Contact your Cambro representative for pricing.

Camwear
Covers

104









CODE	-:• ● 1826CCW FLAT LID	1826SCCW SLIDINGLID™	<b>.</b> • 1218CCW FLAT LID	1218SCCW SLIDINGLID™
DIMENSIONS	18" x 26"	18" x 26"	12" x 18"	12" x 18"
CASE LBS. (CUBE)	16.01 (0.92)	19.03 (1.72)	7.88 (0.49)	9.50 (0.72)
LIST PRICE EACH	\$ 29.85	\$ 53.45	\$ 14.90	\$ 31.80

Case Pack: 6 Color/InStock Color: Clear (135). 1826CCW & 1218CCW are available in Clear & Red.

<sup>•</sup> Safety Red (467). Safety Yellow (464) Contact your Cambro representative for pricing.

## **Food Storage Boxes**



## **Poly Boxes**



CODE	18263P	18266P	18269P
DIMENSIONS	18" x 26" x 3½"	18" x 26" x 6"	18" x 26" x 9"
APPROX. CAPACITY	5.0 gal.	8.75 gal.	13.0 gal.
CASE PACK	6	6	6
CASE LBS. (CUBE)	16.22 (2.16)	28.76 (4.28)	31.81 (5.58)
LIST PRICE EACH	\$ 30.80	\$ 40.45	\$ 52.75











CODE	182612P	182615P	12183P	12186P	12189P
DIMENSIONS	18" x 26" x 12"	18" x 26" x 15"	12" x 18" x 3½"	12" x 18" x 6"	12" x 18" x 9"
APPROX. CAPACITY	17.0 gal.	22.0 gal.	1.75 gal.	3.0 gal.	4.75 gal.
CASE PACK	4	3	6	6	6
CASE LBS. (CUBE)	34.4 (5.56)	27.25 (6.56)	9.42 (0.91)	11.97 (1.98)	16.45 (2.54)
LIST PRICE EACH	\$ 63.95	\$ 75.25	\$ 18.60	\$ 23.20	\$ 30.65

Color/InStock Color: Natural White (148).

### **Poly Covers**





CODE	1826CP FLAT LID	1218CP FLAT LID
DIMENSIONS	18" x 26"	12" x 18"
CASE LBS. (CUBE)	13.18 (0.93)	5.69 (0.43)
LIST PRICE EACH	\$ 23.75	\$ 14.30

Camwear and Poly Lids are not interchangeable.

Case Pack: 6 Color/InStock Color: Natural White (148).

### **Accessories**











CODE	1826DSCW	1218DSCW	1826CLRCW (5" DEEP)	18268CLRCW (8" DEEP)	18268CLRKIT
DESCRIPTION	Drain Shelf	Drain Shelf	Colander	Colander	ColanderKit™
DIMENSIONS	Fits 18" x 26" Food Storage Boxes	Fits 12" x 18" Food Storage Boxes	Fits Camwear Food Storage Boxes 18" x 26" x 6" and deeper	Fits Camwear Food Storage Boxes r 18" x 26" x 9" and deeper	One 8" Deep Colander One 18" x 26" x 9" Food Box One 18" x 26" SlidingLid™
CASE PACK	6	6	6	4	1 Kit
CASE LBS. (CUBE)	10.91 (0.91)	3.75 (0.22)	28 (2.59)	24.25 (3.30)	16.71 (3.05)
LIST PRICE EACH	\$ 24.55	\$ 9.70	\$ 47.15	\$ 81.55	\$ 209.95

Color/InStock Color: Clear (135).

1.800.833.3003 USA / Storage

### StoreSafe® Food Rotation Labels

- Label and adhesive dissolve in less than 30 seconds.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems. Will not build up in drains.
- Withstands high heat temperatures up to 200°F (93°C) for 4 hours. Microwave safe.
- Withstands freezer temperatures up to -40°F (-40°C).

Label color: White.

\* Available for ordering in cases only. No broken cartons.

100% biodegradable. FDA approved material.





Eliminates sticky residue and prevents cross contamination! No more scraping!

#### **Retail Blister Pack**



CAMBRO			StateSale			
bern	_		_	Emp:		
Prep	ared		_	Time:		
	Ber		_	Time:		
Uzo						

CASE CODE	23SL
LABEL SIZE	2" x 3"
CASE PACK	20 rolls, 100 labels per roll
CASE LBS. (CUBE)	5 (1.2)
LIST PRICE EACH	\$ 381.10

### Half Size Bulk Dispenser Pack







CASE CODE	1252SLB250	1252SLINB250
LABEL SIZE	1½" x 2"	11/4" x 2"
CASE PACK	24 rolls, 250 labels per roll	24 rolls, 250 labels per roll
CASE LBS. (CUBE)	3.21 (0.26)	4.93 (0.26)
LIST PRICE EACH	\$ 350.20	\$ 350.20

### StoreSafe

106





Dissolves completely within 30 seconds off all containers when placed through dishwasher or under running water.

### **Bulk Dispenser Pack**





CAN	IBRO	)			20	nSaf
Dom	_		_	Emp:	_	
Prep	ared		_	Times	_	
Uzel	Dy: _			Time:	_	
м		100	TM		GA.	54

CASE CODE	23SLB250	23SLB6250
LABEL SIZE	2" x 3"	2" x 3"
CASE PACK	24 rolls, 250 labels per roll	6 rolls, 250 labels per roll
CASE LBS. (CUBE)	10.61 (0.3)	2.75 (0.12)
LIST PRICE EACH	\$ 705.55	\$ 183.35

### Blank Bulk Dispenser Pack





CASE CODE	23SLINB250
LABEL SIZE	2" x 3"
CASE PACK	24 rolls, 250 labels per roll
CASE LBS. (CUBE)	10.86 (0.37)
LIST PRICE EACH	\$ 705.55

#### **Laser Sheet**



	CLEMBS
CASE CODE	SLL30
LABEL SIZE	1" x 2½" (Avery® 5160)
CASE PACK	100 sheets, 30 labels per sheet 8½" x 11" sheet size
CASE LBS. (CUBE)	2.42 (0.09)
LIST PRICE EACH	\$ 180.25





1.800.833.3003 USA / Storage

107

## **Camwear® Polycarbonate Food Pans**

Store, transport and serve all in one pan. Camwear food pans are made from durable polycarbonate that will not crack, bend or dent. Precisely designed to Gastronorm GN specifications, with a large radius bottom to reduce food waste. At half the cost of stainless steel, Camwear pans keep contents as cold as metal pans with less condensation. Pans stack neatly without wedging or sticking.

**Colors:** Clear (135), White (148), Black (110). Except 18CW and 28CW available in Clear (135) only.

Camwear pans are not recommended for steam table or microwave use. See H-Pan™ section for these high heat applications.


Colander Pan is covered by U.S. Patent D 528,376.





#### **Cold Test**

Tests prove Camwear food pans keep products as cold as stainless steel. Stainless may feel colder, but as these test results demonstrate, Camwear food pans keep products just as cold for just as long.



# **Camwear® Polycarbonate Food Pans**



FULL SIZE	CONFIGURATIONS	PAN Code	PAN Depth	APPROXIMATE CAPACITY	CASE LBS. (CUBE)	LIST Price ea
	GN ½	12CW	2½" (6,5 cm)	8.9 qt.	10.67 (1.30)	\$ 21.35
	12¾" x 20¾"	14CW	4" (10 cm)	13.7 qt.	13 (1.67)	27.15
	(32,5 x 53 cm)	16CW	6" (15 cm)	20.6 qt.	16.93 (2.09)	32.95
		18CW	8" (20 cm)	27.0 qt.	23 (2.78)	39.35
		10CWD	_	Drain Shelf	5.53 (0.35)	15.50
ALF SIZE LONG						
	GN ½ Long	22LPCW	2½" (6,5 cm)	3.2 qt.	5.65 (0.46)	16.20
	63/8" x 207/8"	24LPCW	4" (10 cm)	5.3 qt.	7.72 (0.92)	20.20
	(16,2 x 53 cm)	20LPCWD	) —	Drain Shelf	1.92 (0.19)	8.05
ALF SIZE						
	GN ½ 10½ x 12¾"	22CW	2½" (6,5 cm)	4.1 qt.	5.57 (0.69)	11.85
	(26,5 x 32,5 cm)	24CW	4" (10 cm)	6.3 qt.	7.03 (0.87)	14.75
	(20,0 % 02,0 0111)	26CW	6" (15 cm)	9.4 qt.	9.44 (1.12)	18.95
		28CW	8" (20 cm)	12.4 qt.	11.81 (1.36)	24.10
		20CWD		Drain Shelf	2.29 (0.17)	7.20
INE THIRD SIZE	GN ⅓	32CW	2½" (6,5 cm)	2.5 qt.	4.15 (0.46)	8.90
	6 <sup>15</sup> / <sub>16</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	34CW	4" (10 cm)	3.8 qt.	5.50 (0.57)	12.25
	(17,6 x 32,5 cm)	36CW	6" (15 cm)	5.6 qt.	6.77 (0.74)	14.30
		38CW	8" (20 cm)	7.3 gt.	9 (0.94)	18.30
		30CWD		Drain Shelf	1.29 (0.07)	6.65
		000112		Diam onen	1.23 (0.07)	0.00
UARTER SIZE						
	GN 1/4	42CW	2½" (6,5 cm)	1.8 gt.	2.97 (0.32)	9.00
	63/8" x 107/16"	44CW	4" (10 cm)	2.7 qt.	3.74 (0.44)	10.60
	(16,2 x 26,5 cm)	46CW	6" (15 cm)	3.9 qt.	5.25 (0.58)	12.25
		40CWD	_	Drain Shelf	0.88 (0.06)	5.55
					,	
ONE SIXTH SIZE	01117	000	01/11/0 =		0.05 :	
	GN ½ 6¾" x 6½,6"	62CW	2½" (6,5 cm)	1.1 qt.	2.05 (0.24)	6.55
	0% X 0 % 16	64CW	4" (10 cm)	1.6 qt.	2.61 (0.32)	7.40

# **Colors:** Clear (135), White (148), Black (110). 18CW, 28CW and Drain Shelves available in Clear (135) only.

All Camwear food pans are made of FDA approved materials. All Camwear food pans are designed to CEN Gastronorm Standard EN 631-1.











### **Drain Shelves**

- Supports products and promotes drainage.
- Available to fit all pan sizes.





See next page for colanders.

### **ONE NINTH SIZE**



 $\begin{array}{c} \text{GN} \, {}^{1}\!\!/_{9} \\ 4^{1}\!\!/_{4}{}^{\text{\tiny{II}}} \, x \, 6^{15}\!\!/_{16}{}^{\text{\tiny{II}}} \end{array}$ (10,8 x 17,6 cm)

(16,2 x 17,6 cm)

66CW

60CWD

6" (15 cm)

92CW	2½" (6,5 cm)	0.6 qt.	1.39 (0.16)	6.65
94CW	4" (10 cm)	0.9 qt.	1.75 (0.20)	8.10
90CWD	_	Drain Shelf	0.44 (0.04)	2.25

2.4 qt.

**Drain Shelf** 

3.36 (0.40)

0.57 (0.05)

9.90

2.95

Case Pack for all Pans: 6. Lids listed on following page. InStock Color: Clear (135).



# **Camwear® Polycarbonate Colander Pans**

- Rinse, drain and store all in one pan.
- · Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Colanders simply lift out of the food pan for safe and quick disposal of liquids.
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry.
- Camwear flat covers, covers with handles and notched covers with handles fit on pans with colanders.

Colander Pans are covered by U.S. Patent D 569,169 S.











Rinse **Drain** Store

CONFIGURATIONS	PAN Code	COLANDER Depth	FITS CAMWEAR Pan Depth*	CASE LBS. (CUBE)	LIST Price ea.
GN 1/1	13CLRCW	3" (7,6 cm)	4" (10 cm)	10.75 (1.52)	\$ 27.15
12¾" x 20¾"	15CLRCW	5" (12,7 cm)	6" (15 cm)	14.40 (2.0)	32.95
(32,5 x 53 cm)					
GN ½	23CLRCW	3" (7,6 cm)	4" (10 cm)	5.0 (0.77)	14.75
10½6" x 12¾"	25CLRCW	5" (12,7 cm)	6" (15 cm)	7.80 (0.99)	18.95
(26,5 x 32,5 cm)					
GN ⅓	33CLRCW	3" (7,6 cm)	4" (10 cm)	2.4 (0.53)	12.25
6 <sup>15</sup> / <sub>16</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	35CLRCW	5" (12,7 cm)	6" (15 cm)	5.61 (0.69)	14.30
(17,6 x 32,5 cm)					
GN 1/6	63CLRCW	3" (7,6 cm)	4" (10 cm)	2.25 (0.26)	7.40
63/8" x 615/16"	65CLRCW	5" (12,7 cm)	6" (15 cm)	3.09 (0.33)	9.90
(16,2 x 17,6 cm)	Case Pack for a	all Pans: 6. Lids listed on	following page. InStock C	olor: Clear (135).	



110

<sup>\*</sup> Fits this pan depth & deeper.

# **Camwear® Polycarbonate Lids**



### **Flat Cover**

Available in all pan sizes.



#### **Cover with Handle**

Deep molded handle provides secure grip. Also available in Black to help block light, reducing discoloration of meats and cheeses. Helps maintain freshness.



### **Notched Cover** with Handle

Easy access for ladles or spoons.



### **Seal Cover**

An economical option for light storage. Available in all pan sizes except half size long pans (22LPCW & 24LPCW).



### FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.



### Notched FlipLid®

FlipLid with notch to rest spoon in contents with lid closed.



### **GripLid®**

Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.



FITS PAN	LID Code	DESCRIPTION	CASE LBS. (CUBE)	LIST PRICE EA.
GN 1/1	10CWC	Flat Cover	7.9 (0.43)	\$ 18.00
12¾" x 20¾"	10CWCH	Cover with Handle	8.48 (0.66)	18.00
(32,5 x 53 cm)	10CWCHN	Notched Cover w/Handle	8.47 (0.66)	18.00
	10CWGL	GripLid	10.68 (1.11)	37.95
	10SC	Seal Cover	6.56 (0.42)	11.10
GN ½ Long	20LPCWC	Flat Cover	4.25 (0.24)	13.80
6¾" x 20¾"				

GN ½	
101/16" x 123/4"	ĺ
(26,5 x 32,5 cm)	

 $(16,2 \times 53 \text{ cm})$ 

20CWC	Flat Cover	1.81 (0.22)	9.40
20CWCH	Cover with Handle	3.83 (0.38)	9.40
20CWCHN	Notched Cover w/Handle	3.88 (0.37)	11.00
20CWL	FlipLid	5.40 (0.30)	14.85
20CWLN	Notched FlipLid	5.40 (0.30)	14.85
20CWGL	GripLid	5.73 (0.54)	26.35
20SC	Seal Cover	2.96 (0.20)	6.45

GN ⅓		
615/16"	Χ	123/4"
(17.6	χ	32.5 cm)

	30CWC	Flat Cover	2.92 (0.13)	6.90
	30CWCH	Cover with Handle	3.15 (0.31)	6.90
)	30CWCHN	Notched Cover w/Handle	3 (0.30)	9.40
	30CWL	FlipLid	3.64 (0.21)	12.70
	30CWLN	Notched FlipLid	3.76 (0.21)	12.70
	30CWGL	GripLid	4.35 (0.38)	18.15
	30SC	Seal Cover	1.81 (0.13)	4.75

GN 1/4
63/8" x 107/16"
(16,2 x 26,5 cm)

	40CWC	Flat Cover	2 (0.11)	6.25
	40CWCH	Cover with Handle	2.03 (0.21)	6.25
)	40CWCHN	Notched Cover w/Handle	2 (0.21)	6.25
	40SC	Seal Cover	1.55 (0.11)	4.25

GN 1/6
63/8" x 615/16"
(16.2 x 17.6 cm)

	60CWC	Cover	1.22 (0.07)	4.90
	60CWCH	Cover with Handle	1.42 (0.15)	5.40
)	60CWCHN	Notched Cover w/Handle	1.42 (0.16)	5.40
	60CWL	FlipLid	2 (0.11)	7.20
	60CWLN	Notched FlipLid	2 (0.11)	7.20
	60CWGL	GripLid	2.38 (0.21)	14.90
	60SC	Seal Cover	0.86 (0.08)	3.25

GN 1/9	
41/4" x 615/16"	
(10.8 x 17.6 cm)	

	90CWC	Flat Cover	0.83 (0.05)	5.50
,	90CWCN	Flat Notched Cover	0.83 (0.05)	5.50
1)	90SC	Seal Cover	0.60 (0.05)	2.90

Case Pack for all Lids: 6 InStock Color: Clear (135).

Color: Clear (135).

Seal Cover Color: White (148). Cover with Handle Colors: Clear (135), Black (110).

FlipLids are covered by U.S. Patent D 420,849, D 422,838 & D 427,012. GripLids are covered by U.S. Patent D 446,076 & Utility Patent 6,273,288 B1.









1.800.833.3003

# **H-Pans**™ High Heat Food Pans


Reduce handling and save expense with one pan that can go from prep to cooler to oven to steam table.
H-Pans are designed to Gastronorm GN specifications. Unlike metal pans, H-Pans are safe for use in microwave ovens. Also ideal for heated carts, steam tables and chafing dishes.
H-Pans have both standard and metric graduation markings to promote easy inventory management.

112

Colors: Amber (150), Black (110).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1.

Amber color may vary.





www.cambro.com 1.800.833.3003

# **H-Pans™ High Heat Food Pans**



CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROXIMATE Capacity	CASE LBS. (CUBE)	LIST Price ea.
GN 1/1	12HP	2½" (6,5 cm)	8.9 qt.	10.87 (1.31)	\$ 50.70
12¾" x 20¾"	14HP	4" (10 cm)	13.7 qt.	14.24 (1.77)	61.30
(32,5 X 53 CM)	16HP	6" (15 cm)	20.6 qt.	19.50 (2.24)	79.70
l	10HPD		Drain Shelf	5.72 (0.37)	33.55
	GN ½	GN ½ 12HP 12¾" x 20¾" 14HP (32,5 x 53 cm) 16HP	GN ½ 12HP 2½" (6,5 cm) 12¾" x 20¾" (32,5 x 53 cm) 16HP 6" (15 cm)		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

Colors: Amber (150), Black (110). Drain Shelf Color: Amber (150).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary.










#### HALF SIZE LONG



GN ½ Long 6¾" x 20%" (16,2 x 53 cm) 

 22LPHP
 2½" (6,5 cm)
 3.2 qt.
 5.83 (0.43)
 36.05

 24LPHP
 4" (10 cm)
 5.3 qt.
 8.63 (0.98)
 44.80

 20LPHPD
 —
 Drain Shelf
 1.92 (0.19)
 16.75





GN ½ 10½" x 12¾" (26,5 x 32,5 cm)

22HP	2½" (6,5 cm)	4.1 qt.	5.96 (0.66)	25.25
24HP	4" (10 cm)	6.3 qt.	8.40 (0.86)	32.85
26HP	6" (15 cm)	9.4 qt.	10 (1.10)	42.10
20HPD	_	Drain Shelf	2.44 (0.16)	15.05

### **ONE THIRD SIZE**



GN  ${}^{1}\!\!/_{3}$  6 ${}^{15}\!\!/_{16}$ " x 12 ${}^{3}\!\!/_{4}$ " (17,6 x 32,5 cm)

32HP	2½" (6,5 cm)	2.5 qt.	4.75 (0.45)	21.15
34HP	4" (10 cm)	3.8 qt.	5.58 (0.59)	27.40
36HP	6" (15 cm)	5.6 qt.	7.62 (0.75)	37.25
30HPD	_	Drain Shelf	1.36 (0.09)	11.30

# SIZE





42HP	2½" (6,5 cm)	1.8 qt.	3.15 (0.34)	18.30
44HP	4" (10 cm)	2.7 qt.	4 (0.44)	22.60
46HP	6" (15 cm)	3.9 qt.	5.45 (0.58)	28.95
40HPD	_	Drain Shelf	1 (0.06)	11.30

### **Drain Shelf**

- Supports product and promotes drainage.
- Available to fit all food pan sizes.

#### **ONE SIXTH SIZE**



GN  $\frac{1}{6}$ 6 $\frac{3}{6}$ " x 6 $\frac{15}{16}$ " (16,2 x 17,6 cm)

62HP	2½" (6,5 cm)	1.1 qt.	2.85 (0.24)	14.30
64HP	4" (10 cm)	1.6 qt.	3.01 (0.29)	17.25
66HP	6" (15 cm)	2.4 qt.	3.81 (0.39)	20.95
60HPD	_	Drain Shelf	0.60 (0.04)	5.80

### ONE NINTH SIZE



92HP	2½" (6,5 cm)	0.6 qt.	1.45 (0.16)	10.80
94HP	4" (10 cm)	0.9 qt.	1.85 (0.20)	12.65
90HPD	_	Drain Shelf	0.45 (0.04)	4.30

Case Pack: 6 Lids listed on following page. InStock Color: Amber (150).



See next page for colanders.

1.800.833.3003 USA / Storage

## H-Pan™ Colander Pans

- Colanders drain liquids and grease away from hot foods, improving food quality.
- Ideal for use in microwaves, steam tables and buffet lines.
- Reduces handling and improves food safety.
- H-Pan flat covers, covers with handles and notched covers with handles fit on pans with colanders.









Steam

**Hold Hot Foods** 

Cook & Drain

CODE	COLANDER Depth	FITS H-PAN Depth*	CASE LBS. (CUBE)	LIST Price ea.
13CLRHP	3" (7,6 cm)	4" (10 cm)	11.33 (1.52)	\$ 61.30
15CLRHP	5" (12,7 cm)	6" (15 cm)	15.15 (2.0)	79.70
23CLRHP	3" (7,6 cm)	4" (10 cm)	7 (0.83)	32.85
25CLRHP	5" (12,7 cm)	6" (15 cm)	9.25 (1.06)	42.10
33CLRHP	3" (7,6 cm)	4" (10 cm)	4.58 (0.53)	27.40
35CLRHP	5" (12,7 cm)	6" (15 cm)	6.2 (0.71)	37.25
63CLRHP	3" (7,6 cm)	4" (10 cm)	2.4 (0.29)	17.25
65CLRHP	5" (12,7 cm)	6" (15 cm)	3.1 (0.34)	20.95
	23CLRHP 25CLRHP 25CLRHP 33CLRHP 35CLRHP 63CLRHP	15CLRHP 5" (12,7 cm)  23CLRHP 3" (7,6 cm) 25CLRHP 5" (12,7 cm)  33CLRHP 3" (7,6 cm) 35CLRHP 5" (12,7 cm)  63CLRHP 5" (12,7 cm)	15CLRHP       5" (12,7 cm)       6" (15 cm)         23CLRHP       3" (7,6 cm)       4" (10 cm)         25CLRHP       5" (12,7 cm)       6" (15 cm)         33CLRHP       3" (7,6 cm)       4" (10 cm)         35CLRHP       5" (12,7 cm)       6" (15 cm)         63CLRHP       3" (7,6 cm)       4" (10 cm)         65CLRHP       5" (12,7 cm)       6" (15 cm)	15CLRHP       5" (12,7 cm)       6" (15 cm)       15.15 (2.0)         23CLRHP       3" (7,6 cm)       4" (10 cm)       7 (0.83)         25CLRHP       5" (12,7 cm)       6" (15 cm)       9.25 (1.06)         33CLRHP       3" (7,6 cm)       4" (10 cm)       4.58 (0.53)         35CLRHP       5" (12,7 cm)       6" (15 cm)       6.2 (0.71)         63CLRHP       3" (7,6 cm)       4" (10 cm)       2.4 (0.29)         65CLRHP       5" (12,7 cm)       6" (15 cm)       3.1 (0.34)





### **H-Pan with Handles**

- Full size 2½" deep food pan with handles fits all leading manufacturers' hot holding bins.
- Two handles allow employees to reach the pan from either side of the unit for safe handling.
- Flat Cover, Cover with Handle and Notched Cover with Handle fit on pan.

114



CONFIGURATIONS	PAN Code	PAN Depth	APPROX. Capacity	CASE LBS. (CUBE)	LIST Price ea.
GN 1/1	12HPH	2½" (6,5 cm)	8.9 qt.	13.87 (1.54)	\$ 58.25
12¾" x 20%" (32,5 x 53 cm)	Case Pag	k: 6 InStock C	<b>olor:</b> Amber (	150).	

www.cambro.com 1.800.833.3003

# H-Pan™ High Heat Food Pan Lids



LIST Price ea.

\$ 45.50

27.15

CASE LBS.

9.4 (0.46)

4.50 (0.23)

(CUBE)

#### **Flat Cover**

Available in all pan sizes.



#### **Cover with Handle**

Deep molded handle gives secure grip.



# Notched Cover with Handle

Easy access for ladles or spoons.



#### **Seal Cover**

An economical option for light storage. Available in all pan sizes except half size long pans (22LPHP & 24LPHP).



### FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.



### Notched FlipLid®

FlipLid with notch to rest spoon in contents with lid closed.



### **GripLid®**

Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.



FITS PAN	LID CODE
GN 1/1	10HPC
12¾" x 20¾"	10HPCI
(32,5 x 53 cm)	10HPCI

,	10HPCH	Cover with Handle	8.90 (0.66)	45.50
)	10HPCHN	Notched Cover w/Handle	10 (0.64)	45.55
	10CWGL	GripLid	10.68 (1.11)	37.95
	10SC	Seal Cover	6.56 (0.42)	11.10

DESCRIPTION

Flat Cover

Flat Cover

GN ½ Long 6¾" x 20¾" (16,2 x 53 cm) 20LPHPC

GN 1/2	
101/16"	x 12¾"
(26,5)	(32,5 cm)

	20HPC	Flat Cover	3.85 (0.21)	19.80
)	20HPCH	Cover with Handle	4.54 (0.36)	21.00
	20HPCHN	Notched Cover w/Handle	4.13 (0.33)	24.10
	20HPL	FlipLid	5.49 (0.31)	34.85
	20HPLN	Notched FlipLid	5.86 (0.31)	34.85
	20CWGL	GripLid	5.73 (0.54)	26.35
	20SC	Seal Cover	3.25 (0.22)	6.45

GN ½ 6½16" x 12¾" (17,6 x 32,5 cm)

30HPC	Flat Cover	2.60 (0.14)	14.75
30HPCH	Cover with Handle	2.89 (0.29)	16.70
30HPCHN	Notched Cover w/Handle	2.88 (0.29)	16.70
30HPL	FlipLid	4 (0.22)	24.90
30HPLN	Notched FlipLid	3.88 (0.22)	24.90
30CWGL	GripLid	4.35 (0.38)	18.15
30SC	Seal Cover	1.81 (0.13)	4.75

GN ½ 6¾" x 10½6" (16,2 x 26,5 cm)

)	40HPC	Flat Cover	2 (0.10)	12.00
	40HPCH	Cover with Handle	2.22 (0.20)	12.90
	40HPCHN	Notched Cover w/Handle	2.22 (0.20)	13.10
	40SC	Seal Cover	1.55 (0.11)	4.25

GN 1/6 63/8" x 615/16" (16,2 x 17,6 cm)

60HPC	Flat Cover	1.26 (0.08)	10.45
60HPCH	60HPCH Cover with Handle		10.45
60HPCHN Notched Cover w/Handle		1.5 (0.16)	10.45
60HPL	60HPL FlipLid		14.25
60HPLN Notched FlipLid		2.04 (0.11)	14.25
60CWGL	GripLid	2.38 (0.21)	14.90
60SC	Seal Cover	0.86 (0.08)	3.25

GN ½ 4¼" x 6½6" (10.8 x 17.6 cm)

	90HPC	Flat Cover	1.85 (0.05)	7.20
۰. ۱	90SC	Seal Cover	0.60 (0.05)	2.90

(10,8 x 17,6 cm) Case Pack for all Lids: 6 InStock Color: Amber (150).

Color: Amber (150). Seal Cover Color: White (148). GripLid Color: Clear (135). Amber color may vary.

FlipLids are covered by U.S. Patent D 420,849, D 422,838 & D 427,012 & Patent 6,273,288 B1. GripLids are covered by U.S. Patent

D 446,076.









1.800.833.3003 USA / Storage

### **Translucent Food Pans**

- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40°F to 160°F (-40°C to 70°C).
- Non-stick smooth interior surface promotes easy cleaning.

Color: Translucent (190).

Graduation marks and capacities are approximate.

Full Size (1/1) Translucent Food Pans are not designed for use in front loading carriers UPC400, UPCS400, UPC600, UPC800, UPC1200, UPC1600, UPCH400, UPCH800, UPCH1600, Camtherm® Carts or Combo Carts.

Translucent Food Pans are made of FDA approved materials.

Translucent Food Pans interstack with other Cambro Food Pans.

Translucent Pans are not designed for steam table use.















Ideal for transporting in Cambro top loading carriers. (UPC100, UPCS140, 100MPC, UPC140, UPCS160, 240MPC, UPC160, UPCSS160)



Translucent seal covers protect food quality while eliminating the expense of plastic wrap. Available for all translucent food pan sizes.



Uniform  $\frac{1}{2}$ " (1,27 cm) flange width ensures the right fit in prep tables and food bars.

116



Use Cambro StoreSafe® food rotation labels on translucent food pans to manage inventory and reduce waste.

www.cambro.com 1.800.833.3003

# **Translucent Food Pans And Lids**



		PAN	PAN	APPROXIMATE	CASE LBS.	LIST
FULL SIZE	CONFIGURATIONS	CODE	DEPTH	CAPACITY	(CUBE)	PRICE EA.
	1/1	14PP	4" (10 cm)	13.7 qt.	8.75 (1.63)	\$ 16.15
	12¾" x 20¾"	16PP	6" (15 cm)	20.6 qt.	12.52 (2.32)	20.65
	(32,5 x 53 cm)	10PPD	_	Drain Shelf	4.18 (0.35)	9.20
HALF SIZE	1/2	24PP	4" (10 cm)	6.3 qt.	5.35 (0.85)	9.65
	10½6" x 12¾"	26PP	6" (15 cm)	9.4 qt.	7.8 (1.10)	12.55
	(26,5 x 32,5 cm)	20PPD	— (10 0m)	Drain Shelf	1.72 (0.16)	4.75
ONE THIRD SIZE	1/3	34PP	4" (10 cm)	3.8 qt.	3.99 (0.98)	8.00
	6" x 12¾"	36PP	6" (15 cm)	5.6 qt.	5 (0.76)	9.25
	(17,6 x 32,5 cm)	30PPD	_	Drain Shelf	1.01 (0.08)	4.40
QUARTER SIZE	1/4	44PP	4" (10 cm)	2.7 qt.	2.75 (0.45)	6.90
	63/8" x 107/16"	46PP	6" (15 cm)	3.9 qt.	3.25 (0.52)	8.00
	(16,2 x 26,5 cm)	40PPD	_	Drain Shelf	0.69 (0.06)	3.70
ONE CIVILI CIZE	1/6	64PP	4" (10 cm)	1.6 qt.	2.0 (0.29)	5.15
ONE SIXTH SIZE	63/8" x 615/16"	66PP	6" (15 cm)	2.4 qt.	2.7 (0.39)	6.75
	(16,2 x 17,6 cm)	60PPD	_	Drain Shelf	3.75 (0.03)	2.45
	1/9	94PP	4" (10 cm)	0.9 qt.	1.32 (0.2)	5.80
ONE NINTH SIZE	4½" x 6½6"	90PPD	_	Drain Shelf	0.37 (0.04)	1.70
	(10,8 x 17,6 cm)	Case Pack fo	or all Pans: 6	InStock Color: Translucer	it (190).	
	FITS	PAN	LID Code	DESCRIPTION	CASE LBS. (CUBE)	LIST Price ea.
	1/1	/II 007/II	10PPCH	Cover with Handle	6 (0.55)	\$ 11.95
The same of the sa		¼" x 20½" ,5 x 53 cm)	10PPSC	Seal Cover	6.47 (0.80)	11.95
	(32)	,o x 33 (III)				
	1/2		20PPCH	Cover with Handle	2 00 (0 36)	8 20

- V		

**Drain Shelf**Available for all food pan sizes.

Color: Translucent (190).

approved materials.


All translucent food pans are made of FDA



Cover with Handle Available for all food pan sizes except 1/9.



Notched Cover with Handle Available for  $\frac{1}{2}$  and  $\frac{1}{2}$  food pans.



Stock Color: Translucent (190).	
0.8 (0.10)	4.15
0.65 (0.05)	4.15
1.18 (0.14)	4.80
v/Handle 1.07 (0.16)	5.25
dle 1.62 (0.16)	4.80
1.75 (0.20)	5.25
dle 1.56 (0.20)	5.55
2.25 (0.28)	6.50
v/Handle 2 (0.28)	7.00
dle 2.15 (0.28)	5.65
3.50 (0.40)	7.30
dle 2.99 (0.36)	8.20
	3.50 (0.40)  dle 2.15 (0.28)  w/Handle 2 (0.28)  2.25 (0.28)  dle 1.56 (0.20)



**Seal Cover** Available for all food pan sizes.



Only available for ½ food pans.

# ColdFest® Gastronorm Pans, Crocks, Covers & Pumps



- Keeps contents chilled at or below HACCP guidelines of 41°F (4°C) without the use of messy ice.
- · Freeze for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- Can be used for direct food contact with all types of food products.

Colors: Black (110), White (148). Flat Cover Color: Clear (135). Seal Cover Color: White (148). Pump with Cover Color: Clear (135).

Suggested holding times are based on tests with ambient room conditions of up to 74°F (23°C).

ColdFest is covered under U.S. Patent D 419,364.

\* Pumps and Round Covers are Not NSF Listed.













Ideal in Cambro Salad Bars or to chill condiments and creamers.

### Pans / Crock

CONFIGURATIONS

APPROX. CAPACITY

CASE LBS. (CUBE)

LIST PRICE EACH

CODE

**DEPTH** 



GN ½ - 10¼ x 12¾

26CF

6"

6.5 qt.

\$ 57.55

7.23 (0.52)



GN  $\frac{1}{3}$  -  $6^{11}/_{16}$ " x  $12\frac{3}{4}$ "

6"

3.7 qt.

\$ 43.25

4.86 (0.34)



 $GN \frac{1}{6} - 6\frac{3}{8}$ " x 6

66CF

6"

1.5 qt.

\$ 29.45

2.67 (0.18)



	CFR18
6³¼"	Dia. 613/16"
	6¾"
	1.7 qt.
	3 (0.20)

\$ 31.95

Case Pack: 1 InStock Color: White (148).



ColdFest Food Pans are made with high-impact resistant ABS shells and non-toxic refrigerant gel cores.

Covers		
CODE	20CFC	30CFC
	El-+ 0	EI-1 0

001010					
CODE	20CFC	30CFC	60CFC	CFRC18*	CFRSC18
DESCRIPTION	Flat Cover	Flat Cover	Flat Cover	Flat Cover	Seal Cover
FITS COLDFEST	GN ½	GN 1/3	GN 1/6	Crock	Crock
CASE LBS. (CUBE)	1.50 (0.13)	1.03 (0.08)	0.50 (0.04)	0.45 (0.03)	0.25 (0.04)
LIST PRICE EACH	\$ 14.55	\$ 12.15	\$ 6.50	\$ 17.80	\$ 5.30

Case Pack: 2 InStock Color: Clear (135).



CFPSRC10\*

0.75 (0.11)

\$ 15.90

Standard Pump

 $7\frac{1}{4}$ " x 9" x  $11\frac{1}{4}$ "

dispense 1oz. portions



CFPMRC10\*

Maxi Pump

\$ 37.85

for chunky condiments

 $7\frac{1}{4}$ " x  $10\frac{1}{4}$ " x  $12\frac{3}{8}$ " 0.6 (0.11)



\$ 37.50

CFPFRC10*
Fixed Nozzle Pump
for controlled dispensing
71/4" x 115/8" x 113/4"
20.2 (0.11)



DESCRIPTION

**Pumps with** Covers CODE

Case Pack: 1



# Ingredient Bins & Camcrisper®

### **Ingredient Bins**

- Store bulk dry ingredients such as flour and grain.
- Hygienic clear sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

### **Camcrisper**

- A self-contained system for storing, washing and transporting bulk produce.
- Prevents cross contamination and minimizes unnecessary handling.
- Transfer dry produce out of cartons into bin, cover and roll into cooler for safe storage.
- Wash and rinse produce for easy and safe prep.

3" Casters: 2 fixed, 2 swivel.

Bin Color: White (148). Cover Color: Clear (135).

Scoops sold separately. S-Hook included.









Casters feature wide wheels for excellent stability and weight bearing capability.









Now with Sliding Lid.

		_		
CODE	IBS20	IBS27	IBS37	IBSF27
DIMENSIONS W x L x H	13" x 29½" x 28"	165/16" x 295%" x 28"	21½" x 29½" x 28"	13" x 301/8" x 281/2"
CAPACITY	21 gal.	27 gal.	37 gal.	26.7 gal.
CUBIC FEET	2.87	3.98	5.55	3.56
LOAD CAPACITY (SUGAR)	170 lbs.	226 lbs.	314 lbs.	216 lbs.
LOAD CAPACITY (FLOUR)	140 lbs.	150 lbs.	225 lbs.	150 lbs.
CASE LBS. (CUBE)	28 (6.56)	31 (8.18)	28 (10.63)	28.5 (6.91)
LIST PRICE EACH	\$ 365.00	\$ 375.00	\$ 400.00	\$ 390.00

Case Pack: 1 InStock Color: White (148).









CODE	IB32	IB36	IB44	CC32 (Camcrisper)
DIMENSIONS W x L x H	22" x 24" x 23"	15¼" x 29½" x 29"	18½" x 29½" x 29"	22" x 24" x 23"
CAPACITY	32 gal.	34 gal.	42.5 gal.	32 gal.
CUBIC FEET	4.35	4.54	5.69	4.28
LOAD CAPACITY (SUGAR)	215 lbs.	252 lbs.	320 lbs.	24 lettuce heads (unfinished)
LOAD CAPACITY (FLOUR)	160 lbs.	180 lbs.	230 lbs.	42 lettuce heads (finished)
CASE LBS. (CUBE)	27.75 (7.5)	28.46 (7.64)	29.36 (9.31)	28.67 (7.67)
LIST PRICE EACH	\$ 390.00	\$ 400.00	\$ 405.00	\$ 580.00

Case Pack: 1

USA / Storage 1.800.833.3003

# Camwear® Polycarbonate Scoops & Measuring Cups



### **Camwear Scoops**

- Virtually unbreakable Camwear polycarbonate will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Color: Clear (135).







CODE	APPROX. Capacity	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.
SCP6CW	6 oz.	12	2.26 (0.20)	\$ 6.70
SCP12CW	12 oz.	12	2.90 (0.28)	7.25
SCP24CW	24 oz.	12	3.88 (0.43)	9.20
SCP64CW	64 oz.	6	4.15 (0.67)	13.10

InStock Color: Clear (135).

### Camwear **Measuring Cups**

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable Camwear polycarbonate will not dent, ensuring an accurate measurement every time.
- Molded-in handle will not break off.

120

Color: Clear (135).









CODE	CAPACITY	CASE Pack	CASE LBS. (CUBE)	LIST Price ea.		
25MCCW	1 cup (dry measure)	12	1.75 (0.29)	\$ 6.55		
50MCCW	1 pt.	12	4.79 (0.65)	12.20		
100MCCW	1 qt.	12	6.75 (1.08)	13.70		
200MCCW	2 qt.	12	10.60 (2.24)	18.90		
400MCCW	4 qt.	1	1.56 (0.44)	20.50		
InStock Color:	InStock Color: Clear (135).					



www.cambro.com 1.800.833.3003



MERCHANDISING EQUIPMENT


# **Versa Food Service System**

The Versa Food Service System provides custom design without the custom price. This non-electric, completely portable system goes anywhere and keeps food cold for hours with either ColdFest® pans or Buffet Camchillers®. Whether it's space considerations, frequent menu changes or merchandising requirements, the Versa Food Service System offers unequalled versatility.

- All components are fully compliant with NSF requirements.
- Countless configurations to fit any food service need.
- All-weather material is durable and easy to clean.
- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- One person can set-up or knock-down the sneeze guards and tray rails for transport or storage in only 30 seconds.
- Easily fits through a standard 3' (91,5 cm) doorway with the sneeze guards and tray rails knocked down. Knocked down width:  $32\frac{1}{2}$ " (83 cm).
- Drain faucet can be connected to a hose for drainage and easy cleaning.



plates or condiments.







### **Versa Cart Keyboard Tray**

Convenient, pull-out keyboard tray improves ergonomics and fits inside the standard lockable drawer.



### **Buffet Camchillers®**

Extend safe, cold holding time without ice. Dual-sided Buffet Camchillers hold 2½" (6.5 cm) and 4" (10 cm) pans. Fits in the Versa Food Bar®, Versa Work Table and Table Top Food Bars.

### **Versa Straight Connector and Versa Corner Connector**

Easily and safely attach multiple components together to create a contiguous system and maximize space and merchandising options.

> www.cambro.com 1.800.833.3003

# **Versa Food Service System**

Whether you're looking to maximize space, improve traffic flow, add merchandising space or create an upscale salad bar, the Versa Food Service System has you covered.





### Versa Work Table

- Perfect for a prep table, display, self-serve station or back bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Matching well covers are included with each Versa Work Table.



32½" (83 cm) Wide



Standard height model.

# Versa Bar and Versa Work Table Ultra Series

- Now available with two secure storage cabinets that can hold up to of 50 lbs. (22,7 Kg) per compartment of non-perishable items.
- Preferred Salad Bar of:
  - United Fresh Produce
     Association's A Salad Bar in Every School™
  - Let's Move Salad Bars to Schools Campaign







18"H x 17½"W x 21½"D per cabinet. Each cabinet is 3.92 cu. ft. (0,11 M³).

USA / Merchandising

# **Versa Food Service System**

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	FULL PAN SIZE Capacity	WELL INTERIOR Dimensions L x W x H	CASE LBS. (CUBE)	LIST Price Ea.
Versa Food Bar	rs® - Standard Height					
VBR5	5' with Standard Casters	69" x 42½" x 62¾"	4	52 <sup>1</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	184 (39.12)	\$ 2,850.00
VBRU5	5' with Standard Casters and Storage	69" x 42½" x 62¾"	4	52 <sup>1</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	260 (58.5)	3,640.00
VBRHD5	5' with Heavy Duty Casters	69" x 42½" x 62¾"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	194.9 (39.12)	3,080.00
VBRUHD5	5' with Heavy Duty Casters and Storage	69" x 42½" x 62¾"	4	52 <sup>1</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	269.5 (58.5)	3,870.00
VBR6	6' with Standard Casters	82" x 42½" x 62¾"	5	651/8" x 21" x 71/8"	219 (45.97)	2,970.00
VBRU6	6' with Standard Casters and Storage	82" x 42½" x 62¾"	5	651/8" x 21" x 71/8"	274 (75)	3,885.00
VBRHD6	6' with Heavy Duty Casters	82" x 42½" x 62¾"	5	651/8" x 21" x 71/8"	229.5 (45.97)	3,200.00
VBRUHD6	6' with Heavy Duty Casters and Storage	82" x 42½" x 62¾"	5	651/8" x 21" x 71/8"	283.5 (75)	4,115.00
Versa Food Bar	rs - Low Height					
VBRL5	5' with Standard Casters	69" x 42½" x 55¾"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	175 (39.12)	2,850.00
VBRLHD5	5' with Heavy Duty Casters	69" x 42½" x 55¾"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	181.9 (39.12)	3,080.00
VBRL6	6' with Standard Casters	82" x 42½" x 55¾"	5	651/8" x 21" x 71/8"	202.5 (45.97)	2,970.00
VBRLHD6	6' with Heavy Duty Casters	82" x 42½" x 55¾"	5	651/8" x 21" x 71/8"	213 (45.97)	3,200.00
Versa Work Tal	oles - Standard Height					
VBRT5	5' with Standard Casters	69" x 27" x 361/4"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	125 (24.03)	2,110.00
VBRUT5	5' with Standard Casters and Storage	69" x 27" x 361/4"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	181.5 (47.65)	2,460.00
VBRTHD5	5' with Heavy Duty Casters	69" x 27" x 36½"	4	52 <sup>1</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	135.5 (24.03)	2,340.00
VBRUTHD5	5' with Heavy Duty Casters and Storage	69" x 27" x 361/4"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	190.5 (47.65)	2,690.00
VBRT6	6' with Standard Casters	82" x 27" x 361/4"	5	651/8" x 21" x 71/8"	142.5 (28.24)	2,235.00
VBRUT6	6' with Standard Casters and Storage	82" x 27" x 36 <sup>1</sup> / <sub>4</sub> "	5	651/8" x 21" x 71/8"	195.5 (55.96)	2,570.00
VBRTHD6	6' with Heavy Duty Casters	82" x 27" x 361/4"	5	651/8" x 21" x 71/8"	153 (28.24)	2,465.00
VBRUTHD6	6' with Heavy Duty Casters and Storage	82" x 27" x 36½"	5	651/8" x 21" x 71/8"	204.5 (55.96)	2,800.00
Versa Work Tal	oles - Low Height					
VBRTL5	5' with Standard Casters	69" x 27" x 29½"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	112 (24.03)	2,015.00
VBRTLHD5	5' with Heavy Duty Casters	69" x 27" x 29½"	4	52 <sup>9</sup> / <sub>32</sub> " x 21" x 7 <sup>1</sup> / <sub>8</sub> "	122.5 (24.03)	2,245.00
VBRTL6	6' with Standard Casters	82" x 27" x 29½"	5	651/8" x 21" x 71/8"	129.5 (28.24)	2,140.00
VBRTLHD6	6' with Heavy Duty Casters	82" x 27" x 29½"	5	651/8" x 21" x 71/8"	140 (28.24)	2,370.00
Case Pack: 1						

DESCRIPTION DIMENSIONS L x W x H (CUBE) PRICE EA. CODE Versa Cart **VCSWR** With Dual Tray Rails and Standard Casters 52¾" x 32¼" x 43" 127 (37.28) \$ 2,320.00 VCSWRHD With Dual Tray Rails and Heavy Duty Casters 52¾" x 32¼" x 43" 138.4 (37.28) 2,550.00 VCS With Standard Casters and no Tray Rails 32" x 321/4" x 43" 117.5 (37.28) 2,255.00 VCSHD With Heavy Duty Casters and no Tray Rails 32" x 321/4" x 43" 2,485.00 128.8 (37.28) **Connectors VBRC** 170.00 Straight Connector - Food Bar to Food Bar 27" x 19" x 4<sup>1</sup>/<sub>4</sub>" 10.58 (1.46) VBRC90 Corner Connector - Food Bar to Food Bar 36" x 36" x 41/4" 21.26 (3.66) 285.00

VCSCNL Case Pack: 1

VCS32CNT

#### Versa Food Bar, Versa Work Table, Versa Cart Colors:



\*Bronze (146)



\*Hot Red (158)

Straight Connector - Cart to Standard Height Food Bar / Work Table

Straight Connector - Cart to Low Height Food Bar / Work Table



\*Navy Blue (186)



Made to order items not carried in stock, non-returnable.

OVERALL EXTERIOR

27" x 203/8" x 31/4"

27" x 203/8" x 81/2"

\*Kentucky Green (519)

#### Tray Rail and End Table Colors Only:



10.75 (1.20)

14.62 (2.56)

CASE LBS.



Granite Gray (191)



295.00

355.00

LIST

\*\*Sandstone (614)

InStock Color:

Black (110)

<sup>\*</sup> Made to order colors for Versa Food Bar, Versa Work Table, Versa Cart, Tray Rail and End Table. \*\* Made to order color for Tray Rail and End Table only.

### **Food Bar Accessories**

#### **Every Accessory** You Need

- Crock and Salad Bowl Holders highlight and organize salads, condiments and dressings.
- Tray Rails offer convenience for your patrons.

See Camwear® Food Pans and Crocks section for more information.

Versa Food Bar®, Work Table and Cart: Black (110) receive the tray rails and

end table in Granite Gray (191) for a standard order.

Bronze (146) receive tray rails and end table in Sandstone (614) for a standard order

Made to Order Colors: Versa Food Bar, Work Table, Cart Tray Rails and End Table made to order colors are listed on previous page.

Connector Colors: Black (110), Bronze (146), Hot Red (158), Navy Blue (186), Kentucky Green (519). Vinyl Cover Color: Opaque (000).

Sign Holder Color: Clear (152).

Buffet Camchiller® Color:

Cold Blue (159).

Divider Bar Colors: White (148), Clear (152).

Well Cover Colors: Black (110), Bronze (146), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Keyboard Tray Color: Black (110).


Crock. Salad Bowl Holders Colors: White (148), Granite Gray (191), Sandstone (614)

Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. All other parts patent pending. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S.

\* Items are not NSF Listed












- 5 ft. models hold 4 full size Pans with Divider Bars.



- Fractional Size Pans can be used in many variations with Divider Bars. Mix and match sizes to fit your needs. Two Salad Bowl Holder models available, SBH18 and SBH15. Crock Holder, CPH3, holds 1.5 and 2.7 qt. crocks.





CVCE

11211

- 6 ft. models hold a Salad Bowl Holder and 3 ea. Crock Holders.
- 5 ft. models hold a Salad Bowl Holder and 2 ea. Crock Holders.

CASEIRS

CODE	DESCRIPTION	UVERALL EXTERIUR Dimensions	CASE LBS. (CUBE)	PACK	PRICE EA.
VBRR5	Tray Rail for 5' - Versa Food Bar / Work Table	53" <b>L</b> x 11½" <b>W</b> x 4¾" <b>H</b>	12.66 (1.81)	1	\$ 402.00
VBRR6	Tray Rail for 6' - Versa Food Bar / Work Table	66" <b>L</b> x 11½" <b>W</b> x 4¾" <b>H</b>	15.57 (2.31)	1	424.00
VCS32R	Tray Rail for - Versa Cart	28" L x 11¾" W x 5" H	8.06 (1.10)	1	330.00
VBRTBL	End Table For Versa Food Bar and Work Table	27" <b>L</b> x 22" <b>W</b> x 4½" <b>H</b>	10.00 (1.05)	1	430.00
LED54LIGHTPKG*	Lighting Accessory Kit for Versa Food Bar	54" <b>L</b>	2.86 (0.57)	1	480.00
VBRCVR5*	Vinyl Cover for 5' Versa Food Bar	73" <b>L</b> x 43½" <b>W</b> x 46" <b>H</b>	8 (0.25)	1	310.00
VBRCVR6*	Vinyl Cover for 6' Versa Food Bar	83" <b>L</b> x 43½" <b>W</b> x 46" <b>H</b>	9 (0.25)	1	340.00
VBRTCVR5*	Vinyl Cover for 5' Versa Work Table	70" <b>L</b> x 33½" <b>W</b> x 21" <b>H</b>	4 (0.25)	1	165.00
VBRTCVR6*	Vinyl Cover for 6' Versa Work Table	83" <b>L</b> x 33½" <b>W</b> x 21" <b>H</b>	5 (0.25)	1	180.00
VCSCVR*	Vinyl Cover for Versa Cart	42" <b>L</b> x 33" <b>W</b> x 36" <b>H</b>	3.5 (0.25)	1	165.00
VBRSHTS*	Versa Food Bar Sign Holder	36" <b>L</b> x 6" <b>W</b> x 9½" <b>H</b>	9 (3.34)	1	265.00
DIV12	12" Divider Bars	12¾" <b>L</b>	0.5 (0.02)	3	4.00
DIV20	20" Divider Bars	20%" <b>L</b>	1.03 (0.10)	3	9.55
СРН3	Crock Holder Holds 1.5 & 2.7 qt	12%" <b>L</b> x 20%" <b>W</b>	2.2 (0.19)	1	65.00
SBH15	Salad Bowl Holder Holds a 15" Bowl and 3 Crocks	25¾" <b>L</b> x 20¾" <b>W</b>	4 (0.39)	1	65.00
SBH18	Salad Bowl Holder Holds an 18" Bowl	25¾" <b>L</b> x 20¾" <b>W</b>	4 (0.39)	1	65.00
CPB1220	Buffet Camchiller	18½" <b>L</b> x 125%" <b>W</b> x 4" <b>H</b>	10.82 (0.62)	1	185.00
VBRWC	Versa Well Cover for Versa Food Bar/Work Table	20%" <b>L</b> x 13" <b>W</b> x 2" <b>H</b>	3.72 (0.39)	1	126.00
VCS32KEYT	Versa Cart Keyboard Tray	205/8" <b>L</b> x 101/8" <b>W</b> x 2" <b>H</b>	2.64 (0.39)	1	59.00

**OVERALL EXTERIOR** 

# **Table Top Food Bars, Buffet Bars & Sneeze Guards**



### **Table Top Food Bars**

- Turn a 4'-6' (122-183 cm) table into a double-sided self service buffet or beverage station.
- Thick, foam-insulated well keeps food cold for hours with Buffet Camchillers® or ice.
- Drain plug allows for quick and easy clean-up.

#### **Buffet Bars**

- Ideal for holding snacks and cold beverages.
- The Buffet Bar with Sneeze Guard is perfect for single-sided, self-serve buffets.




BUF48 and FSG480 can be shipped by parcel carrier.



**4FBRTT Table Top Food Bar** 



**FSG480 Sneeze Guard**The Free Standing Sneeze Guard is the perfect showcase for salad or dessert items.



**BUF48 Buffet Bar Base**Merchandises soft drinks on ice to increase beverage sales.



BBR480 Buffet Bar with Sneeze Guard

CODE	OVERALL EXTERIOR DIMENSIONS	FULL SIZE Pan Capacity	WELL INTERIOR DIMENSIONS	CASE LBS. (CUBE)	LIST Price ea.
Table Top Food Bars	LxWxH		LxWxD		
6FBRTT	71½" x 33¼" x 27"	5	621/8" x 201/8" x 61/2"	104 (17.57)	\$ 1,590.00
5FBRTT	63½" x 33¼" x 27"	4	50½6" x 20½" x 6½"	92.2 (16.26)	1,470.00
4FBRTT	51" x 33½" x 27"	3	37½" x 20½" x 6½"	81.45 (16.26)	1,335.00
Buffet Bars	LxWxH		LxWxD		
BUF72	67½" x 24" x 7"	5	621/8" x 201/8" x 5"	28.67 (6.61)	475.00
BUF48	41 <sup>13</sup> / <sub>16</sub> " x 24" x 7"	3	37¼" x 20½" x 5"	20.31 (3.80)	410.00
Free Standing Sneeze Guards	LxWxH		LxW		
FSG720	731/8" x 161/2" x 241/2"		67½" x 15¼"	33.50 (6.80)	460.00
FSG480	48" x 16½" x 24½"		42" x 15½"	25 (4.30)	360.00
Buffet Bars w/Sneeze Guard	LxWxH		LxWxD		
BBR720	73 <sup>7</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>2</sub> "	5	621/8" x 201/8" x 5"	67 (20.74)	905.00
BBR480	48" x 241/8" x 241/2"	3	37½ x 20½ x 5"	50 (10.88)	760.00

# **Sample Food Bar Set-ups**

Visit www.cambro.com/schools for food bar resources, best practices and free posters.




5 ft. (152 cm) model



6 ft. (183 cm) model

### Fresh Food Bars Pre-packaged Breakfast




### Fresh Food Bars Pre-packaged Lunch




### **Chili Theme**




### **Rainbow Theme**



### **Taco Theme**



### **Burger Theme**





www.cambro.com 1.800.833.3003

# • Build sales off premise and in non-traditional locations. • Two insulated food storage cabinets maintain safe hot or cold food and/or beverage temperatures for hours. • Use Optional Well Covers to cover food pan wells and increase countertop space. • Durable, all-weather polyethylene exterior with foam insulation will not crack, dent, bubble, chip, rust or break. • Heavy duty 6" (15,2 cm) casters roll smoothly from kitchen to location then lock in place.

USA / Merchandising

Cart w/4 pan wells & umbrella.

### CamKiosk® Carts



Telescoping poles enable canopy to lower 12" for quick and easy storage.

> **Canopy Color** Beige

**Canopy Color** 

**Umbrella Color** 

Kentucky

851/8" x 331/2" x 94"

851/8" x 601/2" x 99"

Green

**Cart Colors** 

**Cart Colors** 

Navy Blue

Hot Red

Granite

Granite

Gray



Personalize your CamKiosk Cart to promote your brand.

10.00

9,705.00

7,585.00



Conveniently located, lockable cash box (included) can also be kept in dry storage compartment.



Camchillers® keep packaged foods cold during transport and service. Place directly on top of food pan wells or at the top of the CamKiosk insulated holding cabinet.



Bridge connector joins CamKiosk and hand sink to create greater contiguous work space and under-counter storage.

#### Green Beige/ Kentucky Green Kentucky Green Black Base with **Granite Gray Top** & Doors **FULL SIZE** OVERALL CODE PAN WELLS DIMENSI

4

4

4

6

6

6

OVERALL Dimensions L x W x H	CASE LBS. (CUBE)	LIST Price ea.
85½" x 33½" x 70½"	302 (64.6)	\$ 7,115.00
851/8" x 331/2" x 94"	364 (90.899)	9,705.00
85½" x 60½" x 99"	345 (66.0)	7,585.00
851/8" x 331/2" x 701/2"	305 (64.6)	7,115.00

349 (90.4)

343.2 (72.54)

**Canopy Trim and Top Panel** 

Call 714-230-4125 for a quote.

(Cruising Café® panel standard)

Set Up Charge per Panel \$135.00

**Front Display Panel** 

Charge NET per Color

C: Canopy U: Umbrella

CamKiosk Carts

KVC854

KVC854C

KVC854U

KVC856

KVC856C

KVC856U

### **Holding Capacity Per Compartment**

Two holding cabinets store hot or cold food in Gastronorm Food Pans with Covers.

12 GN  $\frac{1}{2}$  full size  $2\frac{1}{2}$ " deep pans or 8 GN ½ full size 4" deep pans or 6 GN 1/1 full size 6" deep pans or 4 GN 1/4 full size 8" deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays

2

6.17 (0.55)

1		
4 well top wi	th work space	
V		

6 well top

#### **DIMENSIONS** CASE LBS. CASE PACK LIST PRICE EA. DESCRIPTION CODE (CUBE) LxWxH **Optional Accessories** \$ 42.00 CB1220 **Cutting Board** 21" x 131/8" x 1/2" 4 (0.31) 1 CP814 8" x 14" Camchiller® 1½" x 8" x 14" 3.8 (0.19) 67.00 CP1210 Camchiller GN Half size $10\frac{3}{8}$ " x $12\frac{3}{4}$ " x $1\frac{1}{2}$ " 3.8 (0.18) 1 67.00 CP1220 Camchiller GN Full size 2013/16" x 121/8" x 11/2" 8.15 (0.32) 1 130.00 KMC24 **Bridge Connector** 321/4" x 23" x 383/8"\* 33.2 (5.52) 1 715.00 WCR1220 Well Cover 21" x 13" x 2" 5 (0.55) 1 99.00

20%" x 131/8" x 11/2"

### **Bridge Connector & Well Cover Colors:**

Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519), Granite Gray (191), Granite Green (192).

6" Casters: 2 fixed, 2 swivel, 2 with brake.

Cutting Board Color: White (148). Camchiller Color: Cold Blue (159). ThermoBarrier Color: Slate Blue (401).







Camchiller & ThermoBarrier

75.00

<sup>1600</sup>DIV ThermoBarrier® Insulated Shelf \* Assembled dimensions for KMC24.

# CamKiosk® Hand Sink Cart, Work Station & Equipment Stand

#### **Hand Sink Cart**

- · Self-contained, electric hand washing system can be used alone or with CamKiosk Cart.
- Run hot and cold water for up to 70 hand washings.
- Includes: double sink. two 5-gallon (19 L) fresh water tanks, two 7½-gallon (28,5 L) waste-water bins, hand soap dispenser and paper towel roll holder.
- Durable polyethylene will not crack, dent, bubble, chip or break.
- Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.
- Faucet is compliant with lead-free regulations.

Colors: Granite Gray (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Gray Top & Doors (426).

6" Casters: 2 fixed, 2 swivel, 2 with brake. Hand Sink Cart is covered by U.S. Patent D 409,732 & by Patent 6,173,458 B1.

† 220 volt model includes CEE7 type Euro





Hand Pump, UL & CE





Water heater and water pump draw a maximum of 11.25 amps and 0.7 amps, respectively. Hand Sink Cart electrical system runs on an average 10 amps.

ADA faucet available. Contact Cambro Customer Service for information.



CODE	VOLTAGE	DIMENSIONS L x W x H	CASE LBS. (CUBE)	LIST Price ea.
KSC402	110	40 <sup>9</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>2</sub> " x 45 <sup>1</sup> / <sub>2</sub> "	209.97 (39.41)	\$ 5,170.00
KSC402220†	220	40%6" x $32%$ " x $45%$ "	209.97 (39.41)	5,170.00

Case Pack: 1

#### **Work Station**

- Use to merchandise menu items. additional work space or to complete sales transactions.
- Large storage cabinet below is perfect for holding supplies.
- Extremely durable all-weather polyethylene will not crack, dent, bubble, chip, rust or break.

Colors: Granite Gray (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Gray Top & Doors (426).

6" Casters: 2 fixed, 2 swivel, 2 with brake.

Top work area dimensions: 221/2" x 26"







Shown with optional cutting board and paper towel roll dispenser.

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE LBS. (CUBE)	LIST Price Ea.
KWS40	Work Station	40 <sup>9</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>2</sub> " x 45 <sup>1</sup> / <sub>2</sub> "	148.47 (39.41)	\$ 2,480.00
CB1220	<b>Cutting Board</b>	21" x 131/8" x 1/2"	4 (0.31)	42.00

Case Pack: 1

### **Equipment Stand**

- Perfect for self-serve stations, prep areas or cash register service.
- Counter and side openings for electrical cords and cables.
- Durable, lightweight polyethylene will not crack, dent, bubble, chip, rust or break.
- No assembly required.

Colors: Black (110).

5" Casters: 2 fixed, 2 swivel with brake.

\* Special order item not carried in stock - non-returnable.







CODE	DESCRIPTION	OVERALL DIMENSIONS W (W/TRAY RAILS) x D x H	CASE LBS. (CUBE)	LIST Price ea.
ES28	Stand only	28" x 28" x 39"	76 (19.15)	\$ 1,255.00
ES28RL*	Stand w/Rails on right and left sides of drawer	44" x 28" x 39"	85.33 (19.07)	1,675.00

Height includes casters.

# Camcruiser® Vending Carts

- Add revenue opportunities away from the kitchen or cafeteria and reduce wait times.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.
- Display panel can be personalized with a custom logo or message.
- Larger models CVC724 & CVC72 have insulated food storage compartments and full-size food pan wells.
- Compact model CVC55 has two open storage compartments, a single food pan well, cutting board and umbrella.

Cart Color	Umbrella Color
Black (110)	
Hot Red (158)	
Kentucky Green (519)	
Granite Gray (191)	
Granite Green (192)	



### CVC724 & CVC72



CVC724 has four full size food pan wells. Fill with cutting boards or well covers to create additional work space.



CVC72 One full size food pan well and two larger merchandising wells.



Open holding compartment conveniently stores cash box and tray.



Place one or two half size Camchillers® directly on top of food pan well to hold cold packaged foods cold.



CODE	CVC724	CVC72	CVC55
OVERALL DIMENSION*	<b>L</b> 74½" x <b>W</b> 31¾"x <b>H</b> 94"	<b>L</b> 74½" x <b>W</b> 31¾"x <b>H</b> 94"	<b>L</b> 55 <sup>3</sup> / <sub>16</sub> " x <b>W</b> 31 <sup>1</sup> / <sub>4</sub> "x <b>H</b> 93 <sup>1</sup> / <sub>2</sub> "
WORK COUNTER HEIGHT	36½" (93 cm)	36½" (93 cm)	39¾" (101 cm)
COUNTER WELLS HOLD	4 full size pans, 6" deep	Center well, 1 full size pan, 6" deep 2 outer wells, <b>L</b> 221/8" x <b>W</b> 15%" x <b>D</b> 6"	1 full size pan, 6" deep
CLOSED COMPARTMENT CAPACITY (EACH)	2 full size 8" + 2 full size 2½" deep pans or 4 full size 6" deep pans or 6 full size 4" deep pans or 8 full size 2½" deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	2 full size 8" + 2 full size 2½" deep pans or 4 full size 6" deep pans or 6 full size 4" deep pans or 8 full size 2½" deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	_
OPEN COMPARTMENT Capacity	1 cash drawer and 1 full size 6" deep pan or 2 full size 4" deep pans or 3 full size 2½" deep pans	1 cash drawer and 1 full size 6" deep pan or 2 full size 4" deep pans or 3 full size 2½" deep pans	_
UMBRELLA DIAMETER	72" (183 cm)	72" (183 cm)	60" (152 cm)
CASTERS	8" – 4 swivel with brake	8" – 4 swivel with brake	6"-2 fixed, 2 swivel with brake
CASH DRAWER	Yes	Yes	_
MENU BOARD	Yes	Yes	_
DISPLAY PANEL	Yes	Yes	Yes
MOLDED IN HANDLES	2	2	1
CASE LBS. (CUBE)	265.6 (74.42)	283 (76.59)	167.65 (45.65)
LIST PRICE EACH	\$ 5,830.00	\$ 5,830.00	\$ 3,495.00
* Includes Umbralla San	ving counter height is 51"		

<sup>\*</sup> Includes Umbrella. Serving counter height is 51".

# **Camcruiser® Vending Carts**







LEFT COMPARTMENT DIMENSIONS: **W** 241/4" x **D** 281/2" x **H** 271/2"

RIGHT COMPARTMENT DIMENSIONS: W 21½" x D 28½" x H 27½"

- · Compartments are open for storage and easy access to equipment and supplies for your vending operations. Optional retainer strap is sold separately.
- Display panel can be personalized.

Personalize your Camcruiser Cart to promote your brand.

#### **Front Display Panel**

"Campus Cuisine" display panel standard on CVC724 & CVC72. Striped panel standard on CVC55.

Set Up Charge per Panel \$ 135.00 (Net) Charge per Color 10.00 (Net)



Sandwich Camcruiser

Pizza Camcruiser





Hot Dog Camcruiser

Soft Drink Camcruiser

Cutting Board Color: White (148). Camchiller® Color: Cold Blue (159). Divider Bar Colors: White (148), Clear (135). Retainer Strap Color: Black (110). ThermoBarrier® Color: Dark Brown (131). ThermoBarrier, Camchillers and Divider Bar are NSF Listed.

Well Cover Color matches cart.

CVC55 is covered by U.S. Patent D 362,102.





### CVC55



Set up with full or fractional size food pans and divider bars to increase product offerings.

CODE	DESCRIPTION	FITS	OVERALL DIMENSIONS L x W x H	CASE LBS. (CUBE)	LIST Price ea.
Optional Acc	cessories				
CB1220	<b>Cutting Board</b>	CVC724, CVC72, CVC55	21" x 13½" x ½"	4 (0.31)	\$ 42.00
1200DIV	ThermoBarrier	CVC724, CVC72	201/8" x 131/8" x 13/8"	7.75 (0.67)	75.00
CP1220	Full GN Camchiller	CVC724, CVC72	$20^{13}/_{16}$ " x $12^{7}/_{8}$ " x $1^{1}/_{2}$ "	8.15 (0.32)	130.00
CP1210	1/2 GN Camchiller	CVC724, CVC72	103/8" x 123/4" x 11/2"	3.8 (0.18)	67.00
CP814	Camchiller	CVC55, CVC72, CVC724	14" x 8" x 1½"	3.8 (0.19)	67.00
DIV12	Divider Bar	CVC724, CVC72, CVC55	Well Only	0.05 (0.02)	4.00
WCR1220	Well Cover	CVC724, CVC72, CVC55	21" x 13" x 2"	5 (0.55)	99.00
730STP	Retainer Strap	CVC55	_	1 (0.05)	26.00

DIV12 Case Pack: 3 - 1200DIV Retainer Strap Case Pack: 2 Case Pack: 1- All Others



Electrical or soda line conveniently drops through 4" x 63/4" opening in counter. Cover is standard with cart.

USA / Merchandising 1.800.833.3003

# **Booster Seats & Versa Organizers**

#### **Booster Seats**

- · Contoured seat, high sides, wide square base and non-skid surface for toddler comfort and safety.
- Choose from dual or single seat models, with or without strap.
- Durable polyethylene will not crack, dent, bubble, chip, rust

Colors: Black (110), Dark Brown (131), Coffee Beige (157), Navy Blue (186), Kentucky Green (519), Hot Red (158).

No broken cartons on 4 pack.













Booster seats are available with or without straps.

Dimensions	WxDxH
Overall	115/8" x 111/4" x 81/8"
Seat Base	8¾" x 9¾"
Inside Seat	91/2" x 93/4" x 43/8"

Dimensions	WxDxH
Overall	12½" x 12½" x 9¾"
Seat Base A	12 <sup>7</sup> / <sub>16</sub> " x 12 <sup>1</sup> / <sub>4</sub> "
Seat Base B	125/8" x 121/8"
Inside Seat A	81/4" x 95/8" x 31/4"
Inside Seat B	10 <sup>3</sup> / <sub>4</sub> " x 10 <sup>3</sup> / <sub>4</sub> " x 4 <sup>3</sup> / <sub>4</sub> "

CODE	100BC	100BC1 100BCS	
Single Seat			
DESCRIPTION	no strap	no strap	with strap
CASE PACK	4	1	4
CASE LBS. (CUBE)	9.34 (2.12)	2.70 (0.67)	9.82 (2.12)
LIST PRICE EACH	\$ 40.00	\$ 45.00	\$ 60.00
CODE	200BC	200BC1	200BCS
Dual Seat			
DESCRIPTION	no strap	no strap	with strap
CASE PACK	4	1	4
CASE LBS. (CUBE)	15.93 (3.76)	4.31 (0.97)	16.41 (3.76)
LIST PRICE EACH	\$ 55.00	\$ 60.00	\$ 70.00

### **Versa Organizers**

- Use to store non-perishable condiments, disposable ware and napkins.
- Hold bins in 2 x 3, 2 x 4, 3 x 3, or 3 x 4 arrangements.
- · Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 10 lbs. (4,5 kg).
- · Easy to assemble and easy to clean.

Bins Only Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Speckled Gray (480).

**Versa Line Combined Pack Bins & Racks** Colors: Dark Brown (131), Black (110), Speckled Gray (480).










12RS12 Versa Organizer shown mounted on wall.















www.cambro.com 1.800.833.3003



BAR540 Shown in Standard Decor Slate Blue (401).  $1\,.\,8\,0\,0\,.\,8\,3\,3\,.\,3\,0\,0\,3$ 

### **Portable CamBars®**

- Stylish, portable beverage bars for hosting in any environment.
- Select from three systems: economy for bottle and can service, partial or complete soda gun set up systems for pre-mix (canisters) or post-mix (bag-in-box).

#### • Available in three sizes:

- Large BAR730 is perfect for banquets and cocktail events.
- Mid-size BAR650 fits into standard elevators and is ideal for small to mid-size functions.
- Small BAR540 is ultra portable for off-premise use and events with limited space.

- All models include speed rail and 80-pound capacity ice sink with cover. BAR540 sink comes uncovered.
- Impact-resistant, waterproof polyethylene will not crack, dent, bubble, chip, rust or break.
- Lightweight and portable.
- Easy to take apart and clean, easy to set up.



BAR650 Shown in Standard Decor Granite Sand (194).



BAR650DS Shown in Designer Decor Sedona (668).

#### Three Sizes

Personalization of the front panel is available on Designer Decor Chicago model only for....... \$ 175.00

### **Economy System**

- For Bottle, Can, or Mixer Service
- Includes Ice Bin & Speed Rail
- Standard or Designer Decor

# Three Systems

- Partially Equipped for Post or Pre-Mix Soda Service
- Operator Completes Installation
- Standard or Designer Decor

#### **Complete System**

- Completely Factory Equipped for Post or Pre-Mix Soda Service
- Standard or Designer Decor

#### Large BAR730 Models



Standard Decor BAR730

Designer Decor BAR730DS Standard Decor BAR730CP

**Basic System** 

Designer Decor

**Standard Decor** 

BAR730PM, BAR730PMT, BAR730PMT220, BAR730DX

**Designer Decor** 

BAR730DSPM, BAR730DSPMT, BAR730DSPMT2, BAR730DSDX

#### Mid-Size BAR650 Models

Standard Decor BAR650

Designer Decor BAR650DS Standard Decor BAR650CP

Designer Decor
BAR650DSCP

#### **Standard Decor**

BAR650PM, BAR650PMT, BAR650PMT220, BAR650DX

Designer Decor

BAR650DSPM, BAR650DSPMT, BAR650DSPMT2, BAR650DSDX

#### Small BAR540 Models



Standard Decor BAR540

Designer Decor BAR540DS N/A

N/A

www.cambro.com 1.800.833.3003

# Portable CamBar® Packages & Accessories

# Standard Equipment, Soda Guns, Standard and Designer Decor Packages

							COMPLET	E SYSTEM		COMPLET	E SYSTEM
		ECONOMY	'	BASICS	SYSTEM		POST-MIX (	Bag in Box)		PRE-MIX	(Canisters)
STANDARD DECOR EQUIPMENT DESIGNER DECOR EQUIPMENT	BAR540 BAR540DS	BAR650 BAR650DS	BAR730 BAR730DS	BAR650CP Bar650DSCP	BAR730CP Bar730DSCP	BAR650PM Bar650DSPM	BAR650PMT Bar650DSPMT	BAR730PM Bar730DSPM	BAR730PMT Bar730DSPMT	BAR650DX Bar650DSDX	BAR730DX Bar730DSDX
Bag In Box Syrup Pumps						3	3	6	6		
Bag In Box Rack (Holds 3 Boxes)						1	1	2	2		
Carbonator						YES	YES	YES	YES		
CO <sub>2</sub> Regulator						YES	YES	YES	YES	YES	YES
CO <sub>2</sub> Clamp & Chain				YES	YES	YES	YES	YES	YES	YES	YES
Ice Sink — 8 Circuit Cold Plate				YES	YES	YES	YES	YES	YES	YES	YES
Ice Sink and Cover	Sink Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Retainer Strap		1	2	1	2	1	1	2	2	1	2
Soda Gun (5, 6 or 8 buttons)						5	5	8	8	5	6
Speed Rail (5 or 7 bottle)	5	7	7	7	7	7	7	7	7	7	7
Water Pump							YES		YES		
Water Tank							YES		YES		
Water Line Hook Up (city source)						YES		YES			
Waste Water Bin		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Vinyl Cover	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

Casters: All BAR540 Models - Four 5" swivel, two with brake. All BAR650 and BAR730 Models - Four 6" swivel, two with brake.

### Soda Guns by Wunder-Bar®

- Fast, low foaming delivery
- Two year warranty from Wunder-Bar®
- Includes holster with overflow drain
- · Available with complete systems only



Post-Mix 8 Button (BAR730 Complete System)



Post-Mix 5 Button (BAR650 Complete System)



Pre-Mix 6 Button (BAR730 Complete System)

the waste-water bin.

soda gun.

• Circuit exposure through cold plate chills liquids dispensed from the

**Exclusive Cold Plate**  Patented "roof top" design allows for melted ice water to drain into the bottom of the ice sink and into



Pre-Mix 5 Button (BAR650 Complete System)

### Standard Decor Colors BAR540, BAR650, BAR730







**Granite Sand** 

BAR650, BAR730 Only







Two-Tone Brown Mahogany

Granite Gray w/ Black Base

Granite Green w/ Black Base

BAR540 Only









Slate Blue







Sedona

**Optional Accessories for CamBars** 

CODE	DESCRIPTION	CASE LBS. (CUBE)	LIST Price ea.
650WS	Wire Shelf for BAR650	5.50 (1.23)	\$ 66.00
730WS	Wire Shelf for BAR730	5.1 (1.49)	46.00
730SR	7 Bottle Speed Rail	5.25 (1.33)	105.00
BAR54SR	5 Bottle Speed Rail	5.50 (1.33)	72.00

Case Pack: 1 Speed Rail Colors: See Standard Decor colors.

BAR540 Designer Décor color options are listed with BAR540 details.

USA / Merchandising 1.800.833.3003

# **Large CamBars**<sup>®</sup> – Complete Systems BAR730

Post-mix System for 5-gallon, Bag-in-box Syrup

Holds up to 6 syrup boxes and 1 CO2 tank

#### **Standard Decor**

Dimensions: L 723/4" x W 26" x H 48"

CODE	BAR730PM	BAR730PMT	BAR730PMT220
VOLTS	110	110	220
WATER TANK	NO	YES	YES
UNIT WEIGHT	324 lbs.	344 lbs.	344 lbs.
CASE LBS. (CUBE)	360 (58.75)	380 (58.75)	380 (58.75)
LIST PRICE EACH	\$ 14,150.00	\$ 15,485.00	\$ 15,600.00

#### **Designer Decor**

Dimensions: L  $77\frac{5}{8}$ " x W  $28\frac{1}{2}$ " x H  $47\frac{1}{2}$ "

CODE	BAR730DSPM	BAR730DSPMT	BAR730DSPMT2
VOLTS	110	110	220
WATER TANK	NO	YES	YES
UNIT WEIGHT	362 lbs.	382 lbs.	382 lbs.
CASE LBS. (CUBE)	398 (67.02)	418 (67.02)	418 (67.02)
LIST PRICE EACH	\$ 15,995.00	\$ 18,035.00	\$ 18,150.00

#### BAR730PM and BAR730DSPM

Includes the standard equipment from the Basic System plus

- Post-mix soda gun with 8 buttons
- Carbonator
- 2 stainless steel bag-in-box wire racks
- 6 bag-in-box pumps
- $\bullet~$  CO $_{\!\!^{2}}$  regulator gauge & tubing, hose & lines
- Line for city water hook-up

# BAR730PMT, BAR730DSPMT, BAR730PMT2 & BAR730DSPMT2

Includes all the above plus  $1,\,17$ -gallon (64,3 L) water tank and 1 water pump. Line for city water hook-up not included.

# Pre-mix System for 5-gallon (18,9 L) Soda Canisters

Holds up to 7 canisters and 1 CO2 tank

	Standard Decor	Designer Decor
CODE	BAR730DX	BAR730DSDX
DIMENSION	<b>L</b> 72¾" x <b>W</b> 26" x <b>H</b> 48"	L 775%" x W 28½" x H 47½"
WATER TANK	NO	YES
UNIT WEIGHT	264 lbs.	274 lbs.
CASE LBS. (CUBE)	356 (63.56)	338 (67.02)
LIST PRICE EACH	\$ 9,370.00	\$ 12,595.00

# BAR730DX and BAR730DSDX Includes

- Pre-mix soda gun with 6 buttons
- Sealed-in cold plate w/8 circuits
- CO<sub>2</sub> chain
- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- Ice sink cover
- Waste-water bin
- 2 retainer straps
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- Vinvl cover







Vinyl cover included with all CamBars. Cover not NSF listed.



# **Large CamBars**® — Economy and Basic Systems BAR730

### **Economy System BAR730**

For Bottle, Can or Mixer Service

	Standard Decor	Designer Decor
CODE	BAR730	BAR730DS
DIMENSION	<b>L</b> 72¾" x <b>W</b> 26" x <b>H</b> 48"	L 775%" x W 28½" x H 47½"
UNIT WEIGHT	205 lbs.	232 lbs.
CASE LBS. (CUBE)	229 (58.75)	295 (67.02)
LIST PRICE EACH	\$ 5,590.00	\$ 7,585.00

#### Includes

- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- · Ice sink cover
- · Waste-water bin
- 2 retainer straps
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- Vinyl cover



BAR730DS Shown in Designer Decor Chicago (770).



### **Basic System BAR730**

Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system

	Standard Decor	Designer Decor
CODE	BAR730CP	BAR730DSCP
DIMENSION	<b>L</b> 72¾" x <b>W</b> 26" x <b>H</b> 48"	L 775/8" x W 281/2" x H 471/2"
UNIT WEIGHT	254 lbs.	292 lbs.
CASE LBS. (CUBE)	290 (58.75)	409 (68.46)
LIST PRICE EACH	\$ 8,065.00	\$ 11,465.00

#### Includes

- Sealed-in cold plate w/8 circuits
- CO<sub>2</sub> chain
- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- · Ice sink cover
- Waste-water bin
- 2 retainer straps
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- Vinyl cover



USA / Merchandising

& Accessories.)

# Mid-Size CamBars® — Complete Systems BAR650

Post-mix System for 5-gallon (18,9 L) Bag-in-box Syrup

Holds up to 3 syrup boxes and 1 CO2 tank

#### **Standard Decor**

Dimensions: L  $67\frac{1}{2}$ " x W  $28\frac{1}{2}$ " x H  $47\frac{1}{2}$ "

CODE	BAR650PM	BAR650PMT	BAR650PMT220
VOLTS	110	110	220
WATER TANK	NO	YES	YES
UNIT WEIGHT	335 lbs.	335 lbs.	335 lbs.
CASE LBS. (CUBE)	360 (52.91)	342 (52.91)	380 (29.39)
LIST PRICE EACH	\$ 13,175.00	\$ 14,455.00	\$ 14,890.00

#### **Designer Decor**

**Dimensions:** L  $67\frac{1}{2}$ " x W  $28\frac{1}{2}$ " x H  $47\frac{1}{2}$ "

CODE	BAR650DSPM BAR650DSPMT		BAR650DSPMT2	
VOLTS	110	110	220	
WATER TANK	NO	YES	YES	
UNIT WEIGHT	342 lbs.	362 lbs.	362 lbs.	
CASE LBS. (CUBE)	367 (52.91)	387 (52.91)	450.50 (59.59)	
LIST PRICE EACH	\$ 14,550.00	\$ 16,420.00	\$ 16,530.00	

#### BAR650PM and BAR650DSPM

Includes the standard equipment from Basic System plus

- Post-mix soda gun with 5 buttons
- Carbonator
- Stainless steel bag-in-box wire rack
- 3 bag-in-box pumps
- CO2 regulator gauge & tubing, hose & lines
- Line for city water hook-up

#### BAR650PMT, BAR650DSPMT, BAR650PMT2 & BAR650DSPMT2

Includes all the above plus 1, 17-gallon (64,3 L) water tank and 1 water pump. Line for city water hook-up not included.





### Pre-mix System for 5-gallon (18,9 L) Soda Canisters

Holds up to 5 canisters and 1 CO2 tank

	Standard Decor	Designer Decor
CODE	BAR650DX	BAR650DSDX
DIMENSION	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"
UNIT WEIGHT	285 lbs.	292 lbs.
CASE LBS. (CUBE)	340.2 (52.91)	317 (52.91)
LIST PRICE EACH	\$ 8,780.00	\$ 10,640.00

# BAR650DX and BAR650DSDX Includes

- Pre-mix soda gun with 5 buttons
- Sealed-in cold plate w/8 circuits
- CO<sub>2</sub> chain
- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- · Ice sink cover
- Waste-water bin
- Retainer strap
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- Vinyl cover



# Mid Size and Small CamBars® — Economy and Basic Systems

### Basic System BAR650 - Mid-Size Model

Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system

	Standard Decor	Designer Decor
CODE	BAR650CP	BAR650DSCP
DIMENSION	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"
UNIT WEIGHT	264 lbs.	271 lbs.
CASE LBS. (CUBE)	317.8 (52.91)	307 (52.91)
LIST PRICE EACH	\$ 7,110.00	\$ 9,225.00

#### Includes

- Sealed-in cold plate with 8 circuits
- CO<sub>2</sub> chain
- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- · Ice sink cover
- · Waste-water bin
- Retainer strap
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- · Vinyl cover



(Shown with two optional wire racks; see details under Portable CamBar Packages & Accessories.)

### **Economy System BAR650** – Mid-Size Model

For Bottle, Can or Mixer Service

	Standard Decor	Designer Decor
CODE	BAR650	BAR650DS
DIMENSION	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"	<b>L</b> 67½" x <b>W</b> 28½" x <b>H</b> 47½"
UNIT WEIGHT	185 lbs.	192 lbs.
CASE LBS. (CUBE)	215.8 (52.91)	217 (52.91)
LIST PRICE EACH	\$ 4,775.00	\$ 6,500.00

#### Includes

- 7-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- · Ice sink cover
- · Waste-water bin
- Retainer strap
- 4, 6" (15,2 cm) swivel casters, 2 with brake
- Vinyl cover



### **Economy System BAR540** – Small Model

For Bottle, Can, or Mixer Service

Dimensions: **L** 54" x **W** 251/8" x **H** 461/8"

	Standard Decor	Designer Decor
CODE	BAR540	BAR540DS
UNIT WEIGHT	115 lbs.	120 lbs.
CASE LBS. (CUBE)	140 (39.57)	145 (39.57)
LIST PRICE EACH	\$ 2,445.00	\$ 3,130.00

#### Includes

- 5-bottle speed rail
- 80-pound (36,3 kg) capacity ice sink
- 4, 5" (12,7 cm) swivel casters, 2 with brake
- Vinyl cover



### Designer **Decor Colors**

BAR540 Only



Black Base w/ Coal Counter

CamBar Packages & Accessories.)



Granite Gray Base w/ Slate Gray Counter



Granite Sand Base w/ Cocoa Counter

1.800.833.3003

# SlidingLid™ Ice Caddies

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break.
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- · No assembly required.



Personalization available. Special quote only. Contact customer service.

SlidingLid Ice Caddies ICS125L and ICS125LB are covered by US Patent D 468,071 S. SlidingLid Ice Caddies ICS100L and ICS100L4S are covered by US Patent D 424,883.







### **Caster Descriptions**

Refers to caster type in chart. All casters are 5".

A:	2 fixed, 2 swivel, 1 with brake
A1:	2 swivel, 2 with brakes
B:	4 swivel, 1 with brake
C:	2 swivel, 1 with brake, 2, 8" Easy Wheels
D:	2 swivel, 1 with brake, 2, 10" Easy Wheels
E:	2 swivel, 1 with brake, 2, 10" Wide Easy Wheels







ICS175LB (Short) Shown with Rear Easy Wheels.





ICS1/51B (Tall) Shown with Rear Easy Wheels.



(Tall) Shown with Rear Wide Easy Wheels.





These units feature a slant top sliding lid, hold up to 100 lbs. of ice and fit under prep/catering tables, counters or the CamKiosk Bridge.






BAR650DS Shown in Designer Decor Sedona (668) with ICS175TB.

CODE	HOLDING Capacity LBS.	EXTERIOR Dimensions W x D x H	CASTER TYPE	CASE LBS. (CUBE)	LIST Price Ea.
Short					
ICS100L	100	$22\frac{1}{2}$ " x $30\frac{1}{4}$ " x $28\frac{3}{4}$ "	A1	53 (11.54)	\$ 965.00
ICS100L4S	100	22½" x 30¼" x 28¾"	В	59 (11.88)	990.00
ICS125L	125	23" x 31½" x 29¼"	Α	60.33 (13.33)	985.00
ICS125LB	125	23" x 31½" x 29¼"	С	71 (13.16)	1,060.00
ICS175L	175	24" x 37½" x 29¼"	Α	78 (16.3)	1,175.00
ICS175LB	175	24" x 37½" x 29¼"	D	80 (16.3)	1,220.00
Tall					
ICS125T	125	23" x 31½" x 34½"	Α	70.6 (15.46)	1,050.00
ICS175T	175	23" x 34" x 37½"	Α	80.6 (18.06)	1,230.00
ICS175TB	175	23" x 34" x 37½"	D	83.67 (18.25)	1,315.00
ICS200TB	200	23" x 34" x 39½"	E	98 (19)	1,345.00

Case Pack: 1 InStock Colors: Black (110), Dark Brown (131).



**INSULATED TRANSPORT** 



### **Insulated Beverage Servers**

- Use to hold, transport and serve hot or cold beverages for up to 4 hours.
- Pre-heat or pre-chill before use to guarantee maximum operational efficiency.
- Sturdy latches secure lids tightly and will never rust.

144

- Drip-proof recessed spigot for easy self-serve access.
- Molded-in metal backing plates Prevents latches from breaking away from the container.

www.cambro.com 1.800.833.3003

# **Insulated Beverage Servers**

# StoreSafe

# Insulated Beverage Servers

- Stack units on riser to fill large cups or coffee pots.
- Stack interlocking ensures stable stacking during transport and storage.

UC250 and UC500 covered by U.S. Patent D 403,917. UC1000 covered by U.S. Patent D 403,916.











**Vent Cap**Equalizes pressure. Makes opening the container much easier.







Recessed Faucet
Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: one for continuous pouring and one for individual dispensing.



Molded-in Metal Backing Plates
Prevents latches from breaking away
from the container.



# Stacking options:

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD



190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
33.9°F	34.1°F	34.7°F	35.2°F	35.8°F



Durable and attractive covers dress up and extend the life of your Camtainers.

Personalization available. Contact your Cambro representative for details.



**Ultra Camtainers®**Feature wide nylon latches which are easy to open and close with one hand.



Camtainers®
Feature sturdy plastic latches that secure lids tightly and will never rust.

# **Insulated Beverage Servers**

### **Camtainers®**

The standard for many caterers. Four sturdy plastic latches on each unit open and close easily and will never rust.











CODE	100LCD	250LCD	500LCD	1000LCD	350LCD (SOUP)
CAPACITY	1½ gal.	2½ gal.	4¾ gal.	11¾ gal.	3% gal.
7 OZ. CUPS	27	45	86	214	61
SPIGOT	YES	YES	YES	YES	_
EXTERIOR DIM. W x D x H	103/8" x 111/2" x 171/4"	9" x 16½" x 18¾"	9" x 16½" x 24¼"	161/4" x 203/4" x 243/4"	9" x 16½" x 18¾"
FITS CAMDOLLY®	_	CD100, CD100H, CD100HB	CD100, CD100H, CD100HB	CD300, CD300H, CD300HB	CD100, CD100H, CD100HB
CASE LBS. (CUBE)	9.50 (1.24)	12.75 (1.73)	15.50 (2.26)	28 (5.27)	13.4 (1.65)
LIST PRICE EACH	\$ 220.00	\$ 230.00	\$ 265.00	\$ 405.00	\$ 225.00
CAMTAINER COVER	_	250LCDCVR / \$ 130.00	500LCDCVR / \$ 130.00	1000LCDCVR / \$ 130.00	

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Hot Red (158). InStock Colors: Dark Brown (131), Black (110). Cover InStock Color: Black (110). Venting plug is covered by US Patent D 553,717 S. Refer to page 153 for Camdollies listing.

### **Ultra Camtainers®**

A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.







CODE	UC250	UC500	UC1000
CAPACITY	2¾ gal.	5¼ gal.	10½ gal.
7 OZ. CUPS	50	96	192
EXTERIOR DIM. W x D x H	11¾" x 16¾" x 19¾"	11¾" x 16¾" x 26½"	16¼" x 20½" x 25¾"
FITS CAMDOLLY	CD100, CD100H, CD100HB	CD100, CD100H, CD100HB	CD300, CD300H, CD300HB
CASE LBS. (CUBE)	15.10 (2.41)	18.86 (3.22)	29.19 (5.24)
LIST PRICE EACH	\$ 270.00	\$ 305.00	\$ 410.00
CAMTAINER COVER	UC250CVR / \$ 130.00	UC500CVR / \$ 130.00	UC1000CVR / \$130.00

CSR3 Shown in Dark Taupe

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Granite Gray (191), Granite Green (192), Granite Sand (194). InStock Colors: Dark Brown (131), Black (110), Granite Gray (191). Venting plug is covered by US Patent D 553,717 S. Cover InStock Color: Black (110). Refer to page 153 for Camdollies listing.

### Camserver®

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.



Convenient top-fill opening for fast replenishment without removing lid.

www.cambro.com

Colors: Black (110), Dark Taupe (417), Granite Gray (191).













Height is approximately 7" from counter to spigot.

CODE	OVERALL DIMENSIONS W x D x H	CAPACITY	7 OZ. CUPS	CASE LBS. (CUBE)	LIST Price ea.
CSR3	13½" x 18¼" x 23½"	3 gal.	54	18.35 (3.58)	\$ 465.00
CSR5	13½" x 18½" x 28"	5 gal.	91	21.79 (4.02)	485.00

# **Insulated Beverage Servers Accessories**



### **Handwash Accessories**

- Convenient and economical way to meet health department hand washing requirements on or off premise.
- Attaches to 2.5 gallon (9,5 L) or 5-gallon (19 L) Camtainers® or Ultra Camtainers®.
- Includes four "Handwash Only" labels and an Easy Serve Dispenser lever.

**Handwash Accessory Stocking Colors:** Dark Brown (131), Black (110).

Easy Serve Dispenser Color: Black (110).

**Riser Colors:** See optional accessories with Camtainers.

Pail with Bail Color: White (148).

Handwash Accessory is covered by the following U.S. Patents: D 506,634 S, D 506,899 S & D 548, 980 S.







Shown with 500LCD Camtainer®



CODE	HWAPR	HWATD	
DESCRIPTION	With Paper Towel Roll Holder	With Multi-Fold Paper Towel Dispenser	
FITS	250LCD, 500LCD, UC250, UC500	250LCD, 500LCD, UC250, UC500	
CASE LBS. (CUBE)	9.75 (2.06)	10.3 (2.03)	
LIST PRICE FACH	\$ 250.00	\$ 330.00	

# **Optional Handwash Accessories**

CODE	DESCRIPTION	CASE LBS. (CUBE)	LIST PRICE EA.
R500LCD	Riser	2.6 (0.49)	\$ 90.00
PWB22	Pail with Bail	14 (3.2)	26.50
LCDES	Easy Serve Dispenser	0.25 (0.01)	17.05

R500LCD, PWB22, LCDES are NSF listed.













CODE	R500LCD	R1000LCD	LCDCH	LCDCH10	LCDES
DESCRIPTION	Riser	Riser	Condiment Holder	Condiment Holder	Easy Serve Dispenser
EXTERIOR DIM. W x D x H	9½" x 16¼" x 4½"	15¾" x 19½" x 4½"	8¾" x 16½" x 5"	16" x 20" x 4 <sup>13</sup> / <sub>16</sub> "	_
FITS	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	LCD Spigots, UC Spigots
CASE LBS. (CUBE)	2.6 (0.49)	5.45 (0.93)	2.55 (0.5)	5.75 (1.07)	0.25(0.01)
LIST PRICE EACH	\$ 90.00	\$ 100.00	\$ 85.00	\$ 125.00	\$ 17.05

Case Pack: 1 Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Gray (191).

Easy Serve Dispenser Color: Black (110).

# **Hydration Station**

Cart with two 5-gallon beverage servers with covers can be used at full height with three shelves or at lower height with two shelves.





CODE	HYDRASTATIONPKG**
DESCRIPTION	1- KD Service Cart, 2- 500LCD Beverage Servers, 2- Easy Serve Dispensers and 2- Black Personalized Beverage Server Covers stating "Water"
DIMENSIONS* W x D x H	40" x 21½" x 56¾"
CASE LBS. (CUBE)	71.67 (14.63)
LIST PRICE EACH	\$ 1,116.00

Case Pack: 1 Camtainer® and Cover Color: Black (110)

<sup>\*</sup>Dimensions based on 3 shelf cart with Camtainers on top shelf.

<sup>\*\*</sup>Ships in 7 separate cartons.

# **Beverage Service Carts**

- Ideal for breakfast, coffee or snack service.
- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in full, ½ or ⅓ size food pans or on Cambro Metric Camtrays® (3253).

Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces. **Colors:** Slate Blue (401), Granite Gray (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Beverage Server section for more information.

Wire Rack Color: Silver (000).

**6" Casters:** 2 fixed, 2 swivel, 1 with brake.







CODE	EXTERIOR DIMENSIONS L x W x H	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.
MDC24F	44½" x 30" x 44"	1	133 (37.82)	\$ 2,390.00
MDC24	44½" x 30" x 44"	1	133 (37.82)	2,390.00
OPTIONAL AC	CESSORIES			
Organizer Bi	1			
5412CBP	12" x 5" x 4½"	12	7.84 (1.78)	9.55
Camtainer®				
100LCD	10% x $11%$ x $17%$	1	9.50 (1.24)	220.00
Wire Rack				
MDC24R	23" x 17" x 14"	1	15 (3.36)	140.00
Camchiller®				
CP1220	$20^{13}\!/_{16}$ " x $12^{7}\!/_{8}$ " x $^{11}\!/_{2}$ "	1	11 (0.38)	130.00

The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

DESCRIPTION	FULL (½)	HALF (½)	THIRD (1/3)
2½" Pans	(4) 12CW	(8) 22CW	(12) 32CW
4" Pans	(3) 14CW	(6) 24CW	(9) 34CW
6" Pans	(2) 16CW	(4) 26CW	(6) 36CW
8" Pans	(1) 18CW*	(2) 28CW*	(3) 38CW*
Metric Camtrays®	(10) 3253	_	_

<sup>\*</sup> with room for  $2\frac{1}{2}$ " or 4" pan above 8" pan.


### Compartment dimensions:

Shelf Compartment:	<b>W</b> 37 <sup>15</sup> / <sub>16</sub> "	<b>D</b> 25½"	<b>H</b> 10"
Holding Compartments:	<b>W</b> 17½6"	<b>D</b> 23¾"	H 141/8"

Venting plug is covered by U.S. Patent D 553,717S.



MDC24, shown in Granite Green (192), has recessed top that holds 3 each 1 gallon Camtainers and stacked Condiment Bins & Wire Rack with 3253 trays.



### MDC24R Wire Rack

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds Full, ½ and ⅓ size Food Pans and 3253 trays. When placed in cart's holding compartment, the rack allows room on either sides for CP1220 Camchillers®.

www.cambro.com 1.800.833.3003



# Single GN Food Pan, **Top-Loading Carriers**

- Top-loading food pan carriers hold, transport and serve a single full-size pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- 100 Series interstacks within the series and 240MPC stacks only with 240MPCs.
- Use with divider bars to hold multiple fractional pans.
- Pans are easy to remove using finger notches.
- · Carriers interlock and stack for transporting and storing.

UPCS Colors: Dark Brown (131), Speckled Gray (480), Coffee Beige (157), Black (110).

MPC and MPCHL Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Hot Red (158).

UPC Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Gray (191), Granite Green (192), Granite Sand (194).

See Food Pan Section and Camdolly Section for pricing and ordering information.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart or Camcarrier® cavity.

Note: If using metal food pans, cool to 250°F before placing into carriers.













### UPCS160



**Hot** — temperature loss averaging 3°F/hour.

190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
33.9°F	34.1°F	34.7°F	35.2°F	35.8°F

**Cold** — temperature gain averaging 1.5°F/hour.

# **Camcarrier®**

One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.





149

CODE	240MPC	100MPCHL
COMPARTMENT CAPACITY	1 half size $2\frac{1}{2}$ " deep pan or 1 half size 4" deep pan	1 full size 8" deep pan
EXTERIOR DIM. W x D x H	16½" x 13½" x 7½"	26¾" x 18"x 15½"
INTERIOR DIM. W x D x H	133/8" x 111 <sup>1</sup> /16" x 4"	21¾" x 13¾" x 8"
BULK CAPACITY*	6.3 qts.	40 qts.
FITS CAMDOLLY®	CD1420	CD100, CD100H, CD100HB
CASE LBS. (CUBE)	8.7 (1.2)	30 (4.51)
LIST PRICE EACH	\$ 280.00	\$ 500.00

Case Pack: 1 \* Without using food pans. Refer to page 153 for Camdollies listing.

USA / Insulated Transport 1.800.833.3003



# **S-Series**

Durable polypropylene construction, built in seal and wide, nylon latches. Contemporary appearance and superior holding performance at an economical price.









CODE	UPCS140	UPCS160	UPCS180	UPCSS160*
COMPARTMENT CAPACITY	1 full size 4" deep pan	1 full size 6" deep pan	1 full size 8" deep pan	1 full size 6" deep pan
EXTERIOR DIM. W x D x H	251/8" x 171/8" x 81/2"	251/8" x 171/8" x 101/4"	251/8" x 171/8" x 12"	24½" x 16½" x 9½"
CASE LBS. (CUBE)	17.5 (2.37)	19 (2.58)	20 (3.33)	17 (2.47)
FITS CAMDOLLY®	CD160	CD160	CD160	CD160
LIST PRICE EACH	\$ 260.00	\$ 270.00	\$ 290.00	\$ 270.00

Case Pack: 1 \* UPCSS160 available in Dark Brown (131) and Coffee Beige (157) only. Temperature Maintenance Tool: CP1220 and CP1210 Camchiller® Refer to page 153 for Camdollies listing.

### **Ultra Pan**

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.







CODE	UPC140	UPC160	UPC180
COMPARTMENT CAPACITY	1 full size 4" deep pan	1 full size 6" deep pan	1 full size 8" deep pan
EXTERIOR DIM. W x D x H	24¾" x 17¾" x 8¼"	24¾" x 17¾" x 10¼"	24¾" x 17¾" x 12"
FITS CAMDOLLY	CD160	CD160	CD160
CASE LBS. (CUBE)	16.6 (2.15)	20.75 (2.72)	21.5 (3.18)
LIST PRICE EACH	\$ 375.00	\$ 380.00	\$ 390.00

Case Pack: 1 Refer to page 153 for Camdollies listing.

# Multiple Stackable GN Food Pans, Top-Loading Carriers

# 100 Series

Store and stack food pans or place packaged food directly in compartment.







CODE	100MPC	UPC100	UPC101
COMPARTMENT CAPACITY	3 full size 2½" deep pans or	3 full size 2½" deep pans or	3 full size 2½" deep pans or
	2 full size 4" deep pans or	2 full size 4" deep pans or	2 full size 4" deep pans or
	1 full size 6" or 8" deep pan	1 full size 6" or 8" deep pan	1 full size 6" or 8" deep pan
EXTERIOR DIM. W x D x H	26¾" x 18" x 15"	26%" x 18" x 15¾"	26½" x 18" x 12½"
INTERIOR DIM. W x D x H	21¾" x 13¾" x 8"	22½" x 13" x 8"	21%" x 131%" x 81/4"
BULK CAPACITY*	40 qts.	40 qts.	40 qts.
FITS CAMDOLLY	CD100, CD100H, CD100HB	CD100, CD100HB	CD100, CD100HB
CASE LBS. (CUBE)	27 (4.51)	25.25 (4.63)	24.5 (3.75)
LIST PRICE EACH	\$ 400.00	\$ 425.00	\$ 425.00

Case Pack: 1 \* Without using food pans. Refer to page 153 for Camdollies listing.

### **Accessories**

150

CODE	OVERALL EXTERIOR	CASE LBS. (CUBE)	LIST PRICE EA.
Divider Bars			
DIV12	12¾" (Length)	1 (0.02)	\$ 4.00
Case Pack: 3			

Colors: White (148), Clear (135).



# Multiple GN Food Pans, Front-loading Carriers

- Durable and dependable front-loading food pan carriers.
- Hold multiple pans of hot or cold food at safe temperatures for 4 hours or more.
- Seamless polyethylene with thick polyurethane foam insulation.

**300MPC Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

Note: If using metal food pans, cool to 250°F before placing onto rails.











CODE	300MPC
EXTERIOR DIM. W x D x H	16½" x 24" x 23½6"
INTERIOR DIM. W* x D x H	13½" x 21" x 14"
FITS CAMDOLLY®	CD300, CD400
CASE LBS (CUBE)	30.17 (5.7)
LIST PRICE EACH	\$ 480.00

Case Pack: 1 InStock Colors: Dark Brown (131), Black (110). \* Rail to Rail Temperature Maintenance Tools: 1210PW Camwarmer®, 300DIV ThermoBarrier®, CP1220 and CP1210 Camchiller®.


Refer to page 153 for Camdollies listing.




**Hot** — temperature loss averaging 3°F/hour.


	190°F	186°F	184°F	181°F	179°F		
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.		
•	33.9°F	34.1°F	34.7°F	35.2°F	35.8°F		
Co	<b>Cold</b> — temperature gain averaging 1.5°F/hour.						

# **300MPC Holding Capacity**











1 x 8" (20 cm) and 1 x 2½" (6,5 cm)

151

1.800.833.3003 USA / Insulated Transport



# Ultra Pan Carrier® UPC400

Colors: Navy Blue (186), Slate Blue (401), Cold Blue (159), Coffee Beige (157), Dark Brown (131), Black (110), Granite Gray (191), Granite Green (192), Granite Sand (194).

UPC400 is covered by US Patent D 392,158. Venting plug is covered by US Patent D 553,717 S.

### **Both Carriers:**

- Fit four 4" deep full-size food pans.
- Hold hot or cold food safely for 4 hours or more.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

**Note:** If using metal food pans, cool to 250°F before placing onto rails.











### Ultra Pan Carrier® S-Series UPCS400

**Colors:** Slate Blue (401), Speckled Gray (480), Dark Brown (131).



CODE	UPC400 / UPC400TR**
EXTERIOR DIM. W x D x H	18" x 25" x 241/8"
INTERIOR DIM. W* x D x H	13½" x 21" x 19½"
FITS CAMDOLLY®	CD300, CD400
CASE LBS (CUBE)	33.23 (7.00)
LIST PRICE EACH	\$ 565.00 / \$ 590.00

Case Pack: 1 InStock Colors: Coffee Beige (157), Black (110).

Temperature Maintenance Tools: 1210PW Camwarmer®, 300DIV ThermoBarrier®, 400DIV ThermoBarrier, CP1220 and CP1210 Camchiller®.

Refer to page 153 for Camdollies listing.



**PRESSURE CONTROL** Built-in vent.

CODE	UPCS400
EXTERIOR DIM. W x D x H	18" x 26¼" x 25"
INTERIOR DIM. W x D x H	131/8" x 21" x 191/8"
FITS CAMDOLLY	CD400
CASE LBS. (CUBE)	47.50 (7.38)
LIST PRICE EACH	\$ 515.00

Case Pack: 1 Instock Colors: Speckled Gray (480), Dark Brown (131).

Temperature Maintenance Tools: 1210PW Camwarmer, 400DIV ThermoBarrier,
CP1220 and CP1210 Camchiller. Refer to page 153 for Camdollies listing.


### **Hot** — temperature loss averaging 3°F/hour. 190°F 186°F 184°F 181°F 179°F 1 hr. 4 hrs. Starting Temp. 2 hrs. 3 hrs. 33.9°F 34.1°F 34.7°F 35.2°F 35.8°F

**Cold** — temperature gain averaging 1.5°F/hour.

# Full Size Food Pan Holding Capacity UPC400 / UPCS400:

Also holds  $\frac{1}{2}$  and  $\frac{1}{3}$  size pans.

152



www.cambro.com 1.800.833.3003

<sup>\*</sup> Rail to Rail

<sup>\*\*</sup>Tamper Resistant Model: Tamper-resistant screws. Non-removable doors. Locking hasp (optional item) for padlocks (not included).

# Camdollies® for Insulated Beverage Servers and Carriers

### With Handles



# CD100H External Dim.: W 19%" x D 33%" x H 36%" Interior Dim.: W 17%" x D 26%." Case Lbs. (Cube): 33.8 (12.71) Capacity: 350 Lbs. Caster Type: A



CD300H External Dim.: W 19" x D 30%" x H 36%" Interior Dim.: W  $16^{1}$ % " x D 23% " Case Lbs. (Cube): 33~(12.07) Capacity: 350 Lbs. Caster Type: A List Price Each: \$ 480.00



CD1826H
External Dim.:
W 20%" x D 31½" x H 38½"
Interior Dim.: W 18½" x D 26½"
Case Lbs. (Cube): 33.75 (12.82)
Capacity: 300 Lbs.
Caster Type: A
List Price Each: \$ 510.00



CD1826MTC

External Dim.:
W 23¹5/16" x D 35½" x H 36½"
Interior Dim.: W 22" x D 28½"
Case Lbs. (Cube): 35 (17.40)
Capacity: 350 Lbs.
Caster Type: A
List Price Each: \$ 555.00

# **Big Rear Wheels**

List Price Each: \$490.00



CD100HB

External Dim.:
W 23½" x D 32½" x H 36½"
Interior Dim.: W 17½" x D 26½"
Case Lbs. (Cube): 45 (18.51)
Capacity: 350 Lbs.
Caster Type: C
List Price Each: \$ 595.00



CD300HB
External Dim.:
W 23½" x D 29½" x H 36½"
Interior Dim.: W 17½" x D 23½"
Case Lbs. (Cube): 46 (18.11)
Capacity: 350 Lbs.
Caster Type: C
List Price Each: \$ 570.00



CD1826HB
External Dim.:
W 23½" x D 33½" x H 36½"
Interior Dim.: W 18½" x D 26½"
Case Lbs. (Cube): 47 (18.29)
Capacity: 300 Lbs.
Caster Type: C
List Price Each: \$ 635.00



CD1826MTCHB
External Dim.:
W 27½" x D 34½" x H 36½"
Interior Dim.: W 21½" x D 28½"
Case Lbs. (Cube): 41.8 (21.43)
Capacity: 350 Lbs.
Caster Type: C
List Price Each: \$ 700.00

### **Without Handles**



CD100 External Dim.: W 19%" x D 28%" x H 10%" Interior Dim.: W 171%" x D 26%6" Case Lbs. (Cube): 17.5 (3.33) Capacity: 300 Lbs. Caster Type: A List Price Each: \$ 305.00



CD160 External Dim.: W 16% "x D 24%" x H 10%" Interior Dim.: W 14% "x D 21% "Case Lbs. (Cube): 19 (2.30) Capacity: 300 Lbs. Caster Type: A List Price Each: \$ 305.00



External Dim.:
W 23½" x D 32½" x H 36½"
Interior Dim.: W 17½" x D 26½"
Case Lbs. (Cube): 45 (18.51)
Capacity: 350 Lbs.
Caster Type: A
List Price Each: \$ 305.00



CD400
External Dim.:
W 20%" x D 27%" x H 9"
Interior Dim.: W 18%" x D 25"
Case Lbs. (Cube): 19.60 (3.35)
Capacity: 300 Lbs.
Caster Type: A
List Price Each: \$ 335.00



CD1420 External Dim.: W 16%" x D 21%" x H 8%6" Interior Dim.: W 13%" x D 19%6" Case Lbs. (Cube): 15.25~(1.44) Capacity: 350~Lbs. Caster Type: B List Price Each: \$ 275.00

# **Optional Accessories**



DIV12
Dimension: 12%" Length
Case Lbs. (Cube): 1 (0.02)
List Price Each: \$ 4.00
1 . 8 0 0 . 8 3 3 . 3 0 0 3



UPCS400CK (Caster Kit) Dimension: 5" Case Lbs. (Cube): 9.40 (0.21) List Price Each: \$ 135.00



**400STP** (Strap) **Dimension:** 150" Long **List Price Each:** \$ 15.00

UTHSTP (Strap)
Dimension: 200" Long
List Price Each: \$ 17.00



**1826HAR** (Lifting Harness) **Dimension:** 142" Long **List Price Each:** \$ 90.00

# Camdolly® Colors:

Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Gray (180).

# CD400 InStock Colors:

Black (110), Dark Brown (131). **Caster Type:** 

# (A) 5" Casters, 2 fixed, 2 swivel, 1 with brake.

- (B) 3" Casters, 2 fixed, 2 swivel, 1 with brake.
- (C) 10" Rear Big Wheels, 2 front 5" swivel casters, 1 with brake.

# StoreSafe

# Multiple GN Food Pan, Front-Loading Carts

- Double-compartment, high-capacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments maintain safe food temperatures for 4 hours or more.
- Easy to maintain and won't dent, crack, rust, or chip.

- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- Airtight removable gaskets
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Gray (191), Granite Green (192), Granite Sand (194).

**Note:** Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

**Note:** If using metal food pans, cool to 250°F before placing onto rails.

Venting plug is covered by US Patent D 553,717 S.





Polyurethane insulation keeps hot food hot and cold food cold.



Shown with optional HD casters.




**Tamper-Resistant models** are specifically designed for operations where safety and security are a

top priority.

These models feature components that withstand severe conditions without safety risks: Tamper-resistant screws on latches. Non-removable doors. Casters and chassis plates mounted with tamper-resistant bolts. Locking hasp (optional item) for padlocks (not included).





See Food Pan and Camtray® Section for pricing and ordering information.

154

Hot -	— temperature 190°F	loss averaging 186°F	3°F/hour. 184°F
•			
S	Starting Temp.	1 hr.	2 hrs.

190°F	186°F	184°F	181°F	179°F
Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
		-		
33.9°F	34.1°F	34.7°F	35.2°F	35.8°F

**Cold** — temperature gain averaging 1.5°F/hour.

www.cambro.com 1.800.833.3003

<sup>\*</sup>Based on 3" spacing between trays.



# **Ultra Camcarts®**









CODE	UPC600	UPC800 / UPC800TR	UPC1200	UPC1600	UPC1600HD	UPC1600TR*
DESCRIPTION	Base Model	Base Model / Tamper Resistant	Base Model	Base Model	Base Model with HD Casters	Tamper Resistant
EXTERIOR DIM. W x D x H	20½" x 27½" x 45"	20½" x 27½" x 54"	28½" x 32¼" x 45½"	28¾" x 33¾" x 54½"	28¾" x 33¾" x 54½"	28¾" x 33¾" x 54½"
COMPARTMENT DIMENSIONS	135/16" x 215/16" x 14"	13" x 21½" x 19½"	21½" x 26½" x 13½"	21" x 261/8" x 21"	21" x 261/8" x 21"	21" x 261/8" x 21"
CASTERS	5" x 11/4" Casters	6" x 11/4" Casters	6" x 11/4" Casters	6" x 11/4" Casters	6" x 2" HD Casters	6" x 2" HD Casters
CASE LBS. (CUBE)	71.6 (15.96)	86 (19.28)	108.67 (25.74)	130 (35.33)	139.5 (35.33)	141 (35.33)
TEMPERATURE MAINTENANCE TOOLS	1210PW Camwarmer®, 300DIV ThermoBarrier® CP1220 and CP1210 Camchiller®	1210PW Camwarmer, 4,400DIV ThermoBarrier, CP1220 and CP1210 Camchiller	1200DIV Thermo Barrier, CP1220 Camchiller	1600DIV Thermo Barrier, CP1220 Camchiller	1600DIV ThermoBarrier CP1220 Camchiller	, 1600DIV ThermoBarrier, CP1220 Camchiller
LIST PRICE EACH	\$ 1,190.00	\$ 1,405.00 / \$ 1,415.00	\$ 1,825.00	\$ 2,635.00	\$ 2,775.00	\$ 2,675.00

Case Pack: 1 Casters: 5" or 6" x 11/4", 2 fixed, 2 swivel, 1 with brake. HD: Heavy-duty, hi-modulus 6" x 2" 2 fixed, 2 swivel with brake casters. \*Comes with HD casters.

# **Combo Carts™**

- Use to hold full-size sheet pans or hotel pans of hot or cold food.
- Easy-to-adjust aluminum rails.
- Tough, rotationally molded polyethylene with thick foam insulation.
- Airtight removable gasket provides a secure seal.
- Doors swing open to the side of the cart for easy loading and unloading.
- Molded-in, full-length handle on the back for easy maneuvering.
- · Easy to clean.

Colors: Gray (180), Dark Brown (131).

 $\begin{tabular}{ll} \textbf{Casters:} 5", 2 \text{ swivel with brakes \& two} \\ 10" \begin{tabular}{ll} \textbf{Wheels.} \end{tabular}$ 

\* Complete with tamper-resistant hardware for maximum security applications.

Venting plug is covered by US Patent D 553,717 S.

þ



Easy-to-adjust rails hold sheet pans or full-size hotel pans (all depths).



Capacity: Holds up to 12 each 18" x 26" sheet pans or 24 each 13" x 18" sheet pans per compartment.





Capacity: Each compartment holds up to 12 each full size  $2\frac{1}{2}$ " deep Food Pans (2 pans per rail).

CODE	DESCRIPTION	OVERALL DIMENSIONS	PER CAVITY INSIDE Dimensions W x D x H	CASE LBS. (CUBE)	LIST Price ea.
CMB1826L	½ Size Combo Cart, Low	25½" x 32½" x 37¾"	22" x 26½" x 22½"	144 (19.82)	\$ 3,185.00
CMB1826LSP*	½ Size Combo Cart with Security Hardware	25¼" x 32½" x 37¾"	22" x 26½" x 22½"	144 (19.82)	3,475.00

 ${\bf Case\ Pack:}\ 1$ 

# Combo Cart™ Plus, Non-Electric

- The most versatile insulated transporter on the market! Holds food pans, sheet pans, trays and even large pizza boxes.
- Two separate compartments offer the flexibility of holding either hot or cold food.
- Tough, durable polyethylene exterior will not dent, rust or chip—a great alternative to metal holding carts!
- Thick, CFC-free polyurethane insulation throughout the cabinet ensures excellent food quality and temperature retention for 4 or more hours.
- Ideal for caterers, schools, hotels and large institutions.

MARINE RAILING Creates a bonus staging area for food pans.

### Color: Charcoal Gray (615).

Note: Place food pans on rails. Pans should not be placed on the floor of the compartment. All food should be cooled to 250°F before placing into cart to avoid damage to the body.





### STAINLESS STEEL UNIVERSAL RAILS Holds sheet pans, food pans, pizza boxes and trays (or limitless combinations of these!)

# **GASKET-FREE DOOR**

Worry free door! Swings open completely to the side.


# SMITH LEMENTAR

### MOLDED-IN HANDLES Will never break; great for maneuvering by operators of all heights.

**ERGONOMIC VERTICAL** 

### **MENU POCKET**

Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.



# INSULATION

156

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more.



### **CASTERS**

All swivel with brakes for smooth positioning and navigation; non-marking.

**WIDE PADDLE LATCHES** For easy opening and closing.

PERIMETER BUMPER Protects cart and walls.

www.cambro.com 1.800.833.3003

# Combo Cart™ Plus, Non-Electric

CODE	CASTER TYPE	UNIT WEIGHT LBS.	CASE LBS. (CUBE)	LIST Price ea.
CMBP	Standard Casters	210	230.5 (42.5)	\$ 5,450.00
CMBPHD	Heavy Duty Casters	219.5	240 (42.5)	5,590.00
Security Package				
CMBPSP	Standard Casters	211	231.5 (42.5)	5,970.00
CMBPSPHD	Heavy Duty Casters	220.5	241 (42.5)	6,110.00

Standard Caster: 6" x 1¼" (all swivel, with brakes) Exterior Dimensions (W x D x H): 27%" x 33½" x 65%"

Heavy Duty Caster:  $6" \times 2"$  (all swivel, with brakes) Compartment Dimensions with column rails (W x D x H):  $21\%" \times 26\%" \times 25\%"$ 

Case Pack: 1 Color: Charcoal Gray (615).

# **Security Package**

Tamper-resistant screws on the latch handle assembly. Non-removable retainer rings on each hinge pin make doors non-removable. Built-in hasp for a transit seal or certain types of padlocks. Tamper-resistant fasteners for columns and cross-locking wires behind the columns lock the rails into place.



# **Optional Accessories**

CODE	CMBPR1	CMBPR7
DESCRIPTION	1 Pair of Rails	7 Pair of Rails
CASE LBS. (CUBE)	4.12 (0.13)	27.75 (0.47)
LIST PRICE EACH	\$ 78.00	\$ 500.00

Case Pack: 1 Color: (000).

# **Holding Capacity Reference**

TYPE OF CONTAINER	STANDARD Capacity	RAIL Spacing	MAXIMUM Capacity	RAIL Spacing
18" x 26" FULL SIZE SHEET PANS	14	3¾"	32*	1½"
13" x 18" FULL SIZE SHEET PANS	28	33/8"	64*	1½"
2½" DEEP HOTEL PANS	28	33/8"	28	33/8"
4" DEEP HOTEL PANS	20**	5"	20	5"
40 x 60 CM TRAYS	14	3¾"	32*	1½"
32,5 x 53 CM TRAYS	28	33/8"	52*	11/8"
16" x 16" x 2" PIZZA BOXES	14	33/8"	22	21/4"

<sup>\*</sup> Additional rails required.

1.800.833.3003 USA / Insulated Transport

<sup>\*\*</sup> Only requires 5 pairs of rails.



# **Sheet Pans & Trays, GN Food Pans or Food Boxes**



# Camcarrier for Half-size Sheet Pans, Full-size Food Pans, and Trays

- Holds up to 8 each 13" x 18" sheet pans or 3 each full-size deep food pans.
- Molded-in handles.
- Stackable for storage and transport.
- · Fits CD300 Camdolly.



# Camcart for Food Storage Boxes

- Holds 18" x 26" Food Storage Boxes.
- 13 supports on  $1\frac{3}{4}$ " centers.
- Includes removable cutting board on top.



# Camcarrier for Trays and Sheet Pans

- Holds up to 6 each 18" x 26" sheet pans.
- Six tray supports on 21/8" centers.
- · Molded-in handles.
- Fits CD1826MTC Camdolly.



# Camcart for Trays and Sheet Pans

- Holds up to 7 each 18" x 26" trays or sheet pans.
- Seven tray supports on 3¾" centers for 3" clearance between trays.
- Includes removable cutting board on top.



# Camcart with Security Package

- Specially designed for high security applications.
- Features tamper-resistant hardware to protect both cart and contents.
- Includes removable cutting board on top.



# Camcart for Trays and Sheet Pans

- Holds up to 13 each 18" x 26" trays or sheet pans.
- Thirteen tray supports on 13/4" centers.
- Includes removable cutting board on top.

**Colors:** Slate Blue (401), Gray (180), Coffee Beige (157), Dark Brown (131), Navy Blue (186).

1826MTC is available in Black (110). 1318MTC not available in Gray (180). **Strap Color:** Beige (000).

Refer to page 153 for Camdollies listing.

**CD1826MTC:** 5" Casters: 2 fixed, 2 swivel, 1 with brake.

 $\begin{array}{lll} \textbf{CD1826MTCHB:} \ 5" \ Casters: \ 2 \ swivel, \ 1 \\ with \ brake \ and \ 2, \ 10" \ Easy \ Wheels. \end{array}$ 

- \* With handle.
- \*\* Cart comes complete with tamperresistant hardware for maximum security applications.
- **6" Casters:** 2 fixed, 2 swivel, 1 with brake.

**Note:** Cool metal sheet pans to 250°F before placing onto tray supports.



158



		EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS	CASE LBS.	LIST
CODE	DESCRIPTION	D* x W x H	D x W x H	(CUBE)	PRICE EA.
1318MTC	For trays & $\frac{1}{2}$ sheet pans	$16\frac{1}{2}$ " x 24" x 23 $\frac{5}{16}$ "	13½" x 21" x 14"	31.50 (5.74)	\$ 495.00
1826MTC	For trays & sheet pans	29½" x 21½" x 22½"	261/8" x 183/8" x 131/4"	41.33 (8.67)	740.00
Camdolly					
CD1826MTC	Camdolly for 1826MTC	$35\frac{1}{8}$ " x $23\frac{15}{16}$ " x $35\frac{3}{4}$ "	28½" x 22"	35 (17.40)	555.00
CD1826MTCHB	Camdolly with Easy Wheels for 1826MTC	34 <sup>7</sup> / <sub>8</sub> " x 27 <sup>1</sup> / <sub>2</sub> " x 36 <sup>3</sup> / <sub>4</sub> "	281/16" x 211/8"	41.8 (21.43)	700.00
Camcarts					
1826LTC	For trays & sheet pans	32" x 21½" x 37½"	$26\frac{1}{8}$ " x $18\frac{3}{8}$ " x $26\frac{1}{4}$ "	86 (16.39)	1,425.00
1826LTC3	For trays & sheet pans	32" x 21½" x 37½"	261/8" x 183/8" x 261/4"	86 (16.39)	1,425.00
1826LBC	For Food Storage Boxes	32" x 21½" x 37½"	261/8" x 183/8" x 261/4"	86 (16.39)	1,410.00
Camcarts with S	ecurity Package**				
1826LTCSP	For trays & sheet pans	32" x 21½" x 37½"	$26\frac{1}{8}$ " x $18\frac{3}{8}$ " x $26\frac{1}{4}$ "	86 (16.39)	1,655.00
1826LBCSP	For Food Storage Boxes	32" x 21½" x 37½"	261/8" x 183/8" x 261/4"	86 (16.39)	1,625.00
Securing Strap					
1826STP	Securing Strap	142" L	_	4.80 (0.58)	90.00
Occa Dook 1 \	Annalin w when a command her H.C.	D-1 D FF2 7170			

Case Pack: 1 Venting plug is covered by U.S. Patent D 553,717S.



# Camcarts®

- Use to hold hot or cold bulk food stored on trays, sheet pans or in food boxes.
- Durable polyethylene and thick foam insulation retain safe food temperatures.
- Sturdy plastic, rust-proof latches are secured into molded-in mounting plates.
- Molded-in handle on the back for easy maneuvering.





Capacity: 24 tray support rails on  $1^{15}/_{16}$ " centers (12 per cavity). Holds up to 24 each 18" x 26" (46 x 66 cm) trays or sheet pans.



# 1826DBC **Double Cavity Cart for Food Storage Boxes**

Capacity: 26 support rails on  $1\frac{3}{4}$ " centers (13 per cavity). Holds 18" x 26" (46 x 66 cm) Food Storage Boxes.



# **Camcart with Security Package**

Specially designed for high security applications, with tamper-resistant hardware: metal hinges with non-removeable pins, metal latches with welded bails, lockable hasp and no chassis plate.



D 553,717 S.



Only 1826DBC is NSF Listed.

Colors: Slate Blue (401),

Gray (180).

Coffee Beige (157), Dark Brown (131),

Note: Cool metal sheet pans to 250°F

Venting plug is covered by US Patent

before placing onto tray supports.

**6" Casters:** 2 fixed, 2 swivel, 1 with brake.







**Caster Impact Plates** Impact plates add metal reinforcement to hold casters in place even when dropped.

CODE	DESCRIPTION	DIMENSIONS W x D x H	INTERIOR DIMENSIONS W x D x H	CASE LBS. (CUBE)	LIST Price ea.
1826DTC	For trays & sheet pans	33½" x 21½" x 63¾"	$26\frac{1}{2}$ " x $18\frac{1}{4}$ " x $25\frac{7}{16}$ "	135 (27.92)	\$ 2,355.00
1826DBC	For food storage boxes	33½" x 21½" x 63¾"	26½" x 18⅓2" x 25⅓16"	135.50 (28.35)	2,355.00
Camcarts with	Security Package				
1826DTCSP	For trays & sheet pans	$33\frac{1}{4}$ " x $21\frac{1}{2}$ " x $63\frac{3}{4}$ "	$26\frac{1}{2}$ " x $18\frac{1}{4}$ " x $25\frac{7}{16}$ "	135 (27.92)	2,880.00
1826DBCSP	For food storage boxes	33½" x 21½" x 63¾"	26½" x 18½" x 25½"	143.8 (27.99)	2,860.00
Case Pack: 1	*Depth measurement includ	es handle.			

USA / Insulated Transport 1.800.833.3003

# **Temperature Maintenance Tools**



# **Camchiller®**

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 41°F (5°C) when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.



### **Cold** — temperature gain averaging 1.5°F/hour.








CODE	CP1220 (GN FULL SIZE)	CP1210 (GN HALF SIZE)	CP814 (8 x 14 CAMCHILLER)
FITS INTO	Insulated Transporters: 300MPC, UPC400, UPCS400, UPC600, UPC800, UPC1200, UPC1600, 1318MTC, UPCSS160 Camcruisers®: CVC72*, CVC724* Combo Carts™: All Models CamKiosk®*: All Models	Insulated Transporters: 125MPC, 140MPC, 150MPC, 160MPC, 180MPC, 300MPC, UPC140, UPC160, UPC180, UPC400, UPCS400, UPCS400, UPCS0, UPCS160, UPCS180, 1318MTC Camcruisers®: CVC72*, CVC724* CamKiosk®*: All Models	Food Boxes: 12189CW, 12189P, 12186CW, 12186P Camcruisers®: CVC55, CVC72*, CVC724* CamKiosk®*: All Models
QUANTITY PER CAVITY	1 (2 per cabinet recommended*)	1 or 2	1
DIMENSIONS L x W x H	20 <sup>13</sup> / <sub>16</sub> " x 12 <sup>7</sup> / <sub>8</sub> " x 1 <sup>1</sup> / <sub>2</sub> "	103/8" x 123/4" x 11/2"	14" x 8" x 1½"
CASE LBS. (CUBE)	8.15 (0.32)	3.8 (0.18)	3.8 (0.19)
LIST PRICE EACH	\$ 130.00	\$ 67.00	\$ 67.00

Case Pack: 1 InStock Color: Cold Blue (159). \*Top wells only

### ThermoBarrier®

- A highly valuable yet economical temperature maintenance tool for caterers.
- Use to minimize empty space and food temperature loss within a partially loaded compartment.



CODE	300DIV	400DIV	1200DIV	1600DIV
FITS INTO	300MPC, UPC600, 1318MTC	UPC400, UPC800, UPC400TR, UPCS400, UPC800TR	UPC1200, CVC72, CVC724	UPC1600, CamKiosk
QUANTITY PER COMPARTMENT	1	1	2	2
DIMENSIONS L x W x H	20 <sup>13</sup> / <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 1"	21½" x 13" x 1½"	201/8" x 121/8" x 13/8"	20%" x 131/8" x 11/2"
COLOR	Coffee Beige (157)	Gray (180)	Dark Brown (131)	Slate Blue (401)
CASE PACK	1	1	2	2
CASE LBS (CUBE)	3.33 (0.31)	3.60 (0.35)	7.75 (0.67)	6.17 (0.55)
LIST PRICE EACH	\$ 75.00	\$ 75.00	\$ 75.00	\$ 75.00

InStock Colors: Coffee Beige (157), Gray (180).











### **Camwarmer®**

- Added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 140°F (65°C) when frequent access is required.



CODE	1210PW
FITS INTO	UPC400, UPCS400, UPC600, UPC800, 300MPC, 1318MTC
DIMENSIONS L x W x H	13½" x 10½" x 1½"
CASE LBS. (CUBE)	3.80 (0.17)
LIST PRICE EACH	\$ 190.60

Case Pack: 1 InStock Color: Granite Gray (191).



UPC400 with Camwarmer. Two Camwarmers recommended per cavity. Place on bottom rail and store hot food above.




# **Temperature Maintenance** — Optimize Food Holding Performance.

# Camchiller - GN Full Size and Half Size

- Use to:
  - Pre-chill cabinet cavity.
  - Hold packaged food in food pan wells (Half Size Only).
  - Maximize cold food holding.
  - Minimize open cavity space.
- Easy to use:
  - 1. Freeze flat for 8 hours.
  - 2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
  - 3. Load in pans of pre-chilled food below Camchiller. (A)
  - 4. Move pans and Camchiller down as food is removed. (B)


# **COLD HOLDING**



### ThermoBarrier - Full Size

- Use to:
  - Hold hot and cold food in same cabinet cavity.
  - Minimize open cavity space.
- Easy to use:
  - 1. Slide between hot food on top and cold food on bottom. (A)
  - 2. Slide under hot food loaded in upper cavity space. (B)
  - 3. Slide above cold food loaded into lower cavity space. (C)


# HOT AND COLD HOLDING



### Camwarmer - Half Size

- Use to:
  - Pre-heat cabinet cavity.
  - Maximize hot food holding.
  - Minimize open cavity space.
- Easy to use:
  - 1. Heat in 350°F (180°C) oven for 45 minutes.
  - Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
  - 3. Load in pans of pre-heated food above Camwarmers. (A)
  - 4. Move pans and Camwarmers up as food is removed. (B)

# **HOT HOLDING**



USA / Insulated Transport

### **Ultra Pan Carrier® and Ultra Camcart® H-Series**

- Designed for both electric hot holding and non-electric transport.
- Gentle, 150° to 165°F non-radiant heat will not cook food and maintains food moisture.
- Holds a wide variety of foods such as pasta, bone-in fried chicken. and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- · All UPCH models have been tested to maintain at safe, hot food temperatures, for up to 4 hours when unplugged.
- · Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- · Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

Colors: Granite Gray (191), Granite Green (192), Slate Blue (401), Dark Brown (131), Black (110).

Casters: 6" - 2 fixed, 2 swivel, 1 with brake.













# Power On and **Heat On Indicators**

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.

162




# **Vents**

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.



# **Tough Exterior**

All UPCH units are made of tough polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



# Insulation

CFC-free, foamed-in place polyurethane foam insulation will hold temperature above 148°F for up to 4 hours when used unplugged.

www.cambro.com 1.800.833.3003

# Ultra Pan Carrier® and Ultra Camcart® H-Series

Marine rail is designed for use during service, not transport.







MODEL	UPCH400/ UPCH800 (110 vac models)	UPCH4002/ UPCH8002 (220 VAC MODELS)	UPCH1600 (110 vac models)	UPCH16002 (220 VAC MODELS)
Electrical Specifications			'	
Required Voltage	110 - 120 VAC	200 - 230 VAC	110 - 125 VAC	200 - 230 VAC
Maximum Amp.	2.0a	1.2a	4.6a	1.2a
Watts	230w	265w	529w	265w
Hertz	50/60	50/60	50/60	50/60
Plug Type	Nema 5-15P	Euro plug, CEE7	5-15P to C15RA	CEE7/7 to C15RA
Power Cord Length	9 feet	2,7 m	9 feet	2,7 m


Hot —	temperature lo	ss averaging	g 3°F/hour.		
	190°F	186°F	184°F	181°F	179°F
					-
Sta	arting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.

HOT HOLDING	150° to 165°F
WARM UP TIME (from ambient to temperature)	1 hour
RECOVERY TIME* (time to recover to temperature after door is held open for 30 seconds)	3 minutes
TRANSPORT TIME* (after reaching temperature, amount of time unit can be held passively/unplugged until contents reach 148°F.)	4 hours+

<sup>\*</sup>Based on test with 4 full-sized, 4" deep H-Pans™ filled with 190°F hot water.

# **Capacity Guide**

UPCH400 UPCH800 (x2) UPCH1600 (x4)



# **Food Pan Portion Guide**

GN 1/4 Food Pan		)		
Depth	8"	6"	4"	2½"
Serving Portions Per Pan (1 cup)	80	60	40	30

# **Ultra Pan Carrier® and Ultra Camcart® H-Series**

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400 models stack for storage or transporting on a Camdolly® with securing strap.

**Colors:** Granite Gray (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).











# **Security Package**

Tamper-resistant screws on latches. Non-removable doors. Casters and chassis plates mounted with tamper-resistant bolts. Locking hasp (optional item) for padlocks (not included).

CODE	DESCRIPTION	EXTERIOR Dimensions W x D x H	COMPARTMENT Dimensions W x D x H	CASE LB. (CUBE)	LIST Price ea.
1-Compartment Ultra Pa	an Carriers			,	
UPCH400	No casters	181/8" x 263/8" x 247/9"	131/8" x 21" x 191/8"	45 (7.96)	\$ 1,330.00
UPCHW400	With casters	181/8" x 23/8" x 311/4"	131/8" x 21" x 191/8"	54 (9.98)	1,525.00
220V					
UPCH4002	No casters	181/8" x 263/8" x 247/9"	131/8" x 21" x 191/8"	45 (7.96)	1,330.00
UPCHW4002	With casters	181/8" x 23/8" x 311/4"	131/8" x 21" x 191/8"	54 (9.98)	1,525.00
2-Compartment Ultra Ca 110V	amcarts				
UPCH800	Both doors heated	20½" x 27½" x 54"	13" x 21½" x 19½"	102 (19.89)	3,205.00
UPCHT800	Top door heated only	20½" x 27½" x 54"	13" x 21½" x 19½"	96 (19.89)	2,440.00
UPCH1600	Both doors heated	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	159 (35.33)	5,455.00
UPCH1600HD	Both doors heated, HD casters	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	168.5 (35.33)	5,610.00
UPCHT1600	Top door heated only	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	145 (35.33)	4,245.00
UPCHT1600HD	Top door heated only, HD casters	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	154.5 (35.33)	4,400.00
UPCHTR1600	Both door heated, Tamper Resistant	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	170 (35.33)	4,915.00
220V					
UPCH8002	Both doors heated	20½" x 27½" x 54"	13" x 21½" x 19½"	102 (19.89)	3,205.00
UPCHT8002	Top door heated only	20½" x 27½" x 54"	13" x 21½" x 19½"	96 (19.89)	2,440.00
UPCH16002	Both doors heated	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	159 (35.33)	5,455.00
UPCH16002HD	Both doors heated, HD casters	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	168.5 (35.33)	5,610.00
UPCHT16002	Top door heated only	28¾" x 33¾" x 54½"	21" x 26½" x 21"	145 (35.33)	4,245.00
UPCHT16002HD	Top door heated only, HD casters	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	154.5 (35.33)	4,400.00
UPCHTR16002	Both door heated, Tamper Resistant	28¾" x 33¾" x 54½"	21" x 261/8" x 21"	170 (35.33)	4,915.00
Accessories for 1-Comp	partment				

Accessories for 1-Compartment

CD400, 400STP See Accessories Page 153

Also Available: Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable).

**UPCH Case Pack:** 1

InStock Colors: Black (110), Dark Brown (131).

**Standard Casters:**  $6" \times 1^{1/4}" - 2$  fixed, 2 swivel, 1 with brake.

**HD Casters:**  $6" \times 2" - 2$  fixed, 2 swivel with brake.

www.cambro.com 1.800.833.3003



1.800.833.3003 USA / Insulated Transport

165

# Combo Cart™ Plus, **Electric**

- The most versatile insulated transporter on the market! Holds food pans, sheet pans, trays and even large pizza boxes.
- Two separate compartments offer the flexibility of holding either hot or cold food by simply keeping it unplugged.
- Tough, durable polyethylene exterior will not dent, rust or chip and remains cool to the touch during operation—a great alternative to metal holding carts!
- Thick, CFC-free polyurethane insulation throughout the cabinet ensures excellent food quality and temperature retention for 4 hours or more, even when unplugged.
- Over 50% more energy-efficient, on average, than leading metal
- Ideal for caterers, schools, hotels and large institutions.

### Color: Charcoal Gray (615).

Note: Place food pans on rails. Pans should not be placed on the floor of the compartment. All food should be cooled to 250°F before placing into cart to avoid damage to the body.







### **GASKET-FREE DOOR**

Worry free door! Swings open completely to the side.

### MARINE RAILING

Creates a bonus staging area for food pans.



### **ERGONOMIC VERTICAL MOLDED-IN HANDLES**

Will never break; great for maneuvering by operators of all heights.



AMPBELL

WEDDING

### **ENERGY-SAVING HEATER**

combinations of these!)

Over 50% more energy efficient compared to leading metal carts! Gentle, non-radiant heat circulates consistently from front to back of the cabinet.

STAINLESS STEEL UNIVERSAL RAILS Holds sheet pans, food pans,

pizza boxes and trays (or limitless

### **MENU POCKET**

Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.



Monitor internal cabinet temperature at a glance.



For easy opening and closing.



### POWER ON AND HEAT ON INDICATORS

Communicate the power and heating status of the unit. Know instantly when the compartment has reached target temperature. Turn on and off without unplugging the cord.



All swivel with brakes for smooth positioning and navigation; non-marking.




# CORD KEEPER

Stores 9' (2,7 m) power cord neatly and safely.

# PERIMETER BUMPER

Protects cart and walls.



### INSULATION

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more



# Combo Cart™ Plus, Electric

CODE DESCRIPTION		UNIT WEIGHT (LBS.)	CASE LBS. (CUBE)	LIST Price ea.
110V	,	'		
CMBPH	Standard Casters	232	252.5 (42.5)	\$ 7,775.00
CMBPHHD	Heavy Duty Casters	241.5	262 (42.5)	7,915.00
CMBPTH	Top Door Heated Only, Standard Casters	230.5	251 (42.5)	6,675.00
CMBPTHHD	Top Door Heated Only, Heavy Duty Casters	240	260.5 (42.5)	6,815.00
Security Package				
CMBPHSP	Standard Casters	233	253.5 (42.5)	8,295.00
CMBPHSPHD	Heavy Duty Casters	242.5	263 (42.5)	8,435.00
220V				
CMBPH2	Standard Casters	232	252.5 (42.5)	7,775.00
CMBPH2HD	Heavy Duty Casters	241.5	262 (42.5)	7,915.00
CMBPTH2	Top Door Heated Only, Standard Casters	230.5	251 (42.5)	6,675.00
CMBPTH2HD	Top Door Heated Only, Heavy Duty Casters	240	260.5 (42.5)	6,815.00

Standard Caster: 6" x 11/4" (all swivel, with brakes) Exterior Dimensions (W x D x H): 27%" x 331/2" x 655/8"

Heavy Duty Caster: 6" x 2" (all swivel, with brakes) Compartment Dimensions with column rails (W x D x H): 21½" x 26½" x 25½"

Case Pack: 1 Color: Charcoal Gray (615).

# **Security Package**

Tamper-resistant screws on the latch handle assembly. Non-removable retainer rings on each hinge pin make doors non-removable. Built-in hasp for a transit seal or certain types of padlocks. Tamper-resistant fasteners for columns and crosslocking wires behind the columns lock the rails into place.



# **Optional Accessories**

CODE	CMBPR1	CMBPR7
DESCRIPTION	1 Pair of Rails	7 Pair of Rails
CASE LBS. (CUBE)	4.12 (0.13)	27.75 (0.47)
LIST PRICE EACH	\$ 78.00	\$ 500.00

Case Pack: 1 Color: (000).

# **Electrical Specifications (Per Compartment)**

	110V MODELS	220V MODELS
REQUIRED VOLTAGE	100-125 VAC	200-230 VAC
MAXIMUM AMP	4.6a	2.3a
WATTS	529w	506w
HERTZ	50/60	50/60
PHASE	Single	Single
PLUG TYPES	5-15 to C15RA	CEE7/7 to C15RA
ALTERNATE PLUG TYPES For international	JIS8303 to C15RA (Japan)	BS1363 to C15RA (UK / Ireland+more)
POWER CORD LENGTH	9 ft.	2,7 m

# **Holding Capacity Reference**

TYPE OF CONTAINER	STANDARD Capacity	RAIL Spacing	MAXIMUM Capacity	RAIL Spacing
18" x 26" FULL SIZE SHEET PANS	14	33/8"	32*	1½"
13" x 18" FULL SIZE SHEET PANS	28	33/8"	64*	1½"
2½" DEEP HOTEL PANS	28	33/8"	28	33/8"
4" DEEP HOTEL PANS	20**	5"	20	5"
40 x 60 CM TRAYS	14	33/8"	32*	1½"
32,5 x 53 CM TRAYS	28	33/8"	52*	11/8"
16" x 16" x 2" PIZZA BOXES	14	33/8"	22	21/4"

<sup>\*</sup> Additional rails required.

<sup>\*\*</sup> Only requires 5 pairs of rails.

# Insulated Food Servers (Electric) — Camtherm® Electric Food Holding Cabinets



# Go From Hot to Cold in One Versatile Appliance!

- Use for bulk food holding in the kitchen or to transport large amounts of food off-site.
- Go from hot to cold with the simple flip of a switch!
- Tough polyethylene exterior will not dent, rust or chip; stays cool to the touch during operation, unlike metal cabinets.
- Thick polyurethane foam insulation maintains safe food holding temperatures for 4 hours or more, even unplugged.
- Available in two sizes and hot only or hot/cold models.

168

Energy-efficient thermoelectric heating and cooling with:

**No** Compressor, heating coil or humidifier.

**Low** voltage, amps, wattage.

48%
More
Energy
Efficient

Than a Leading Metal Cabinet

www.cambro.com 1.800.833.3003



# Camtherm® Electric Food Holding Cabinets

Assembly is covered by U.S. Patent D 442,756 S & D 6,344,630.

### KNUCKLE DOOR HINGES

Withstand rigorous door openings, allows door to be lifted up and off for easy cleaning.

### DOOR SWINGS OPEN 270°

for easy loading.

### MARINE RAILING

Holds 2 full-sized food pans, 1 full-sized sheet pan or cutting board (CB1220).

### SOLAR DIGITAL THERMOMETER Monitor internal

temperature at a glance.

### SELF-VENTING CAP

Releases steam and equalizes pressure, maintaining food quality.



# MENU CLIP For easy product/ev

For easy product/event identification.

# ADJUSTABLE CHROME-PLATED STEEL SLIDE RAILS

Hold full-size food pans or sheet pans.

# **POLYETHYLENE EXTERIOR** Stays cool to the touch during operation.

### ERGONOMIC Molded-in Handles

For easy maneuvering even when fully loaded.

### ALUMINUM LOUVERS

Gently circulate hot or cold air evenly.

### WIDE NYLON DOOR Latches/Magnetic Door Gaskets

Lock doors securely and create a tight seal to retain safe hot or cold food temperatures.

### MOLDED-IN BUMPERS

Protect walls and furniture.

CONTROL PANEL (in back) On/Off switch
Temperature control dial for hot only models
[Hot pre-set between 150° to 165°F (65° to 74°C)].
Hot/Cold switch for Hot/Cold Models only
[Cold pre-set to 37°F (2,8°C)].











169

ELECTRICAL Specifications	LOW PROFILE HOT ONLY	LOW PROFILE HOT/COLD	TALL PROFILE HOT ONLY	TALL PROFILE HOT/COLD
VOLTS	110V	110V	110V	110V
PLUG TYPE	Nema 5-15P	Nema 5-15P	Nema 5-15P	Nema 5-15P
MAXIMUM AMP DRAW	9.1 amps	10.7 amps	14 amps	14.3 amps
AMPS RUN ON	9 amps	10.1 amps	13.8 amps	13.6 amps
WATTS	1035	1162	1587	1570
HERTZ	50/60	50/60	50/60	50/60
POWER INPUT OF HEATING UNIT	110-120 VAC	110-120 VAC	110-120 VAC	110-120 VAC

1.800.833.3003 USA / Insulated Transport

# **Camtherm® Capacity Specifications**

HOLDING CAPACITY	LOW PROFILE	HIGH PROFILE
Sheet Pans		
18" x 26" (45,7 x 66 cm)	11*	22**
Full-Size Food Pans		
2½" (6,5 cm) Deep	12	24
4" (10 cm) Deep	8	16
6" (15 cm) Deep	6	12
8" (20 cm) Deep	4	8

<sup>\*</sup>Requires five additional rail sets

# **Security Package**

Models are specifically modified with tamper-resistant hardware for operations where safety is a top priority.

- Security screws attach rail assembly to unit.
- Locking, stainless steel door latch—factory assembled.
- One-piece, welded rail and upright assembly available upon request.



# **Product Specifications** CAD Drawings, Cut Sheets and User Manual Available at www.cambro.com.

	CODE	THERMOMETER	CASTERS	UNIT WEIGHT LBS	CASE LBS. (CUBE)	LIST Price ea.
OW PROFILE	EXTERIOR dimension	ons: <b>W</b> 30½" x <b>D</b> 42"		-	,	
	Hot Only					
	CMBH1826LF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	164	178 (32.85)	\$ 6,020.00
	CMBH1826LC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	164	178 (32.85)	6,020.0
	Hot/Cold					
	CMBHC1826LF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	222	237 (32.85)	12,345.00
3. 11	CMBHC1826LC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	222	237 (32.85)	12,345.0
0	LOW PROFILE WITH S	ECURITY PACKAGE				
	Hot Only					
(NSE)	CMBH1826LTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	167.39	181.39 (32.85)	6,305.00
(TI)	Hot/Cold					
c CID us	CMBHC1826LTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	225.39	240.39 (32.85)	12,670.00
	CMBH1826TSF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 6" rigid	249.64	278.64 (47.5)	9,405.00
	CMBH1826TBF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	254	279.6 (47.57)	9,405.00
	CMBH1826TSC	Celsius	2 front 6" swivel w/brake, 2 rear 6" rigid	249.64	278.64 (47.5)	9,405.00
Tolk	CMBH1826TBC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	254	283 (47.5)	9,405.00
	Hot/Cold	Geisius	2 Hollt O Swivel Wiblake, 2 leaf 10 High	234	203 (47.3)	3,403.00
	CMBHC1826TSF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 6" rigid	325.5	354.5 (47.5)	17,340.00
	CMBHC1826TBF	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	329.82	358.82 (47.5)	17,340.00
	CMBHC1826TSC	Celsius	2 front 6" swivel w/brake, 2 rear 6" rigid	325.5	354.5 (47.5)	17,340.00
	CMBHC1826TBC	Celsius	2 front 6" swivel w/brake, 2 rear 10" rigid	329.82	358.82 (47.5)	17,340.00
	TALL PROFILE WITH S	FCIIRITY PACKAGE				
·(FID) ·-	Hot Only	LOUKITTTAONAGE				
<b>(II)</b>	CMBH1826TTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	260.77	289.77 (47.5)	9,925.00
	Hot/Cold					
CONFORMS TO UL STD 197 & 471;	CMBHC1826TTR	Fahrenheit	2 front 6" swivel w/brake, 2 rear 10" rigid	336.59	365.59 (47.5)	17,895.00
, ,		. 0 (101) 0	0 (100) 0 '1 0 1 (104)			

ACCESSORIES

ANSI/NSF STD 4

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE LBS. (CUBE)	CASE PACK	LIST PRICE EA.
CMBR	Set of Slide Rails	20" x 413/16"	2.25 (0.11)	1 set of 2 Rails	\$ 55.00
CB1220	Cutting Board	21" x 131/8" x 1/2"	4 (0.31)	1 each	42.00


Cutting Board Color: White (148). Venting plug is covered by US Patent D 553,717 S.

Cabinet Colors: Granite Gray (191), Granite Green (192), Granite Sand (194).

<sup>\*\*</sup>Requires five additional rail sets.

# **Transporter Capacity Guide**

# **Loading Examples for Cambro® Insulated Transporters**





**HEALTHCARE** 

# Non-Skid Versa Camtrays®

- Non-Skid Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- Non-Skid Camtrays provide a better grip for safer meal delivery.
- · Dishwasher safe in low and high temperatures.
- · Stacking lugs allow for quick drying.

**Camtray and Dietary Tray Colors:** Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).







Personalization available. Visit www.cambro.com for details.



Non-skid trays grip table top items firmly

CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)	LIST Price ea.
1418VC	Non-Skid Versa Camtray	14" x 18"	20.74 (0.69)	\$ 37.40
1520VC	Non-Skid Versa Camtray	15" x 20"	26.04 (0.4)	41.80
1622VC*	Non-Skid Versa Camtray	16" x 22"	32.16 (1.11)	51.70
1418VDC	Non-Skid Versa Dietary Tray	14" x 18"	20.45 (0.75)	37.40
1520VDC	Non-Skid Versa Dietary Tray	15" x 20"	26.88 (0.73)	41.80

Case Pack: 12 InStock Colors: Black with Pebbled Black (382),

Pearl Gray with Titan (381), Ivory with Sahara (380).

Visit www.cambro.com/savemoney to see how much you can save by eliminating your purchase of paper mats.

# **Non-Skid Versa Camtrays for Room Service**

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 15" x 20" trays.
- Non-skid surface eliminates the need for tray mats saving time and money.
- · Dishwasher safe at high and low temperatures.
- Stacking lugs allow for quick drying.











CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)	LIST PRICE EA.
1520VCRST	Room Service Non-Skid Camtray	15" x 20"	22.5 (0.88)	\$ 44.00

Case Pack: 12 InStock Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380),

USA / Healthcare 1.800.833.3003

<sup>\*1622</sup>VC only available in Ivory with Sahara (380).

# **Meal Delivery Ware System** — The Shoreline Collection

A contemporary look, high performance, and unequalled safety at a budget-friendly price.

- Works with all Cambro Temperature Retention Bases and Pellets: Camduction® Complete Heat System, Camtherm® Thermal Pellet System, and the Heat Keeper Insulating Base System.
- The only NSF listed bowls and mug in the healthcare industry.
- Includes two types of Insulated Domes, three sizes of Insulated Bowls, one Insulated Mug, one Ceramic Plate and multiple heat and plate underliner options.

MDSD9, MDSLD9 and MDSPLT9 not NSF Listed.

See Tray Section for full summary of size, shapes and colors.







### **Colors:**





Meadow

Wheat





Cranberry

Navy Blue





Black

Speckled Gray







www.cambro.com 1.800.833.3003

# **Meal Delivery Ware for Temperature Retention**

# Camduction® Complete Heat System

Our most efficient heat retention solution, holds temperature for 60 or more minutes.





Refer to Meal Delivery System page for colors

CODE	MDSD9	MDSLD9	MDSPLT9	MDSCDB9
DESCRIPTION	Insulated Dome covers 9" plate	Low Profile Insulated Dome cover 9" plate	Ceramic Plate	Camduction Base holds 9" plate
OUTSIDE DIAMETER	101/4"	101/4"	9"	9%16"
OUTSIDE HEIGHT	33/16"	23/4"	1"	115/16"
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314	CRP9911
CASE LBS. (CUBE)	10.92 (1.43)	9.78 (1.18)	38 (0.81)	32.52 (0.71)
CASE PACK	12	12	24	12
LIST PRICE EACH	\$ 18.55	\$ 14.00	\$ 189.00	\$ 95.00

MDSPLT9 Color: Ivory (000). MDSPLT9 Sold in full cases only, price per case. MDSCDB9 for use with MDSCDCB9. MDSCDCB9 and MDSCDB9 are covered by U.S. Patent D 630, 8975.

# Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention, holds temperature for 60 or more minutes.



MDSD9	MDSLD9	MDSPLT9	MDSP9	MDSL9
Insulated Dome	Low Profile	Ceramic Plate	Thermal Pellet	Pellet
		Insulated Dome Low Profile	Insulated Dome Low Profile Ceramic Plate	Insulated Dome Low Profile Ceramic Plate Thermal Pellet

CODE	MDSD9	MDSLD9	MDSPLT9	MDSP9	MDSL9
DESCRIPTION	Insulated Dome covers 9" plate	Low Profile Insulated Dome covers 9" plate	Ceramic Plate	Thermal Pellet holds 9" plate	Pellet Underliner holds 9½" pellet
OUTSIDE DIAMETER	101/4"	101/4"	9"	91/2"	916"
OUTSIDE HEIGHT	33/16"	23/4"	1"	13/4"	11/5"
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314	PR59314	PR59314
CASE LBS. (CUBE)	10.92 (1.43)	9.78 (1.18)	38 (0.81)	29.75 (0.64)	5.15 (0.46)
CASE PACK	12	12	24	12	12
LIST PRICE EACH	\$ 18.55	\$ 14.00	\$ 189.00	\$ 43.35	\$ 8.40

MDSP9 Color: Dark Gray (477). MDSP9 for use with CHPEL80.

MDSPLT9 Color: Ivory (000). MDSPLT9 Sold in full cases only, price per case.

MDSL9 and MDSP9 are NSF listed.

# Heat Keeper Insulating Base System

The cost-effective solution for heat retention, holds temperature for 20 or more minutes.





CODE	MDSD9	MDSLD9	MDSPLT9	HK39B
DESCRIPTION	Insulated Dome covers 9" plate	Low Profile Insulated Dome covers 9" plate	Ceramic Plate	Insulating Base holds 9" plate
OUTSIDE DIAMETER	101/4"	101/4"	9"	95/8"
OUTSIDE HEIGHT	33/16"	23/4"	1"	15/8"
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314	PR59314
CASE LBS. (CUBE)	10.92 (1.43)	9.78 (1.18)	38 (0.81)	9.25 (0.79)
CASE PACK	12	12	24	12
LIST PRICE EACH	\$ 18.55	\$ 14.00	\$ 189.00	\$ 10.65

MDSPLT9 Color: Ivory (000). MDSPLT9 Sold in full cases only, price per case. HK39B is NSF listed.

1.800.833.3003 USA / Healthcare

# **Camduction® Complete Heat System** — The Heat Retention Solution

The new standard of meal delivery systems, the Camduction Complete Heat System is designed to perform consistently under the most demanding conditions of healthcare foodservice.

**Camduction Charger Cart** has NSF components.

MDSCDCB9 and MDSCDB9 are covered by U.S. Patent D 630, 8975S and 8,263,906 B2

Camduction Charger comes with 1 year warranty.











<sup>\*</sup>Test performed with heated Cambro plate, dome, and Camduction Base.

40 min.

60 min.

### **Camduction Base**

Starting

Temperature

• Camduction Bases are durable and dishwasher safe.

20 min.

- Resistant to chips, cracks, and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.
- 2 year pro-rated warranty on Bases.



80 min.

CODE	MDSCDCB9
DESCRIPTION	Camduction Base Charger
NUMBER OF STACKS	2
CAPACITY	20 Bases
OVERALL DIMENSIONS W x D x H	30" x 181/8" x 345/8"
VOLTAGE/PHASE	208-240 (250 MAX) VAC, Single Phase
AMPS	24.9 (MAX)
HZ	50/60
PLUG CONFIGURATION	NEMA L6-30P
ELECTRICAL CORD	6 feet
HEAT UP TIME PER BASE/PELLET	12 seconds*
ALL INDICATOR LIGHTS	LED
PRODUCT WEIGHT	108.5 lbs.
CASE LBS (CUBE)	157 (17.38)
LIST PRICE EACH	\$ 8,500.00
Cose Dook 1	

Case Pack: 1

Color: Stainless Steel (000). \*12 seconds at 220V.

www.cambro.com 1.800.833.3003

# Camtherm® Plate Heater and Pellet Heater



- Unmatched consistency and durability from the premier name in foodservice.
- Plate heater holds up to 100 plates and Pellet heater holds up to 80 pellets.
- Smart, dual-lid design conserves heat and energy by opening separately from each other.
- Stainless steel components ensure a rust-free environment.





# Food Temperature Retention\*

173.9°F	172.7°F	163.2°F	152.3°F	142.4°F
_				
Starting Temperature	20 min.	40 min.	60 min.	80 min.

<sup>\*</sup> Test performed with heated Cambro plate, pellet, underliner and dome.

CODE	CHPEL80	CHPL100
DESCRIPTION	Pellet Heater	Plate Heater
NUMBER OF STACKS	2	2
CAPACITY	80 pellets (40 in each stack)	100 plates (50 in each stack)
CASTER TYPE	Four 5" casters, two rigid and two swivel with brakes	Four 5" casters, two rigid and two swivel with brakes
OVERALL DIMENSIONS W x D x H	36½" x 25¼" x 46¼"	36½" x 25¼" x 46¼"
Electrical Specifications		
VOLTAGE/PHASE	208/240 VAC	208/240 VAC
AMPS	15	15
WATTS	3500	3500
HZ	50/60	50/60
ELECTRICAL CORD	6 Feet	6 Feet
NEMA PLUG CONFIGURATION	NEMA 6-15	NEMA 6-15
FACTORY SET TEMPERATURE	270 – 290°F	150 − 170°F
PRODUCT WEIGHT	248 lbs.	248 lbs.
CASE LBS (CUBE)	330 (37.40)	330 (37.40)
LIST PRICE EACH	\$ 9,500.00	\$ 9,500.00

Case Pack: 1

**Color:** Stainless Steel (000). 1 . 8 0 0 . 8 3 3 . 3 0 0 3

# Consistency



- Even, convection heating from top to bottom of each silo with two blowers and two heating elements.
- Self-leveling dispenser plates and pellets dispense at the top of the opening, no matter if there are 2 plates or 50 plates.
- Plate retains safe-holding temperatures for at least 1 hour.\*

# **Efficiency**



- Insulated to keep plates or pellets hot while keeping the exterior cool to the touch.
- High-temperature silicone gasket and magnetic closers provide a locking seal that retains heat.
- Ergonomic, heavy-duty lid handles stay cool and offer a good grip.

### **Camtherm Thermal Pellet**



- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 20°F cooler on the edge than metal pellets to protect staff and patients from burns.
- Is a high-density plastic composite that won't dent like metal pellets.
- Holds a 9" plate.

Thermal Pellet Color: Dark Gray (477)







# **Meal Delivery Options and Accessories**

# Low Profile Dome Comparison

• Perfect for limited tray spacing as low as  $4\frac{1}{2}$ ".



\*This height is measured from a flat surface

# **Insulated Accessories**



Mug features ergonomicallycorrect handle that fits three fingers.











CODE	MDSM8	MDSB5	MDSB9	MDSB16
DESCRIPTION	Mug	Sm. Bowl	Lg. Bowl	Entree Bowl
APPROX. CAPACITY TO RIM	8 oz.	5 oz.	9 oz.	16.9 oz.
OUTSIDE DIAMETER	3½" *	3½"	43/8"	53/8"
HEIGHT	4"	22/5"	22/5"	22/5"
FULL-SIZE CAMRACK®	16C414	16C414	9S318	9S318
CASE LBS. (CUBE)	11.5 (1.55)	7.4 (0.94)	10.07 (1.4)	17 (2.29)
LIST PRICE EACH	\$ 3.00	\$ 3.00	\$ 3.00	\$ 5.85

Case Pack: 48 \* MDSM8 Diameter 4½" with Handle. Refer to Meal Delivery System page for colors.

# Reusable CamLids® for Meal Delivery Systems

- Save up to 75% in lid costs each year.
- Reduce your waste-stream by ten tons each year when you switch from disposables to reusables.\*
- Dishwasher safe.
- \*Based on 100 bed facility using 3 disposable lids for 3 meals daily.

Reusable Lids Colors: Speckled White (490), Midnight Blue (453).

Camrack Wash and Store Rack Color: Kelly Green (452).

**Camrack Base Full Size InStock Color:** Soft Gray (151).

Full Rack Cover InStock Color: Gray (180).

**CLRWSR36** is covered under U.S. patent D 617,069.

Full Rack Cover not NSF certified.





# Camrack® Wash and Store Rack

Specifically designed for safely and securely washing and storing Reusable CamLids. Each Camrack Wash and Store Rack holds 36 Reusable CamLids.





Visit www.cambro.com/savemoney for a Customized Savings Calculator!

CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)	PACK	PRICE EA.
Reusable CamLio	ls	H x DIA.			
CLRSM8B5	Fits Shoreline 8 oz. mug and 5 oz. bowl	<sup>2</sup> / <sub>7</sub> " x 3 <sup>9</sup> / <sub>16</sub> "	4.54 (0.38)	240	\$ 119.00
CLRSB9	Fits Shoreline 9 oz. bowl	<sup>2</sup> / <sub>7</sub> " x 4 <sup>7</sup> / <sub>16</sub> "	6.69 (0.59)	240	158.50
CLRSB16	Fits Shoreline 16 oz. bowl	²/₁" x 5½"	9.6 (1.41)	240	260.00
Accessories for	CLRSM8B5 and CLRSB9	LxWxH			
CLRWSR36	Camrack Wash and Store Rack for Reusable Lids	8½" x 17½" x 5½"	4.2 (1.27)	4	24.90
BR578	Camrack Full Size Base Rack with 2 extenders	19¾" x 19¾" x 7¼"	24.66 (6.76)	4	62.90
DRC2020	Full Rack Cover	195/8" x 195/8" x 15/16"	2.3 (0.34)	1	55.55
Accessories for	CLRSB16	LxWxH			
PR500	9 x 9 Peg Rack with 1 Extender	19¾" x 19¾" x 5½"	29.28 (6.93)	5	51.60
E3	Full Size Open Extender	19¾" x 19¾" x 2"	16.90 (5.52)	12	12.45
CRPHDG2878	Full Size Square Hold Down Grid	18¾" x 18¾"	11.05 (0.49)	6	25.85
D 11 0 1:	THE TANK THE T				

Reusable CamLids sold in cases only. No broken cartons.



www.cambro.com 1.800.833.3003

# **Disposable CamLids®**

# Disposable Lids for Shoreline









LID CODE	CLSM8B5	CLSB9	CLSB16	CLSSM8B5
DESCRIPTION	Sm. Disp. Lid	Lg. Disp. Lid	Disp. Entree Bowl Lid	Disp. Sip. Lid
FITS	MDSB5, MDSM8	MDSB9	MDSB16	MDSB5, MDSM8
OUTSIDE DIAMETER	39/16"	47/16"	5½"	39/16"
HEIGHT	5/ <sub>16</sub> "	5/ <sub>16</sub> "	5/ <sub>16</sub> "	11/16"
CASE LBS. (CUBE)	9 (1.9)	10 (2.26)	13 (2.49)	7 (1.39)
CASE PACK	1,500	1,000	1,000	1,000
LIST PRICE PER CASE	\$ 97.65	\$ 81.90	\$ 110.00	\$ 81.90

CLSM8B5, CLSB9 and CLSB16 Color: Translucent (190). CLSSM8B5 Color: White (148).

Sold in full cases only. No broken cartons.









# Disposable Lids for Newport Tumblers

LID CODE	CLNT5	CLNT8	CLNT10	CLNT12
FITS TUMBLER	NT5	NT8	NT10	NT12
TUMBLER CAPACITY	6.4 oz.	8 oz.	10 oz.	12.6 oz.
CASE LBS. (CUBE)	6 (1.07)	5 (0.85)	5 (1.0)	5 (0.98)
CASE PACK	1,500	1,000	1,000	1,000
LIST PRICE PER CASE	\$ 110.25	\$ 69.60	\$ 89.25	\$ 97.75

Color: Translucent (190). Sold in full cases only. No broken cartons.









# Disposable Lids for Laguna® Tumblers

LID CODE	CLLT6	CLLT10	CLLT12
FITS TUMBLER	LT6	LT10	LT12
TUMBLER CAPACITY	6 oz.	10 oz.	12 oz.
CASE LBS. (CUBE)	6 (1.07)	5 (0.98)	6 (1.09)
CASE PACK	1,500	1,000	1,000
LIST PRICE PER CASE	\$ 110.25	\$ 89.25	\$ 97.75

**Color:** Translucent (190). Sold in full cases only. No broken cartons.





# Disposable Lid for Swirl Bowls

LID CODE	CLSRB5
FITS SWIRL BOWLS	SRB5CW / SRB5
SWIRL BOWL CAPACITY	5 oz.
CASE LBS. (CUBE)	10 (2.23)
CASE PACK	1,000
LIST PRICE PER CASE	\$ 146.45

Color: Clear (152). Sold in full cases only. No broken cartons.

# Disposable Lids for Colorware Tumblers

LID CODE	CL900P	CL950P
FITS TUMBLERS	900P / 900P2	950P / 950P2
TUMBLER CAPACITY	9.7 oz.	9.8 oz.
CASE LBS. (CUBE)	6 (1.05)	6 (0.85)
CASE PACK	1,000	1,000
LIST PRICE PER CASE	\$ 97.75	\$ 71.30

Color: Translucent (190). Sold in full cases only. No broken cartons.

# **Camduction® Cart** for Charger

has NSF components.







Safely lift hot, thermal pellets or plates with the Cambro Pellet Lifter.



CODE	MDSCDCCPKG480*
DESCRIPTION	Camduction Cart for Charger
DIMENSIONS L x W x H	36" x 24" x 35"
CASE LBS. (CUBE)	54.8 (2.32)
CASE PACK	1
LIST PRICE EACH	\$ 560.00

Color: Speckled Gray (480).

CODE	MDSPL
DESCRIPTION	Pellet Lifter
OUTSIDE DIAMETER	31/8"
HEIGHT	3"
CASE LBS. (CUBE)	0.4 (0.03)
CASE PACK	1
LIST PRICE EACH	\$ 81.90

MDSPL Color: (000).

# Camshelving® Drying and Storage Cart



- Keeps trayline and dishwashing areas organized and efficient.
- · Cradles are made of stainless steel.
- Shelving posts and traverses feature a steel core with a smooth polypropylene exterior.
- Cradles are removable and fit into a Camrack® base rack (BR258) for dishwasher service.
- Dome Drying Rack holds 100 each 10" domes and/or pellet underliners.
- Camduction Base Drying Rack holds 180 each Camduction Bases, and/or Camtherm Thermal Pellets.

### Color:

Cart - Speckled Gray (480) Cradle - Stainless Steel (000).







CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE LBS. (CUBE)	LIST Price ea.
CSDDCPKG480*	Dome Drying and Storage Cart	36" x 18" x 75"	114.0 (10.23)	\$ 2,166.40
MDSDCPKG480**	Camduction Base and Thermal Pellet Drying and Storage Cart	48" x 18" x 75"	143.51 (16.14)	3,100.00
CSDC	Dome Drying Cradle	17¾" x 16" x 10"	4.5 (1.11)	136.00
CSPDC5	Camduction Base and Thermal Pellet Drying Cradle	17 <sup>13</sup> / <sub>16</sub> " x 13 <sup>3</sup> / <sub>4</sub> " x 10"	17.77 (2.51)	758.00

### Case Pack: 1

<sup>\*</sup> Ships in 7 separate cartons.

<sup>\*</sup>Ships in 3 cartons, Carton 1: 2 Post Kits, 10 Traverses and 4 Casters, Carton 2: Set of 5 Drying Cradles, Carton 3: Set of 5 Drying Cradles.

<sup>\*\*</sup>Ships in 7 cartons.

## Meal Delivery Carts for Tray Service (20 Tray Capacity)



- Use to transport meal trays from the kitchen to acute care patients, nursing home residents or correctional facility inmates.
- Ensures optimal food quality and short delivery times.
- Tough, one-piece, non insulated double-wall polyethylene carts are easy to clean and won't rust, dent, crack, chip or break.
- All units have light-weight non-insulated ABS doors.

MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.





Marine rail is designed for use during service, not transport.







### **Low Profile**

CODE	MDC1520S20	MDC1418S20
TRAY SIZE	15" x 20"	14" x 18"
TRAYS PER CART / PER COMPARTMENT	20 / 10	20 / 10
RAILS PER COMPARTMENT	5	5
TRAYS PER RAIL / RAIL SPACING	2 / 5½"	2 / 5½"
NUMBER OF COMPARTMENTS	2	2
NUMBER OF MENU CLIPS	2	2
MENU CLIPS - LOCATION	1 per door	1 per door
HANDLES - TYPE AND LOCATION	Molded in, each end	Molded in, each end
CASTER TYPE	5", 2 end swivel w/brake; 8", 2 rigid wheel on center axle	5", 2 swivel w/brake, 2 rigid, offset
LATCHES	2 internal nylon friction	2 internal nylon friction
EXTERNAL DIMENSIONS W x D x H	551/8" x 38" x 431/4"	48½" x 32½" x 44"
INTERNAL DIMENSIONS W x D x H	20½" x 30¼" x 27½"	18¾" x 28¾" x 29"
REQUIRED DOOR WIDTH	38½"	33"
UNIT WEIGHT LBS	144.2 lbs.	138.4 lbs.
CASE LBS. (CUBE)	165.2 (55.72)	160.4 (41.54)
LIST PRICE EACH	\$ 3,610.00	\$ 3,545.00

Case Pack: 1 Colors (All carts with cream color doors): Gray (180), Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194).

USA / Healthcare 1.800.833.3003

## Meal Delivery Carts for Tray Service (16 & 30 Tray Capacity)



Marine rail is designed for use during service, not transport.









TAII	Pro	filo
------	-----	------

Tall Fluille					
CODE	MDC1520T30	MDC1418T30	MDC1520T16	MDC1418T16	
TRAY SIZE	15" x 20"	14" x 18"	15" x 20"	14" x 18"	
TRAYS PER CART / COMPARTMENT	30 / 10	30 / 10	16 / 8	16 / 8	
RAILS PER COMPARTMENT	10	10	4	4	
TRAYS PER RAIL / RAIL SPACING	1 / 5"	1 / 5"	2 / 51/4"	2 / 51/4"	
NUMBER OF COMPARTMENTS	3	3	2	2	
NUMBER OF MENU CLIPS	5	5	1	1	
MENU CLIPS - LOCATION	Each door, each end	Each door, each end	Back of cart only	Back of cart only	
HANDLES - TYPE AND LOCATION	Heavy-duty nylon, mounted 1 per end	Heavy-duty nylon, mounted 1 per end	Molded-in, back of cart	Molded-in, back of cart	
CASTER TYPE	6", 2 rigid, 4 swivel with brake, offset	6", 2 rigid, 4 swivel with brake, offset	6", 2 rigid, 2 swivel with brake	6", 2 rigid, 2 swivel with brake	
LATCHES	Friction catch,Transit latches*	Friction catch, Transit latches*	Large paddle latch	Large paddle latch	
EXTERNAL DIMENSIONS W x D x H	60" x 29¼" x 635/8"	60" x 291/4" x 635/8"	305%" x 391%" x 581%"	28" x 36½" x 58½"	
INTERNAL DIMENSIONS W x D x H	15¼" x 21" x 50"	14½" x 21½" x 50"	205/8" x 301/2" x 211/2"	18¾" x 29¾" x 21½"	
REQUIRED DOOR WIDTH	30"	30"	31"	281/2"	
UNIT WEIGHT LBS.	208.4 lbs.	231.86 lbs.	134.2 lbs.	138.9 lbs.	
CASE LBS. (CUBE)	234 (70.67)	282.1 (65.59)	157.7 (45.88)	140.67 (39.46)	
LIST PRICE EACH	\$ 5,790.00	\$ 5,735.00	\$ 3,330.00	\$ 3,245.00	


Case Pack: 1 Cart Colors (All carts with cream color doors): Gray (180), Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194). \*Stainless steel transit latch at top of each door. For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.

www.cambro.com 1.800.833.3003

# Meal Delivery Carts Features and Caster Configurations

## Standard Caster Configurations

#### MDC1520S20



Diamond pattern with axle configuration allows the cart to turn on its own center.

#### MDC1418S20, MDC1411T60




This configuration offers lead in casters to increase stability and maneuverability over uneven surfaces.

#### MDC1520T16, MDC1418T16



This configuration offers stability and makes the cart easy to maneuver.

#### MDC1520T30, MDC1418T30



This configuration offers lead in casters to increase stability over uneven surfaces while providing a tighter turning radius.


#### **LEAD IN CASTERS**




Casters are offset to ease movement over uneven surfaces. This is standard on MDC1418S20, MDC1520T30, MDC1418T30 and MDC1411T60.

# Optional Caster Configurations for Models:

MDC1418S20, MDC1520T30, MDC1418T30 and MDC1411T60



Diamond pattern configuration offers lead in casters and makes the cart highly maneuverable while providing a tighter turning radius.



The 5-caster configuration offers lead in casters to ease movement over uneven surfaces while reinforcing linear motion.

### **Handles**

#### MDC1520S20, MDC1418S20



Molded in handles on each end for smooth transporting.

#### MDC1520T16, MDC1418T16



Molded in handles for easy transporting.

#### MDC1520T30, MDC1418T30, MDC1411T60\*



Heavy duty nylon handles are securely mounted and nested into each end.
\*MDC1411T60 has tamper resistant heavy duty aluminum tubing handles.

## Meal Delivery Cart For Correctional Tray Service

Modified for use in correctional facilities. Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays. Security features include security screws on handles, stop locks on door knuckles, security bolts for transit latches and caster carriage bolts with lock nuts.



CODE	MDC1411T60
TRAY SIZE	14" x $11$ " Base Tray $1411$ CW and $1411$ CP
TRAYS PER CART / PER COMPARTMENT	60 / 20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL / RAIL SPACING	2 / 5"
NUMBER OF COMPARTMENTS	3
MENU CLIPS	None
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	6" heavy-duty casters, 2" wide tread, 2 swivel no brake, 2 rigid
LATCHES	Internal friction catch, 2 per door, transit latch**
EXTERNAL DIMENSIONS W x D x H	60" x 29½" x 63½"
INTERNAL DIMENSIONS W x D x H	14½" x 21½" x 50"
REQUIRED DOOR WIDTH	30"
UNIT WEIGHT LBS.	228 lbs.
CASE LBS. (CUBE)	278 (65.59)
LIST PRICE EACH	\$ 5,735.00
Once Dook 1 Onlaws Oversite Overs (101)	O

Case Pack: 1 Colors: Granite Gray (191), Granite Sand (194), Slate Blue (401).
\*\*Stainless steel transit latch at top of each door.

1.800.833.3003 USA / Healthcare




WAREWASHING & STORAGE SYSTEM

## Camrack® 4-in-1 Warewashing System

The Camrack System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

### **Efficient Washing**



Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.

Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 200°F (93°C).

### Sanitary Storage



Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean when in storage, so operators will only have to wash items once.

### **Inventory Control**




A variety in base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.

# Safe, Sanitary



Camracks can be transported across large campuses or to off-site locations in one single unit. Easy to grip handles and smooth overlapping sides facilitate safe handling.





Content labeling options include one-color custom hot stamping or pre-printed clips that are added at factory during assembly.













Camracks are covered by one or more of the following patents: Full Base Dish Rack D 412,607. Half Base Dish Rack D 404,176. Half Dish Rack Extender D 400,321. Enlarged Dish Rack Extender D 399,614. Dish Rack with Extender 5,934,486 Utility Patent. Pronged Base Dish Rack D 403,472.


USA / Warewashing 1.800.833.3003

## Full Size Camracks® for Stemware & Tumblers

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.

### Choose the correct dishrack:

- Measure the maximum diameter of your glass (stemware or tumbler) to determine the number of compartments.
- 2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.





Camrack Sizing Guides are available at www.cambro.com under Resource Center.

## 9 COMPARTMENT



MAXIMUM T	35/8" 9 cm	<b>5</b> <sup>1</sup> / <sub>4</sub> " 13,2 cm	<b>6</b> <sup>7</sup> / <sub>8</sub> " 17,4 cm	<b>8</b> <sup>1</sup> / <sub>2</sub> " 21,6 cm	10½" 25,8 cm	113/4" 30 cm
CODE	9S318	9S434	9S638	9\$800	9S958	9S1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	28.03 (6.93)	29.26 (6.93)	27.27 (6.38)	22.02 (4.86)	25.10 (5.96)	28.58 (6.93)
CASE KG (CUBE M³)	12,71 (0,196)	13,27 (0,196)	12,37 (0,181)	9,98 (0,138)	11,39 (0,169)	12,96 (0,196)
RACK DIMENSION	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
LIST PRICE EACH	\$ 51.60	\$ 67.30	\$ 80.35	\$ 97.70	\$ 113.25	\$ 131.90

## 16 COMPARTMENT



43/8<sup>II</sup>
10,9 cm
MAXIMUM
DIAMETER



MAXIMUM T	35/8"	41/2"	51/4"	61/8"	61/8"	<b>7</b> 3/4"
HEIGHT	9 cm	11 cm	13,2 cm	15,2 cm	17,4 cm	19,4 cm
CODE	16S318	16S418**	16S434	16S534**	16S638	16S738**
CASE PACK	5	5	4	4	3	3
CASE LBS. (CUBE)	27.18 (6.93)	28.63 (6.93)	28.62 (6.93)	29.82 (6.93)	26.82 (6.38)	27.72 (6.38)
CASE KG (CUBE M³)	12,33 (0,196)	12,99 (0,196)	12,98 (0,196)	13,52 (0,196)	12,17(0,181)	12,57 (0,181)
RACK DIMENSION	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 8½" 50 x 50 x 22,5 cm
LIST PRICE EACH	\$ 51.60	\$ 54.05	\$ 67.65	\$ 69.25	\$ 81.20	\$ 82.90
MAXIMUM T	<b>8</b> <sup>1</sup> / <sub>2</sub> <sup>11</sup> 21,6 cm	93/8" 23,8 cm	10½" 25,8 cm	11" 27,8 cm	11 <sup>3</sup> / <sub>4</sub> " 30 cm	12 <sup>5</sup> / <sub>8</sub> "
CODE	16S800	16S900**	16S958	16S1058**	16S1114	16S1214**
CASE PACK	2	2	2	2	2	2
CASE LBS. (CUBE)	21.74 (4.86)	22.34 (4.86)	24.84 (5.96)	25.44 (5.96)	28.34 (6.93)	28.94 (6.93)
CASE KG (CUBE M³)	9,86 (0,138)	10,13 (0,138)	11,27 (0,169)	11,54 (0,169)	12,86 (0,196)	13,13 (0,196)
RACK DIMENSION	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
LIST PRICE EACH	\$ 98.00	\$ 99.75	\$ 113.25	\$ 115.00	\$ 131.90	\$ 133.50

#### **Base Rack Colors:**





















## Full Size Camracks® for Stemware & Tumblers

## 20 COMPARTMENT

37/8" 9,84 cm MAXIMUM DIAMETER	

MAXIMUM T	35/8" 9 cm	<b>5</b> <sup>1</sup> / <sub>4</sub> " 13,2 cm	<b>6</b> 7/8" 17,4 cm	<b>8</b> <sup>1</sup> / <sub>2</sub> " 21,6 cm	10½" 25,8 cm	11 <sup>3</sup> / <sub>4</sub> " 30 cm
CODE	20S318	20\$434	20\$638	20\$800	20S958	20S1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	28.10 (6.93)	29.84 (6.93)	28.9 (6.38)	22.91 (4.86)	26.17 (5.96)	29.91 (6.93)
CASE KG (CUBE M³)	12,77 (0,196)	13,56 (0,196)	12,77 (0,181)	10,41 (0,138)	11,89 (0,169)	13,59 (0,196)
RACK DIMENSION	19¾" x 19¾" x 5¾"	19¾" x 19¾" x 7¼"	19¾" x 19¾" x 8¾"	19¾" x 19¾" x 10½"	19¾" x 19¾" x 12⅓"	19¾" x 19¾" x 13¾"
	50 x 50 x 14,3 cm	50 x 50 x 18,4 cm	50 x 50 x 22,5 cm	50 x 50 x 26,7 cm	50 x 50 x 30,8 cm	50 x 50 x 34,9 cm
LIST PRICE EACH	\$ 51.60	\$ 68.50	\$ 81.95	\$ 98.00	\$ 113.25	\$ 131.90

## 25 COMPARTMENT





MAXIMUM T	35/8" 9 cm	<b>4</b> ½" 11 cm	<b>5</b> ½" 13,2 cm	6½" 15,2 cm	<b>6</b> <sup>7</sup> / <sub>8</sub> " 17,4 cm	<b>7</b> 3/4 19,4 cm
CODE	25S318	25S418**	25\$434	25S534**	25S638	25\$738**
CASE PACK	5	5	4	4	3	3
CASE LBS. (CUBE)	28.08 (6.93)	30.13 (6.93)	29.78 (6.93)	31.50 (6.93)	28.02 (6.38)	29.31 (6.38)
CASE KG (CUBE M³)	12,74 (0,196)	13,67 (0,196)	13,51 (0,196)	14,29 (0,196)	12,71 (0,181)	13,30 (0,181)
RACK DIMENSION	19¾" x 19¾" x 5½" 50 x 50 x 14,3 cm	19¾" x 19¾" x 55%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 8½" 50 x 50 x 22,5 cm
LIST PRICE EACH	\$ 51.60	\$ 55.85	\$ 68.50	\$ 71.85	\$ 81.95	\$ 88.65
MAXIMUM The IGHT	<b>8</b> 1/2 <sup>II</sup> 21,6 cm	93/8" 23,8 cm	10½" 25,8 cm	11" 27,8 cm	11 <sup>3</sup> / <sub>4</sub> " 30 cm	12 <sup>5</sup> / <sub>8</sub> "
CODE	25\$800	25S900**	25S958	25S1058**	25S1114	25S1214**
CASE PACK	2	2	2	2	2	2
CASE LBS. (CUBE)	22.76 (4.86)	23.62 (4.86)	26.08 (5.96)	26.94 (5.96)	29.80 (6.93)	30.66 (6.93)
CASE KG (CUBE M³)	10,32 (0,138)	10,71 (0,138)	11,83 (0,169)	12,22 (0,169)	13,52 (0,196)	13,91 (0,196)
RACK DIMENSION	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
LIST PRICE EACH	\$ 98.00	\$ 106.50	\$ 113.25	\$ 123.35	\$ 131.90	\$ 141.95

<sup>\*\*</sup> Compartment Extenders cannot be added.

## 30 COMPARTMENT



MAXIMUM T	35/8" 9 cm	<b>5</b> ½" 13,2 cm	<b>6</b> 7/8 II 17,4 cm	<b>8</b> 1/2 II 21,6 cm	10½" 25,8 cm	11 <sup>3</sup> / <sub>4</sub> "
CODE	30S318	30\$434	30\$638	30\$800	30S958	30S1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	29.21 (6.93)	31.33 (6.93)	29.66 (6.38)	24.25 (4.86)	27.8 (5.96)	31.85 (6.93)
CASE KG (CUBE M³)	13,28 (0,196)	14,24 (0,196)	13,48 (0,181)	11,02 (0,138)	12,64 (0,169)	14,48 (0,196)
RACK DIMENSION	19¾" x 19¾" x 5½" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
LIST PRICE EACH	\$ 54.05	\$ 69.25	\$ 83.55	\$ 99.75	\$ 116.65	\$ 131.90

USA / Warewashing 1.800.833.3003

## Full Size Camracks® for Stemware & Tumblers

## 36 COMPARTMENT

O O OOMI ARTIMENT							
2 <sup>7</sup> / <sub>8</sub> " 7,2 cm	MAXIMUM T	35/8" 9 cm	<b>4</b> 1/ <sub>2</sub> <sup>II</sup> 11 cm	<b>5</b> 1/4" 13,2 cm	61/8" 15,2 cm	<b>6</b> <sup>7</sup> / <sub>8</sub> II 17,4 cm	<b>7</b> 3/ <sub>4</sub> <sup>11</sup> 19,4 cm
	CODE	36S318	36S418**	36S434	36S534**	36S638	36\$738**
IZSITOT DIMINILILIK	CASE PACK	5	5	4	4	3	3
	CASE LBS. (CUBE)	29.23 (6.93)	31.78 (6.93)	31.54 (6.93)	33.46 (6.93)	29.97 (6.38)	31.41 (6.38)
Day.	CASE KG (CUBE M³)	13,26 (0,196)	14,42 (0,196)	14,31 (0,196)	15,18 (0,196)	13,60 (0,181)	14,25 (0,181)
A STATE OF THE STA	RACK DIMENSION	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 8½" 50 x 50 x 22,5 cm
	LIST PRICE EACH	\$ 54.05	\$ 58.30	\$ 69.25	\$ 75.20	\$ 83.55	\$ 92.90
THE PARTY OF	MAXIMUM T	<b>8</b> 1/2 <sup>II</sup> 21,6 cm	93/8 <sup>11</sup> 23,8 cm	10½" 25,8 cm	11" 27,8 cm	113/4" 30 cm	12 <sup>5</sup> / <sub>8</sub> "
	CODE	36S800	36S900**	36S958	36S1058**	36S1114	36S1214**
	CASE PACK	2	2	2	2	2	2
	CASE LBS. (CUBE)	24.48 (4.86)	25.44 (4.86)	28.22 (5.96)	29.18 (5.96)	32.36 (6.93)	33.32 (6.93)
	CASE KG (CUBE M³)	11,10 (0,138)	11,54 (0,138)	12,80 (0,169)	13,24 (0,169)	14,68 (0,196)	15,11 (0,196)
	RACK DIMENSION	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
	LIST PRICE EACH	\$ 99.75	\$ 110.75	\$ 116.65	\$ 127.65	\$ 131.90	\$ 144.60

<sup>\*\*</sup> Compartment Extenders cannot be added.

## 49 COMPARTMENT

27/16" 6 cm	MAXIMUM T	35/8" 9 cm	<b>5</b> ½" 13,2 cm	<b>6</b> <sup>7</sup> / <sub>8</sub> <sup>11</sup> 17,4 cm	81/2 <sup>11</sup> 21,6 cm	10 <sup>1</sup> / <sub>8</sub> " 25,8 cm	113/4" 30 cm
	CODE	49S318	49S434	49S638	49\$800	49S958	49S1114
DIAMILILIK	CASE PACK	5	4	3	2	2	2
A CONTRACTOR OF THE PARTY OF TH	CASE LBS. (CUBE)	30.93 (6.93)	33.74 (6.93)	32.25 (6.38)	26.42 (4.86)	30.58 (5.96)	35.14 (6.93)
21121	CASE KG (CUBE M³)	14,03 (0,196)	15,30 (0,196)	14,63 (0,181)	11,98 (0,138)	13,87 (0,169)	15,94 (0,196)
	RACK DIMENSION	19¾" x 19¾" x 5½" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾" x 19¾" x 8¾" 50 x 50 x 22,5 cm	19¾" x 19¾" x 10½" 50 x 50 x 26,7 cm	19¾" x 19¾" x 12½" 50 x 50 x 30,8 cm	19¾" x 19¾" x 13¾" 50 x 50 x 34,9 cm
	LIST PRICE EACH	\$ 54.90	\$ 70.95	\$ 85.40	\$ 99.75	\$ 118.35	\$ 136.95

#### **Base Rack Colors:**



















InStock Color: Soft Gray (151). Extender Color: Soft Gray (151). \*\* Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

## Half Size Camracks® for Stemware & Tumblers

- Very effective for carrying less weight and for storing drinkware in space-restricted locations.
- Ideal for small under-counter glasswashers.



## 8 COMPARTMENT

#### Camrack Sizing Guides are available at www.cambro.com under Resource Center.



MAXIMUM T	35/8" 9 cm	<b>5</b> 1/ <sub>4</sub> " 13,2 cm	<b>6</b> 7/8 17,4 cm	<b>8</b> ½" 21,6 cm	10 <sup>1</sup> / <sub>8</sub> " <sub>25,8 cm</sub>	113/4" 30 cm
CODE	8HS318	8HS434	8HS638	8HS800	8HS958	8HS1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	16.96 (3.27)	17.94 (3.54)	16.78 (3.27)	13.57 (2.76)	15.67 (3.06)	17.68 (3.27)
CASE KG (CUBE M³)	7,69 (0,093)	8,14 (0,100)	7,61 (0,093)	6,16 (0,078)	7,11 (0,087)	8,02 (0,093)
RACK DIMENSION	19¾" x 10" x 5½" 50 x 25 x 14,3 cm	19¾" x 10" x 7¼" 50 x 25 x 18,4 cm	19¾" x 10" x 8½" 50 x 25 x 22,5 cm	19¾" x 10" x 10½" 50 x 25 x 26,7 cm	19¾" x 10" x 12½" 50 x 25 x 30,8 cm	19¾" x 10" x 13¾" 50 x 25 x 34,9 cm
LIST PRICE EACH	\$ 38.90	\$ 53.20	\$ 64.25	\$ 77.70	\$ 91.30	\$ 104.70

## 10 COMPARTMENT



MAXIMUM T	35/8" 9 cm	<b>5</b> <sup>1</sup> / <sub>4</sub> " 13,2 cm	<b>6</b> 7/8" 17,4 cm	<b>8</b> <sup>1</sup> / <sub>2</sub> " 21,6 cm	10½" 25,8 cm	113/4" 30 cm
CODE	10HS318	10HS434	10HS638	10HS800	10HS958	10HS1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	17.36 (3.27)	18.50 (3.54)	17.38 (3.27)	14.09 (2.76)	16.31 (3.06)	18.44 (3.27)
CASE KG (CUBE M³)	7,87 (0,093)	8,39 (0,100)	7,88 (0,093)	6,39 (0,078)	7,40 (0,087)	8,36 (0,093)
RACK DIMENSION	19¾" x 10" x 5%" 50 x 25 x 14,3 cm	19¾" x 10" x 7¼" 50 x 25 x 18,4 cm	19¾" x 10" x 8¾" 50 x 25 x 22,5 cm	19¾" x 10" x 10½" 50 x 25 x 26,7 cm	19¾" x 10" x 12½" 50 x 25 x 30,8 cm	19¾" x 10" x 13¾" 50 x 25 x 34,9 cm
LIST PRICE EACH	\$ 38.90	\$ 53.20	\$ 64.25	\$ 77.70	\$ 91.30	\$ 104.70

## 17 COMPARTMENT



MAXIMUM T	35/8" 9 cm	<b>5</b> <sup>1</sup> / <sub>4</sub> " 13,2 cm	<b>6</b> <sup>7</sup> / <sub>8</sub> <sup>11</sup> 17,4 cm	<b>8</b> <sup>1</sup> / <sub>2</sub> <sup>11</sup> 21,6 cm	10½" 25,8 cm	113/4" 30 cm
CODE	17HS318	17HS434	17HS638	17HS800	17HS958	17HS1114
CASE PACK	5	4	3	2	2	2
CASE LBS. (CUBE)	18.36 (3.27)	19.82 (3.54)	18.76 (3.27)	15.27 (2.76)	17.75 (3.06)	20.14 (3.27)
CASE KG (CUBE M³)	8,33 (0,093)	8,99 (0,100)	8,51 (0,093)	6,93 (0,078)	8,05 (0,087)	9,14 (0,093)
RACK DIMENSION	19¾" x 10" x 5½" 50 x 25 x 14,3 cm	19¾" x 10" x 7¼" 50 x 25 x 18,4 cm	19¾" x 10" x 8½" 50 x 25 x 22,5 cm	19¾" x 10" x 10½" 50 x 25 x 26,7 cm	19¾" x 10" x 12½" 50 x 25 x 30,8 cm	19¾" x 10" x 13¾" 50 x 25 x 34,9 cm
LIST PRICE EACH	\$ 40.55	\$ 55.40	\$ 69.85	\$ 84.60	\$ 99.15	\$ 113.25

### **Base Rack Colors:**













**Extender Color:** Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

1.800.833.3003 USA / Warewashing

## Camrack® Full & Half Size Cup Racks

### **Camrack Cup Racks**

Tilt feature drains water from mug or cup bases for quick and sanitary drying.

## 16 COMPARTMENT



MAX. HEIGHT	25/8 II 6,6 cm	<b>4</b> 1/ <sub>4</sub> <sup>11</sup> 10,7 cm	<b>5</b> <sup>7</sup> / <sub>8</sub> " 14,9 cm
CODE	16C258	16C414	16C578
CASE PACK	6	5	4
CASE LBS. (CUBE)	28.78 (4.81)	32.48 (6.93)	32.86 (6.93)
CASE KG (CUBE M³)	13,05 (0,136)	14,73 (0,196)	14,91 (0,196)
RACK DIMENSION	19¾" x 19¾" x 4" 50 x 50 x 10,1 cm	19¾" x 19¾" x 5%" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7½" 50 x 50 x 18,4 cm
LIST PRICE EACH	\$ 36.70	\$ 51.15	\$ 76.40

InStock Color: Soft Gray (151).



## 20 COMPARTMENT





MAX. HEIGHT	<b>2</b> <sup>5</sup> / <sub>8</sub> " <sub>6,6 cm</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub> <sup>11</sup> 10,7 cm
CODE	20C258	20C414
CASE PACK	6	5
CASE LBS. (CUBE)	29.28 (4.81)	32.53 (6.93)
CASE KG (CUBE M³)	13,28 (0,136)	14,76 (0,196)
RACK DIMENSION	19¾" x 19¾" x 4"	19¾" x 19¾" x 5½"
	50 x 50 x 10,1 cm	50 x 50 x 14,3 cm
LIST PRICE EACH	\$ 38.05	\$ 52.35

InStock Color: Soft Gray (151).

### **Glass and Cup Keepers**

- Raised ribs for easy draining and drying.
- Holds 20 glasses or 12 cups per layer.

Color: Beige (133).





## 8 COMPARTMENT

41/8"	Χ	47/16	
10,4 x 11,			
COMPARTMENT			
DIMENS	ION	IS	



MAX. HEIGHT	25/8" 6,6 cm	41/ <sub>4</sub> II 10,7 cm
CODE	8HC258	8HC414
CASE PACK	6	5
CASE LBS. (CUBE)	16.15 (2.76)	18.66 (3.27)
CASE KG (CUBE M³)	7,32 (0,078)	8,46 (0,093)
RACK DIMENSION	19¾" x 9½" x 4" 50 x 25 x 10,1 cm	19¾" x 9¾" x 5¾" 50 x 25 x 14,3 cm
LIST PRICE EACH	\$ 26.20	\$ 43.45

Max. Glass Inside Rim Diameter: GK2000: 25%" (6,6 cm)



Max. Cup Inside Rim Diameter:  $KK1200: 2^{15}/_{16}$ " (7,4 cm)

## 10 COMPARTMENT

4/8" X 3/2"
10,4 x 8,8 cm
COMPARTMENT
DIMENSIONS



190

MAX. HEIGHT	<b>2</b> <sup>5</sup> / <sub>8</sub> <sup>11</sup> <sub>6,6 cm</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub> <sup>II</sup> 10,7 cm
CODE	10HC258	10HC414
CASE PACK	6	5
CASE LBS. (CUBE)	16.73 (2.76)	19.76 (3.27)
CASE KG (CUBE M³)	7,59 (0,078)	8,96 (0,093)
RACK DIMENSION	19¾" x 9½" x 4" 50 x 25 x 10,1 cm	19¾" x 9½" x 5½" 50 x 25 x 14,3 cm
LIST PRICE EACH	\$ 26.20	\$ 43.45

CODE	SIZE	CASE LBS. (CUBE)	LIST Price ea.
Glass Keepers	1		
GK2000	14" x 18"	16 (0.94)	\$ 17.40
Cup Keepers			
KK1200	1315/16" x 171/8"	14.25 (0.78)	16.35
Case Pack: 12			

Base Cup Rack Color: Soft Gray (151). Extender Color: Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

## Camrack® Base Racks

- For pots, pans, bowls and large prep, service and display items.
- Half racks work well for storing items at a wait station.











### **FULL SIZE BASE RACKS**

	FULL BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	BR258	BR414	BR578	BR712
INSIDE RACK HEIGHT	3½" (8,3 cm)	4½" (12,4 cm)	6½" (16,5 cm)	8½" (20,6 cm)
OUTSIDE RACK HEIGHT	4" (10,1 cm)	5½" (14,3 cm)	7¼" (18,4 cm)	8½" (22,5 cm)
CASE PACK	6	5	4	3
CASE LBS. (CUBE)	22.02 (4.81)	24.58 (6.93)	24.98 (6.93)	22.92 (6.38)
CASE KG (CUBE M³)	9,99 (0,136)	11,15 (0,196)	11,33 (0,196)	10,39 (0,181)
RACK DIMENSION	19¾" x 19¾" x 4" 50 x 50 x 10,1 cm	19¾" x 19¾" x 5½" 50 x 50 x 14,3 cm	19¾" x 19¾" x 7¼" 50 x 50 x 18,4 cm	19¾ x 19¾ x 8½ 50 x 50 x 22,5 cm
LIST PRICE EACH	\$ 33.70	\$ 49.05	\$ 62.90	\$ 77.20

InStock Color: Soft Gray (151).









### HALF SIZE BASE RACKS

	HALF BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	HBR258	HBR414	HBR578	HBR712
INSIDE RACK HEIGHT	3½" (8,3 cm)	41/8" (12,4 cm)	6½" (16,5 cm)	8½" (20,6 cm)
OUTSIDE RACK HEIGHT	4" (10,1 cm)	5%" (14,3 cm)	7½" (18,4 cm)	8½" (22,5 cm)
CASE PACK	6	5	4	3
CASE LBS. (CUBE)	13.72 (2.76)	16.06 (3.27)	16.66 (3.54)	15.40 (3.27)
CASE KG (CUBE M³)	6,22 (0,078)	7,29 (0,093)	7,56 (0,100)	6,99 (0,093)
RACK DIMENSION	19¾" x 9½" x 4" 50 x 25 x 10,1 cm	19¾" x 9½" x 5½" 50 x 25 x 14,3 cm	19¾" x 9¾" x 7¼" 50 x 25 x 18,4 cm	19¾" x 9½" x 8½" 50 x 25 x 22,5 cm
LIST PRICE EACH	\$ 22.85	\$ 36.75	\$ 47.35	\$ 58.30

### **Hold Down Grid**

Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base rack.



	FULL SIZE HOLD DOWN GRID
CODE	CRPHDG2878
CASE LBS. (CUBE)	11.05 (0.49)
CASE KG (CUBE M³)	4,60 (0,013)
LIST PRICE EACH	\$ 25.85

Case Pack: 6 Color: Gray (000).

### **Base Rack Colors:**





















<sup>\*</sup> Full size only. Extender Color: Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

1.800.833.3003 USA / Warewashing

## Camrack® Full Size Peg Racks & Tray Rack

### Standard 9 x 9 Peg Rack

- Designed to wash varying sized plates, bowls, trays and plate covers.
- Standard peg racks hold:
  - Eighteen 10" (25,4 cm) plates
  - Twelve 12" (30,5 cm) plates
  - Twenty-seven  $7\frac{1}{2}$ " (19 cm) plates
  - Nine 14" x 18" (36 x 46 cm) trays

### 5 x 9 Peg Rack

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 10" bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
  - Eighteen 10" (25,4 cm) plates
  - Twelve 12" (30,5 cm) plates
  - Twenty-seven  $7\frac{1}{2}$ " (19 cm) plates or
  - Nine 14" x 18" (36 x 46 cm) trays

### **Open End Tray Rack**

- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright.











	9 X 9 PEG RACK	9 X 9 PEG RACK WITH 1 EXTENDER		5 X 9 PEG RACK WITH 1 EXTENDER	OPEN END Tray rack
CODE	PR314	PR500	PR59314	PR59500	0ETR314*
INSIDE RACK HEIGHT	3½" (8,3 cm)	41/8" (12,4 cm)	3½" (8,3 cm)	41/8" (12,4 cm)	3½" (8,3 cm)
OUTSIDE RACK HEIGHT	4" (10,1 cm)	5%" (14,3 cm)	4" (10,1 cm)	5%" (14,3 cm)	4" (10,1 cm)
CASE PACK	6	5	6	5	6
CASE LBS. (CUBE)	27.25 (4.81)	29.28 (6.93)	24.15 (4.81)	26.93 (6.93)	25.84 (4.81)
CASE KG (CUBE M³)	12,36 (0,136)	13,28 (0,196)	10,95 (0,136)	12,22 (0,196)	11,72 (0,136)
LIST PRICE EACH	\$ 36.30	\$ 51.60	\$ 36.30	\$ 51.60	\$ 35.55

Color: Soft Gray (151). Extender Color: Soft Gray (151). InStock Color: Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. \*Extenders may be added to all Peg Racks except the OETR314.

## Camrack Full & Half Size Flatware Racks & Cylinders

### **Camrack Flatware Racks**

- 8 Compartment Basket fits into a Full or Half Size Base Rack. Wire handles slide down for easy storage.
- Flatware Cylinder fits into 9-compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.











	FULL FLATWARE RACK		8 COMPARTMENT HALF FLATWARE BASKET	8 COMPARTMENT HALF FLATWARE BASKET	FLATWARE Cylinder
CODE	FR258	HFR258	8FB434* With Handles	8FBNH434* <b>No Handles</b>	FWC56
INSIDE RACK HEIGHT	25/8" (6,7 cm)	25/8" (6,7 cm)	4 <sup>3</sup> / <sub>4</sub> " (12 cm)	4¾" (12 cm)	4½" wide (11,43 cm)
OUTSIDE RACK HEIGHT	4" (10,1 cm)	4" (10,1 cm)	7½" (18,4 cm)	7½" (18,4 cm)	5½" high (13,97 cm)
CASE PACK	6	6	6	6	12
CASE LBS. (CUBE)	24.79 (4.81)	15.26 (2.76)	19.49 (3.67)	17.46 (3.67)	2.76 (0.41)
CASE KG (CUBE M³)	11,25 (0,136)	6,92 (0,078)	8,17 (0,105)	8,16 (0,105)	1,24 (0,012)
LIST PRICE EACH	\$ 36.30	\$ 31.30	\$ 43.10	\$ 25.35	\$ 4.40

Color: Soft Gray (151). Extender Color: Soft Gray (151). InStock Color: Soft Gray (151). Flatware Cylinder Color: White (148).

## PlateSafe® Camrack®

- · Effectively store and transport dinnerware.
- Vinyl-coated steel grids safely hold and separate plates within each rack.
- Add a Camdolly® and Cover to create a completely enclosed, sanitary storage unit between uses.
- · Reduces breakage.

- Holds plates upright and securely in place.
- No need to transfer to dish caddies, reducing labor.





Transport racks to banquet area for quick set up.



#### PlateSafe Camracks

13 different styles of full size PlateSafe Camracks to transport plates from 4" to 12½" (10,1-31,7 cm) in diameter.

### **Portable Sanitary Storage System**

Completely enclose and protect dinnerware by stacking racks on a Camdolly and covering with a Camrack cover.

PLATE SIZE	<b>4-5</b> " 10,1-12,7 cm	<b>4-6</b> <sup>11</sup> 10,1-15,2 cm	<b>5-6</b> " 12,7-15,2 cm	6-7" 15,2-17,7 cm	6-7 <sup>5</sup> / <sub>8</sub> " 15,2-19,3 cm	<b>7-8</b> <sup>5</sup> / <sub>8</sub> " 17,7-21,9 cm	<b>9-10</b> <sup>1</sup> / <sub>4</sub> " 22,8-26 cm	<b>9-10</b> ½" 22,8-26,6 cm
MAX. PLATE HEIGHT	¾" (1,9 cm)	2" (5 cm)	¾" (1,9 cm)	¾" (1,9 cm)	1" (2,5 cm)	1" (2,5 cm)	1" (2,5 cm)	1¾" (4,4 cm)
# OF PLATES	63	20	48	44	30	28	20	12
CODE	CRP6345	CRP2046	CRP4856	CRP4467	CRP3067	CRP2878	CRP20910	CRP12910
RACK SIZE	FULL	FULL	FULL	FULL	FULL	FULL	FULL	FULL
EXT. RACK HEIGHT	7¼" (18,4 cm)	7¼" (18,4 cm)	71/4" (18,4 cm)	81/8" (22,5 cm)	81/8" (22,5 cm)	10½" (26,7 cm)	121/8" (30,8 cm)	121/8" (30,8 cm)
CASE PACK	2	2	2	2	2	1	1	1
CASE LBS (CUBE)	22.45 (3.43)	17.44 (3.48)	20.54 (3.43)	31.42 (4.27)	19.5 (4.03)	12.94 (2.59)	14.08 (2.97)	11.1 (2.83)
CASE KG (CUBE M³)	8,71 (0,092)	7,17 (0,092)	8,35 (0,092)	9,39 (0,114)	8,85 (0,114)	4,9 (0,07)	5,31 (0,08)	5,03 (0,08)
LIST PRICE EACH	\$ 137.45	\$ 137.45	\$ 137.45	\$ 148.50	\$ 137.45	\$ 137.45	\$ 159.90	\$ 140.80

PLATE SIZE	<b>9-11</b> ½" 22,8-28,2 cm	<b>9-11</b> " 22,8-27,9 cm	<b>10-11</b> " 25,4-27,9 cm	10½-12½" 26,6-31,7 cm	11½-12½" 29,2-31,7 cm	<b>5-6</b> <sup>7</sup> / <sub>8</sub> <sup>11</sup> 12,7-17,5 cm
MAX. PLATE HEIGHT	1¾" (4,4 cm)	21/4" (5,7 cm)	1" (2,5 cm)	1¾" (3,4 cm)	1" (2,5 cm)	1" (2,5 cm)
# OF PLATES	12	9	19	14	18	16
CODE	CRP12911	CRP9911	CRP191011	CRP141012	CRP181112	CRPH1656
RACK SIZE	FULL	FULL	FULL	FULL	FULL	HALF
EXT. RACK HEIGHT	121/8" (30,8 cm)	12½" (30,8 cm)	12½" (30,8 cm)	13¾" (34,9 cm)	13¾" (34,9 cm)	7½" (18,4 cm)
CASE PACK	1	1	1	1	1	4
CASE LBS (CUBE)	15.07 (3.08)	11.95 (2.83)	15.42 (3.00)	13.85 (3.26)	14.45 (3.26)	23.52 (3.53)
CASE KG (CUBE M³)	5,49 (0,08)	5,42 (0,08)	5,96 (0,08)	6,28 (0,092)	6,55 (0,092)	10,67 (0,1)
LIST PRICE EACH	\$ 180.05	\$ 180.05	\$ 180.05	\$ 195.80	\$ 203.45	\$ 109.25





















193

\* Full size only. Extender Color: Soft Gray (151). Personalization available. See Camrack personalization and color coding page.

USA / Warewashing 1.800.833.3003

Contact Customer Service for all special orders.

## Camrack® Component System

The Camrack System offers several choices for ordering the right Camracks and PlateSafe® Racks. Please consult with your sales representative or Cambro Customer Service for all special ordering and assembly directions.

### **Choose Between:**

- A complete selection of
   pre-assembled, ready to use
   Camracks listed in our catalog, or
- 2. Custom built special order Camracks for specific needs, or
- Individual Camrack components for distributors to stock and build racks as needed.

#### Base Rack Colors:

Sherwood Green (119), Soft Gray 151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)\*, Red (163)\*, Blue (168)\*, Teal (414)\*.

Base Cup Rack Color: Soft Gray (151). Extender Color: Soft Gray (151).

PlateSafe Grid Color: Gray (000).

\* Full size only.



**BR** = Full Size Base Rack



HBR = Half Size Base Rack



**E1** = Full Size Full Drop Compartment Extender



**HE1** = Half Size Full Drop Compartment Extender



**E2** = Full Size Half Drop Compartment Extender



**HE2** = Half Size Half Drop Compartment Extender

194



E3 = Full Size Open Extender



**HE3** = Half Size Open Extender



**E4** = Full Size Full Drop Stemware Extender



**E5** = Full Size Half Drop Stemware Extender

CAMR	ACK COMPONENTS			Only E3 extend	ers may CASE	be added to E4	's and E5's. LIST
CODE	DESCRIPTION	OVERALL DIMENSIONS	COMPARTMENT	RACK HEIGHT	PACK	(CUBE)	PRICE EA.
Full Size B	ase Racks						
BR258	Full Base Rack	19¾" x 19¾" x 4" (500 x 500 x 101 mm)	18" x 18" (457 x 457 mm)	25/8" (67 mm)	6	22.02 (4.81)	\$ 33.70
Half Size E	Base Racks						
HBR258	Half Base Rack	19¾" x 9¾" x 4" (500 x 250 x 101 mm)	18½" x 8¾" (464 x 213 mm)	25/8" (67 mm)	6	13.72 (2.76)	22.85
Full Size B	ase Cup Racks						
16C258	16-Compartment Full Cup Rack	19¾" x 19¾" x 4" (500 x 500 x 101 mm)	4¾" x 4¾" (111 x 111 mm)	25/8" (67 mm)	6	28.78 (4.81)	36.70
20C258	20-Compartment Full Cup Rack	19¾" x 19¾" x 4" (500 x 500 x 101 mm)	43/8" x 31/2" (111 x 89 mm)	25/8" (67 mm)	6	29.28 (4.81)	38.05
Half Size I	Base Cup Racks						
8HC258	8-Compartment Half Cup Rack	19¾" x 9¾" x 4" (500 x 250 x 101 mm)	$4\frac{1}{8}$ " x $4\frac{7}{16}$ " (105 x 113 mm)	25/8" (67 mm)	6	16.15 (2.76)	26.20
10HC258	10-Compartment Half Cup Rack	19¾" x 9¾" x 4" (500 x 250 x 101 mm)	41/8" x 31/2" (105 x 89 mm)	25/8" (67 mm)	6	16.73 (2.76)	26.20
Full Size F	ull Drop Extenders – E1 and G1						
9E1	9-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	5%" x 5%" (150 x 150 mm)	1% (41 mm)	12	25.34 (6.93)	15.50
16E1	16-Compartment Full Drop Extender	195%" x 195%" x 2" (499 x 499 x 51 mm)	43/8" x 43/8" (111 x 111 mm)	1%" (41 mm)	12	23.30 (6.93)	16.45
20GE1	20-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	31/8" x 31/8" (98 x 98 mm)	1%" (41 mm)	12	25.8 (7.33)	17.35
25E1	25-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	3½" x 3½" (89 x 89 mm)	1%" (41 mm)	12	25.46 (6.93)	17.35
30GE1	30-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	31/8" x 31/8" (79 x 79 mm)	1%" (41 mm)	12	28.4 (7.33)	17.65
36E1	36-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	21/8" x 21/8" (73 x 73 mm)	1%" (41 mm)	12	28.02 (6.93)	17.65
49E1	49-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	2½6" x 2½6" (62 x 62 mm)	1%" (41 mm)	12	32.30 (6.93)	17.65
Full Size H	lalf Drop Extenders – E2 and G2						
9E2	9-Compartment Half Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	5%" x 5%" (150 x 150 mm)	1%" (41 mm)	12	21.62 (6.93)	14.60
16E2	16-Compartment Half Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	4¾" x 4¾" (111 x 111 mm)	1%" (41 mm)	12	21.75 (6.93)	14.60
20E2	20-Compartment Half Drop Extender (for cups only)	19%" x 19%" x 2" (499 x 499 x 51 mm)	4¾" x 3½" (111 x 89 mm)	1%" (41 mm)	12	22.22 (6.93)	13.55
20GE2	20-Compartment Half Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	3½" x 3½" (98 x 98 mm)	1%" (41 mm)	12	23.4 (7.33)	15.05
25E2	25-Compartment Half Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	3½" x 3½" (89 x 89 mm)	1%" (41 mm)	12	23.06 (6.93)	15.05
30GE2	30-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	31/8" x 31/8" (79 x 79 mm)	1%" (41 mm)	12	25.2 (7.33)	15.90

www.cambro.com 1.800.833.3003

## **Camrack® / PlateSafe® Component System**

CODE	DESCRIPTION	OVERALL DIMENSIONS	COMPARTMENT	INSIDE Rack Height	CASE PACK	CASE LBS. (CUBE)	LIST Price ea.
	Half Drop Extenders – E2 and GE2 (continue					(===)	
36E2	36-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	21/8" x 21/8" (73 x 73 mm)	15/8" (41 mm)	12	25.58 (6.93)	\$ 15.90
49E2	49-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	2½6" x 2½6" (62 x 62 mm)	15/8" (41 mm)	12	28.10 (6.93)	15.90
Full Size	Open Extender – E3						
E3	Open Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	18" x 18" (457 x 457 mm)	1% (41 mm)	12	16.90 (5.52)	12.45
Full Size	Full Drop Extender – E4						
16E4	16-Compartment Full Drop Extender	19%" x 19%" x 2" (499 x 499 x 51 mm)	4¾" x 4¾" (111 x 111 mm)	1% " (41 mm)	12	26.78 (6.93)	17.65
25E4	25-Compartment Full Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	3½" x 3½" (89 x 89 mm)	1% (41 mm)	12	30.38 (6.93)	20.20
36E4	36-Compartment Full Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	2½" x 2½" (73 x 73 mm)	15/8" (41 mm)	12	34.34 (6.93)	22.85
Full Size	Half Drop Extender – E5						
16E5	16-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	4¾" x 4¾" (111 x 111 mm)	1% (41 mm)	12	25.34 (6.93)	15.55
25E5	25-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	3½" x 3½" (89 x 89 mm)	15/8" (41 mm)	12	28.22 (6.93)	16.95
36E5	36-Compartment Half Drop Extender	195/8" x 195/8" x 2" (499 x 499 x 51 mm)	21/8" x 21/8" (73 x 73 mm)	1% " (41 mm)	12	31.34 (6.93)	17.65
Half Size	Full Drop Extenders – HE1						
8HE1	8-Compartment Full Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	41/8" x 47/16" (105 x 113 mm)	15/8" (41 mm)	12	14.10 (3.54)	13.80
10HE1	10-Compartment Full Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	41/8" x 31/2" (105 x 89 mm)	1% (41 mm)	12	15.06 (3.54)	13.80
17HE1	17-Compartment Full Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	ø 2 <sup>15</sup> / <sub>16</sub> " (ø 74 mm)	1%" (41 mm)	12	17.46 (3.54)	14.40
Half Size	Half Drop Extenders – HE2						
8HE2	8-Compartment Half Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	41/8" x 47/16" (105 x 113 mm)	1% (41 mm)	12	13.62 (3.54)	12.40
10HE2	10-Compartment Half Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	41/8" x 31/2" (105 x 89 mm)	1%" (41 mm)	12	14.34 (3.54)	12.95
17HE2	17-Compartment Half Drop Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	ø 2 <sup>15</sup> / <sub>16</sub> " (ø 74 mm)	15/8" (41 mm)	12	15.90 (3.54)	13.80
Half Size	Open Extenders – HE3						
HE3	Open Extender	19¾" x 9¾" x 2" (502 x 252 x 51 mm)	18½" x 8¾" (464 x 213 mm)	1% " (41 mm)	12	11.94 (3.54)	11.05
			d Diameter			·	

 $\emptyset = Diameter$ 

### **PlateSafe Camrack Grids**

CODE	DESCRIPTION	DIMENSIONS	CASE PACK	CASE LBS (CUBE)	LIST Price ea.
Full Size PlateSafe Gri	ds				
CRPG6345	Holds 63 plates, 4"-5"	18" x 18"	12	28.82 (0.92)	\$ 35.05
CRPG2046	Holds 20 plates, 4"-6"	18" x 18"	12	17.29 (0.92)	35.05
CRPG4856	Holds 48 plates, 5"-6"	18" x 18"	12	26.83 (0.92)	35.05
CRPG4467	Holds 44 plates, 6"-7"	18" x 18"	12	26.23 (0.92)	34.30
CRPG3067	Holds 30 plates, 6"-7%"	18" x 18"	12	21.79 (0.92)	29.70
CRPG2878	Holds 28 plates, 7"-8%"	18" x 18"	12	21.44 (0.92)	24.35
CRPG20910	Holds 20 plates, 9"-101/4"	18" x 18"	12	19.93 (0.92)	28.35
CRPG12910	Holds 12 plates, 9"-10½"	18" x 18"	12	15.91 (0.92)	20.35
CRPG12911	Holds 12 plates, 9"-111/8"	18" x 18"	12	17.71 (0.92)	24.65
CRPG9911	Holds 9 plates, 9"-11"	18" x 18"	12	14.53 (0.92)	24.65
CRPG191011	Holds 19 plates, 10"-11"	18" x 18"	12	19.91 (0.92)	26.85
CRPG141012	Holds 14 plates, $10\frac{1}{2}$ "- $12\frac{1}{2}$ "	18" x 18"	12	17.29 (0.82)	25.50
CRPG181112	Holds 18 plates, 11"-12½"	18" x 18"	12	21.10 (0.92)	28.70
Half Size PlateSafe Gri	d				
CRPHG1656	Holds 16 plates, 5"-61/8"	181/4" x 83/8"	12	13 (0.49)	28.05
PlateSafe Hold Down G	rid				
CRPHDG2878	Fits all full size base racks	18" x 18"	6	11.05 (0.49)	25.85

Base Rack Colors: Sherwood Green (119), Soft Gray (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)\*, Red (163)\*, Blue (168)\*, Teal (414)\*. Base Cup Rack Color: Soft Gray (151). Extender Color: Soft Gray (151). \* Color available in full size only. All extenders are available in Soft Gray (151). All pre-assembled racks ship with Soft Gray (151) extenders. Sherwood Green, Brown, Navy Blue and Cranberry base racks can be ordered with same color extenders with a minimum special order of 600 racks. PlateSafe Grid Color: Gray (000).

1.800.833.3003 USA / Warewashing

## **Promote Your Brand** — Personalized Camracks<sup>®</sup>

Personalize Camracks to identify contents at a glance for accurate inventory control and selection.

Hot stamp a custom logo, information or standard content symbols, and/ or descriptions on two opposite, diagonal sides of any rack.

Or request the addition of pre-printed clips. Up to 4 Camrack or PlateSafe clips can be added **only at time of assembly** and require the addition of at least one extender.



IMPRINT COLOR-WHITE

#### **HOW TO ORDER A SAMPLE**

- 1. Contact your local Cambro rep to complete and submit a sample request form to Cambro. Indicate location of hot stamp and/or clip on rack. Maximum hot stamp imprint size is 4" W x 1 ½" H. Maximum hot stamp imprinting thickness per solid letter or logo should be no more than 4" wide.
- 2. If selecting custom hot stamping, provide ready-to-use artwork, in digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for \$ 50.00 per hour.
- **3.** E-mail artwork to Cambro Rep or to Cambro at <a href="mailto:letsgetpersonal@cambro.com">letsgetpersonal@cambro.com</a>.

Title e-mail subject with logo name and provide contact info.

#### File dimensions:

100% reproduction size, 300dpi resolution.

File type: Adobe® Illustrator®, Photoshop®, or QuarkXpress®. File format: JPEG, TIFF or EPS. Or mail artwork on a CD-ROM to: Cambro Manufacturing Company Attn: Kristie Patterson, 7601 Clay Avenue, Huntington Beach, CA 92648.

- **4.** Questions? Contact Kristie Patterson at 714-230-4125 direct or 800-854-7631 ext. 4125.
- 5. Signed approval form must be faxed to Cambro customer service prior to producing product. Approval form included with each sample rack.

## PERSONALIZATION OPTIONS HOT STAMPING



CUSTOM LOGO AND/OR TEXT



STANDARD SYMBOL AND DESCRIPTION



STANDARD SYMBOL ONLY



STANDARD DESCRIPTION ONLY

### PERSONALIZATION CHARGES (NET)

**One Time Plate Charge** \$75.00 (for custom hot stamp only)

Set-Up Charge \$50.00 Sample Charge \$50.00

**Imprint Charge** \$ 1.00 per side, 2 sides max for hot stamping

#### **FOR CLIPS**

196

Drinkware or PlateSafe®, pre-printed \$ 0.90 each net


#### **CAMRACK CLIPS**




WITH SYMBOL AND DESCRIPTION

www.cambro.com 1.800.833.3003

# **Standard Hot Stamp Symbols and/or Descriptions** (also available on clips, symbol and description combined)



(Available in English Only)



(Available in English Only)

## Camrack® Accessories

## Camrack Cover & Camdolly®

- Use to cover and protect full size Camrack dishracks filled with clean dishware.
- When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.

 Eliminates the use of messy, wasteful plastic wrap or vinyl covers.



	FULL RACK COVER
CODE	DRC2020
EXTERIOR DIMENSIONS	19%" x 19%" x 15/6" (50 x 50 x 2,4 cm)
CASE LBS. (CUBE)	4.2 (0.34)
CASE KG (CUBE M³)	0,91 (0,0098)
LIST PRICE EACH	\$ 55.55

Case Pack: 1 InStock Color: Gray (180).





	CAMDOLLY	CAMDOLLY WITH HANDLE
CODE	CDR2020	CDR2020H
INTERIOR DIMENSIONS	201/8" x 201/8" (53 x 53 cm)	20%" x 20%" (53 x 53 cm)
EXTERIOR DIMENSIONS	21¾" x 21¾" x 8" (54,5 x 54,5 x 20,5 cm)	21¾" x 23¾" x 37" (54,5 x 59,5 x 94 cm)
LOAD CAPACITY	350 lbs. (159 kg)	350 lbs. (159 kg)
CASE LBS. (CUBE)	11.75 (1.14)	21.50 (3.25)
CASE KG (CUBE M³)	5,3 (0,03)	9,7 (0,1)
LIST PRICE EACH	\$ 170.00	\$ 275.00

Case Pack: 1 Casters:  $3\frac{1}{2}$ " (10 cm) casters, 4 swivel, no brakes. InStock Color: Soft Gray (151).

### Camrack IceExpress Glass Filler

- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once
- Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.

CODE	EXTERIOR	CASE	LIST
	Dimensions W x D x H	WEIGHT (CUBE)	Price ea.
25SWGF	20" x 201/8" x 11/4" (50,8 x 50,8 x 3,18 cm)	2.5 lbs. (0.49 ft³) 1,13 kg (0,014 m³)	\$ 83.25





## **Selecting The Right Camrack**

#### **Selecting the Right Camrack**

Cambro offers multiple ways to help you quickly find the right Camrack:

#### 1. www.cambro.com/mycamracks

To quickly find the correct Camrack, please visit www.cambro.com/mycamracks. Select the item your are sizing, enter the measurements and quantity of the item, and the right Camrack will appear on the page.

#### 2. Cambro Catalog

Flip to the back of this section for a convenient stemware and glass sizing reference guide.

#### 3. Cambro Sales Representatives

Contact your local Cambro representative to assist with specifying Camracks, dollies and covers that will fit your glasses and dishware. To find your local representative, refer to the back section of this catalog, visit www. cambro.com or call Cambro Customer Service at 800 833 3003.


#### 4. Send a Sample to Cambro

Send a sample glass to:

CAMBRO
Customer Service Department
5801 Skylab Road
Huntington Beach, CA 92647
Please be sure to include complete
contact information and specify if you
need full-size or half-size Camracks


### **Choose the correct Camrack:**


- Measure the maximum diameter of the glass (stemware or tumbler) to determine the number of compartments.
- Measure the maximum height of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.




www.cambro.com 1.800.833.3003

## **Stemware and Glass Sizing Reference Guide**







## Camrack® Cup Rack Reference Guide



COMPARTMENT 43/8" x 43/8" (11,1 x 11,1 cm)

### **QUICK GUIDE**

Full Size Cup Racks (C)

Maximum Cup	Number of	Maximum Cup Height			
1	Compartments	2 <sup>5</sup> /8" (6,6 cm)	4 <sup>1</sup> / <sub>4</sub> " (10,7 cm)	5 <sup>7</sup> /8" (14,9 cm)	
4 <sup>3</sup> / <sub>8</sub> " (11,1 cm)	16	16C258	16C414	16C578	
3 <sup>1</sup> / <sub>2</sub> " (8,8 cm)	20	20C258	20C414	NA	

To determine Cup compartment size:

Turn cup or coffee mug upside down and place diagonally in square. Align handle with arrow in square. Cup or mug and handle must fit completely within boundaries of a square in order to ensure the right rack.



COMPARTMENT 43/8" x 31/2" (11,1 x 8 cm)



### HALF RACK

COMPARTMENT

 $4\frac{1}{8}$ " x  $3\frac{1}{2}$ " (10,4 x 8,8 cm)



COMPARTMENT 4½" x 4½" (11,3 x 10,4 cm)

### **QUICK GUIDE**

Half Size Cup Racks (HC)

Maximum Cup	Number of	Maximum Cup Height			
	Compartments	2 <sup>5</sup> /8" (6,6 cm)	4 <sup>1</sup> / <sub>4</sub> " (10,7 cm)		
4 <sup>1</sup> /8" (10,4 cm)	8	8HC258	8HC414		
3 <sup>1</sup> / <sub>2</sub> " (8,8 cm)	10	10HC258	10HC414		

### To Determine Cup Height:

Place base of cup or coffee mug on flat surface hold ruler vertically next to it to determine height in inches or millimeters. If the height is greater than  $4\frac{1}{4}$ " (108 mm), additional  $1\frac{1}{4}$ " (41 mm) E2 and HE2 extenders may be ordered.

## **Camdollies®**

- Use to transport anything from stacks of sheet pans to catering equipment.
- · Reduce employee lifting and carrying and possible injury.
- · Made of extremely durable plastic that will not dent, crack, rust or corrode.
- · Heavy-duty casters maneuver easily over all types of terrain.
- For heavy transport needs, select models with handles and Rear Big Wheels.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Gray (180). CDR2020, CDR2020H Color: Soft Gray (151).

#### **Caster Type**

- 5" Casters: 2 fixed, 2 swivel, 1 with brake.
- 3" Casters: 4 swivel, no brakes.
- 10" Rear Big Wheels, 2 front 5" swivel casters, 1 with brake.
- D: 3½" Casters: 4 swivel, no brakes.

#### Camdollies Case Pack: 1

### For Dish Racks

EXTERNAL DIM. W x D x H INTERIOR DIM. W x D CASE LBS. (CUBE) LIST PRICE EACH

21¾" x 21¾" x 8" 201/8" x 201/8" 11.75 (1.14) \$ 170.00



InStock Color: Soft Gray (151)







21%" x 23%" x 37" EXTERNAL DIM. W x D x H 201/8" x 201/8" INTERIOR DIM. W x D 21.5 (3.25) CASE LBS. (CUBE) LIST PRICE EACH \$ 275.00









For 18" x 26" Trays and Sheet Pans

EXTERNAL DIM. W x D x H 201/8" x 311/2" x 381/2" 18½" x 26½" INTERIOR DIM. W x D 33.75 (12.82) CASE LBS. (CUBE) LIST PRICE EACH \$510.00

Holds: UPC101

300 Lbs. Α CASTER TYPE CAPACITY





CD1826H

EXTERNAL DIM. W x D x H INTERIOR DIM. W x D CASE LBS. (CUBE) LIST PRICE EACH

22½" x 22½" x 8½"  $20\frac{1}{16}$ " x  $20\frac{1}{16}$ " 16.82 (2.68) \$ 280.00



В
CASTER TYPE



203/16" x 203/16"

32.25 (11.45)

\$ 440.00





EXTERNAL DIM. W x D x H INTERIOR DIM. W x D CASE LBS. (CUBE) LIST PRICE EACH

23%" x 33½" x 36½" 18½" x 26½" 47 (18.29) \$ 635.00



C 300 Lbs. CASTER TYPE CAPACITY







EXTERNAL DIM. W x D x H INTERIOR DIM. W x D CASE LBS. (CUBE) LIST PRICE EACH

> 350 Lbs. В CAPACITY CASTER TYPE





223/16" x 243/16" x 363/4"



26" x 261/8" x 365/8" EXTERNAL DIM. W x D x H 20½" x 20¾" INTERIOR DIM. W x D CASE LBS. (CUBE) 46 (15.89) \$570.00 LIST PRICE EACH









USA / Warewashing 1.800.833.3003

## **Camdollies®**

### For Milk Crates and #10 Can Cases

161/4" x 213/4" x 85/16" EXTERNAL DIM. W x D x H 131/8" x 195/16" INTERIOR DIM. W x D CASE LBS. (CUBE) 15.25 (1.44) LIST PRICE EACH \$ 275.00



Holds: 14" x 19" Milk Crates and #10 Can Cases

350 Lbs. CAPACITY CASTER TYPE







## **Utility Trucks**

- · Use for transporting loads of up to 600 lbs.
- · Large platforms for convenient loading and built-in handles for easy maneuvering.
- All models feature 5" (12,7 cm) heavy-duty casters bolted into molded-in metal backing plates.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Gray (180), Brick Red (402), Kentucky Green (519).

Casters: 5", 2 fixed, 2 swivel, 1 with brake.


Utility Trucks Case Pack: 1



 $21^{15}/_{16}$ " x  $30^{1}/_{4}$ " x 8" EXTERNAL DIM. W x D x H 191/16" x 271/8" INTERIOR DIM. W x D CASE LBS. (CUBE) 18.8 (3.28) LIST PRICE EACH \$ 290.00

В

CASTER TYPE













EXTERNAL DIM. W x D x H LOAD PLATFORM CASE LBS. (CUBE) LIST PRICE EACH

600 Lbs.

CAPACITY

 $19\frac{3}{4}$ " x  $32\frac{1}{8}$ " x  $38\frac{1}{2}$ " 19¾" x 29%" 31 (3.29) \$695.00



(With chrome handle)

45155 200" Long Strap

161/8" x 161/8" x 83/8" EXTERNAL DIM. W x D x H 13<sup>11</sup>/<sub>16</sub>" x 13<sup>11</sup>/<sub>16</sub>" INTERIOR DIM. W x D CASE LBS. (CUBE) 12.3 (1.11) \$ 255.00 LIST PRICE EACH

Holds: 13" x 13" Milk Crates

350 Lbs.

CAPACITY











EXTERNAL DIM. W x D x H LOAD PLATFORM CASE LBS. (CUBE) LIST PRICE EACH

23¾" x 41¾" x 36¼" 23¾" x 35<sup>13</sup>/<sub>16</sub>" 45 (22.93) \$650.00







45155 200" Long Strap

EXTERNAL DIM. W x D x H  $16\frac{1}{8}$ " x  $29\frac{1}{4}$ " x  $8\frac{3}{8}$ " 13<sup>11</sup>/<sub>16</sub>" x 26<sup>3</sup>/<sub>4</sub>" INTERIOR DIM. W x D 14.97 (2.54) CASE LBS. (CUBE) LIST PRICE EACH \$ 275.00

Holds: 13" x 13" Milk Crates and #10 Can Cases



202







CD1327

EXTERNAL DIM. W x D x H LOAD PLATFORM CASE LBS. (CUBE) LIST PRICE EACH

> 600 Lbs. CAPACITY

23¾" x 41¾" x 36¼" 23¾" x 35<sup>13</sup>/<sub>16</sub>" 46 (22.93) \$695.00





www.cambro.com 1.800.833.3003

## Tray & Dish Cart / Tray & Silver Cart

### Tray & Dish Cart

- Open storage compartment holds a wide variety of plates and trays.
- Use with or without detachable cutlery station.
- Made of easy-to-clean polyethylene that won't rust, peel or corrode.
- Rounded, molded-in corners protect furniture and walls.
- Molded-in handles and heavy-duty 6" (15,2 cm) swivel casters ease maneuvering.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Gray (180), Granite Gray (191), Granite Green (192), Black (110).









CODE	DESCRIPTION	CASE LBS. (CUBE)	LIST Price ea.
TDCR12	Cart & Rack Combination	88.9 (22.24)	\$ 1,325.00
TDC2029*	Cart only	62 (18.14)	1,005.00
CR12	Cutlery Rack only	23.5 (4.46)	285.00
FWC56	Flatware Cylinder	2.73 (0.41)	4.40

Case Pack: 1 FWC56 Case Pack: 12

CODE	DESCRIPTION	LxWxH
TDCR12	Cart & Rack Combination	38½" x 22¾" x 41¼"
TDC2029*	Cart	38½" x 22½" x 34½"
CR12	Cutlery Rack	33" x 22¾" x 9"

<sup>\*</sup>TDC2029 is not available in Black (110).

## **Tray & Silver Cart**

- Use to neatly organize trays and accessories for self-service.
- Includes eight clear Camwear® food pans to hold flatware, napkins and non-perishable condiments.
- Protective vinyl cover included.


Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Gray (180), Granite Gray (191), Granite Green (192).

**6" Casters:** All swivel, 2 with brake.

Vinyl cover is not NSF listed.







CODE	EXTERIOR DIMENSIONS L x W x H	WEIGHT Capacity	MAXIMUM Tray Size	TRAY Capacity
TC1418	32¾" x 21¼" x 45½"	500 lbs.	14" x 18"	180-200 in
				two stacks

 ${\bf CAMWEAR^{\circ}\ PANS\ FOR\ SELF-SERVE\ TOP:}$ 

PAN QUANTITY, SIZE	CAPACITY
4 each, ⅓ size x 4" deep	Holds 100 knives, 100 spoons, 80 forks
4 each, 1/6 size x 4" deep	Holds variety of condiments





1.800.833.3003 USA / Warewashing



www.cambro.com 1.800.833.3003

204

## S-Series Adjustable Dish Caddy

- · Store one size dish or a combination of different sizes in a single caddy.
- · Features easy-to-adjust column towers.

ADCS Colors: Black (110), Slate Blue (401), Speckled Gray (480), Dark Brown (131).

Casters: 5", 2 swivel with brakes and two 10" Easy wheels.

Vinyl cover included. Not NSF listed.

For square and rectangular plates, please contact Cambro for suggested use.



Holds plates and bowls from  $4\frac{5}{8}$ " to 13"









Plate sizes: 91/4" to 13" diam. 4 Columns (60 each) Total Capacity: 240




Plate sizes: 71/4" to 9" diam. 6 Columns (60 each) Total Capacity: 360




Plate sizes: 5¾" to 7" diam. 6 Columns (45 each) Total Capacity: 270



2 Columns: 91/4" to 13" diam. (60 each) 5 Columns: 43/4" (45 each) Total Capacity: 345



3 Columns: 71/4" to 9" diam. (60 each) 5 Columns: 45/8" (45 each) Total Capacity: 405



2 Columns: 71/4" to 9" diam. (60 each) 2 Columns: 5¾" to 7" (45 each) 4 Columns: 43/4" (45 each) Total Capacity: 390

#### **STABLE & SECURE**

 $\frac{1}{2}$ " (1,27 cm) rod from top to bottom of divider





#### **EASY TO MANEUVER**

Ergonomic molded-in handles on both ends

#### HOLDING CAPACITY

Six 19½" (49,5 cm) storage columns hold 45-60 plates per stack

### EXTREMELY DURABLE

Heavy duty polyethylene construction protects china from chipping. Won't chip, crack or rust

### **REAR WHEELS**

10" (25,4 cm) non-marking Easy Wheels

#### FRONT CASTERS

5" (12,7 cm) swivel with brake



A 3/4" (2 cm) plated steel rear axle allows for 500 lbs. (227 kg) load capacity.



Vinyl cover included with every dolly for sanitary storage.

CODE	ADCS
NUMBER OF DIVIDERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	28%" x 37%" x 31%"
CASE LBS. (CUBE)	133.8 (22.01)
LIST PRICE EACH	\$ 1,285.00
Case Pack: 1	Plate & Bowl size range from 41/8" to 13"

Colors: Black (110), Speckled Gray (480).

## Versa Dish Caddies, Dish Caddies, Adjustable Tray & Dish Cart



### **Versa Dish Caddies**

- Secure, high-capacity storage to protect both square and round plates.
- Durable, polyethylene exterior will not rust, crack, dent or chip.
- Poker chip style offers greater access for easy plate removal.
- A ¾" (2 cm) plated steel rear axle allows for 500 lbs. (227 kg) load capacity.
- Molded-in handles on both ends for easy transporting.


- Five-inch (12,7 cm) front swivel casters with brake and 10" (25,4 cm) non-marking rear wheels ease maneuvering.
- No assembly required.

**Colors:** Black (110), Slate Blue (401), Dark Brown (131), Speckled Gray (480).

**Casters:** 2, 5" swivel with brakes and two 10" Easy Wheels.

Vinyl cover included. Not NSF listed.

DCS950 is covered by U.S. Patent D 603,120 S. DCS1125 is covered by U.S. Patent D 625,894.



**DCS950** holds 5 columns of 45-60 round plates up to  $9\frac{1}{2}$ " (24,1 cm) or 4 to 5 columns of square plates up to 8" (20,5 cm).

**DCS1125** holds 4 columns of 45-60 round plates up to  $11\frac{1}{4}$ " (28,6 cm) or square plates up to  $9\frac{1}{2}$ " (24,1 cm).

## Poker Chip Style Dish Caddies

- Use to store and protect valuable dishware.
- Dividers are molded into the body in a standard poker chip design.
- Made of durable polyethylene that protects plates from chipping.
- Open access from two sides for easy loading and unloading.
- Rounded corners inside and out protect dishware, furniture and walls.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Granite Gray (191).

**Casters:** 2, 5" swivel with brakes and two 10" Easy Wheels.

Vinyl cover included. Not NSF listed.









Sanitary plastic cover included and recommended for protecting clean dinnerware & trays. Replacement covers are available through the Cambro Replacement Parts List at www.cambro.com.

## Adjustable Tray & Dish Cart

- Use to store a wide variety of plates and trays.
- Move two adjustable dividers into position easily to secure trays and plates.
- Made of durable polyethylene that cushions plates and trays to prevent chipping.
- Easy to clean and won't dent, rust, chip or break.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Gray (180), Granite Gray (191), Granite Green (192).

Casters: 6", all swivel, 2 with brake.

Maximum load capacity: 500 lbs.

Vinyl cover included. Not NSF listed.









www.cambro.com 1.800.833.3003







Sanitary plastic cover included with all Cambro dish caddies.

### Versa **Dish Caddies**

CODE	DCS950	DCS1125
PLATE SIZE RANGE (ROUNDS)	83/8" - 91/2" (21,3 - 24,1 cm)	95/8" - 111/4" (24,4 - 28,6 cm)
PLATE SIZE RANGE (SQUARES)	7½" - 8" (18,4 - 20,5 cm)	8¾" - 9½" (21,3 - 24,1 cm)
COLUMNS PER CADDY	5, 45-60 plates per col.	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	27" x 30½" x 31¾"	27" x 30½" x 31¾"
CASE LBS. (CUBE)	89.5 (16.64)	89 (16.64)
LIST PRICE EACH	\$ 1,010 .00	\$ 1,055.00

Case Pack: 1 InStock Colors: Black (110), Speckled Gray (480).







Poke	r Chip	Style
Dish	Caddie	es

CODE	DC575	DC700	DC825
PLATE SIZE RANGE	up to 5¾" (14,6 cm)	5½" - 7" (14,9 - 17,8 cm)	7½" - 8¼" (18,1 - 21 cm)
COLUMNS PER CADDY	6, 45-60 plates per col.	6, 45-60 plates per col.	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	325/8" x 231/2" x 313/4"	325/8" x 231/2" x 313/4"	28¾" x 23¾" x 32"
CASE LBS. (CUBE)	64 (14.59)	64 (14.59)	58 (12.82)
LIST PRICE EACH	\$ 1,010.00	\$ 1,010.00	\$ 1,010.00

Case Pack: 1



# Poker Chip Style Dish Caddies

CODE	DC1225
PLATE SIZE RANGE	113%" - 121/4" (28,9 - 31,1 cm)
COLUMNS PER CADDY	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	32¾" x 27½" x 32"
CASE LBS. (CUBE)	71 (17.78)
LIST PRICE EACH	\$ 1,075.00
Case Pack: 1	

# Adjustable Tray & Dish Cart

CODE	TDC30	
NUMBER OF DIVIDERS	2	
PLATES PER COLUMN	Approximately 45-60	
TRAYS PER COLUMN	80 Trays: 14" x 18"	
OVERALL DIMENSIONS W x L x H	23½" x 38½" x 34½"	
CASE LBS. (CUBE)	76.67 (18.74)	
LIST PRICE EACH	\$ 1,320.00	

Case Pack: 1

USA / Warewashing 1.800.833.3003

207

## Cambox® Bus Boxes




## Regal

**Poly** 





CODE	1120CBR	1520CBR
DESCRIPTION	Four Compartment Cutlery Box	15" x 20" Cambox
DIM. W x L x H	11¾" x 20½6" x 3¾"	155/16" x 1915/16" x 415/16"
CASE LBS. (CUBE)	22.54 (2.65)	23 (3.54)
LIST PRICE EACH	\$ 24.05	\$ 24.60
Coco Book, 12 Colo	re. Plank (110) Dark Proug (121)	













CODE	1621CBR	21155CBR	21157CBR	1722CBR
DESCRIPTION	16" x 21" Cambox	15" x 21" x 5" Cambox	15" x 21" x 7" Cambox	17" x 22" Cambox
DIM. W x L x H	15%" x 20½" x 4%"	$15 \frac{1}{4}$ x $20 \frac{1}{4}$ x $4 \frac{15}{16}$ (includes handle)	15¾6" x 20¾6" x 6 <sup>15</sup> √16"	161/8" x 211/8" x 43/4"
CASE LBS. (CUBE)	42 (3.99)	27.74 (3.94)	35.20 (4.53)	28.24 (4.15)
LIST PRICE EACH	\$ 39.50	\$ 28.85	\$ 33.25	\$ 31.95

Case Pack: 12 Colors: Black (110), Dark Brown (131). (NSE)













CODE	415CBP	912CBP	1120CBP	1520CBP	1520CBPF*
DESCRIPTION	Cutlery Box	Utility Box	11" x 20" Cambox	15" x 20" Cambox	15" x 20" Cambox
DIM. W x L x H	4½" x 14½" x 4½"	$9\frac{1}{16}$ " x $12\frac{1}{16}$ " x $5\frac{1}{8}$ "	$11\frac{3}{8}$ " x $20\frac{7}{16}$ " x $3\frac{3}{4}$ "	$15\frac{5}{16}$ " x $19\frac{15}{16}$ " x $4\frac{15}{16}$ "	15 <sup>5</sup> / <sub>16</sub> " x 19 <sup>15</sup> / <sub>16</sub> " x 4 <sup>15</sup> / <sub>16</sub> "
CASE LBS. (CUBE)	2.6 (0.75)	9.25 (1.22)	20.5 (2.59)	18.61 (3.29)	20.5 (3.54)
LIST PRICE EACH	\$ 8.00	\$ 10.85	\$ 17.35	\$ 17.90	\$ 17.90

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Gray (180). InStock Color: Light Gray (180). \*1520CBPF is identical to 1520CBP except the internal surface is flat.









CODE	1621CBP	21155CBP	21157CBP	1722CBP
DESCRIPTION	15" x 20" Cambox	15" x 21" x 5" Cambox	15" x 21" x 7" Cambox	17" x 22" Cambox
DIM. W x L x H	15 <sup>5</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>2</sub> " x 4 <sup>7</sup> / <sub>8</sub> "	$15\frac{1}{4}$ " x $20\frac{1}{4}$ " x $4\frac{15}{16}$ " (includes handle)	$15\frac{3}{16}$ " x $20\frac{3}{16}$ " x $6\frac{15}{16}$ "	161/8" x 211/8" x 43/4"
CASE LBS. (CUBE)	31.20 (3.89)	21.41 (3.20)	25 (3.73)	26 (4.20)
LIST PRICE EACH	\$ 27.05	\$ 20.15	\$21.75	\$ 21.75

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Gray (180). InStock Color: Light Gray (180).

Covers	
CODE	1520CBCP
TITC	1520CRP









CODE	1520CBCP	1722CBCP	2115CBCP	2115CBCR
FITS	1520CBP, 1520CBPF 15 x 20 Cambox, Poly	1722CBR, 1722CBP 17 x 22 Cambox, Regal & Poly	21155CBP, 21157CBP 15 x 20 Cambox, Poly	21155CBR, 21157CBR 15 x 20 Cambox, Regal
DIM. W x L	16" x 20½"	17 <sup>5</sup> / <sub>16</sub> " x 22 <sup>3</sup> / <sub>8</sub> "	15½" x 20½"	15½" x 20½"
CASE LBS. (CUBE)	13.08 (1.17)	13.36 (0.93)	12.75 (1.38)	17 (1.40)
LIST PRICE EACH	\$ 14.50	\$ 26.15	\$ 14.45	\$ 15.00

Case Pack: 12 Color: White (148). (NSE)









## **KD Service Cart and KD Utility Cart**



- Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships "knocked down" to minimize shipping costs.
- · Easy to assemble.

Cart and Shelf Panel Set Colors: Black (110), Speckled Gray (480).

Trash Container and Silverware Holder Color: Black (110).



Each BC340KD shelf holds one full-sized dish rack or two standard bus boxes



Marine rails keep contents in place

Sturdy aluminum uprights



steady maneuvering



surface is easy to clean

CODE	BC340KD	BC331KD
DESCRIPTION	Utility Cart	Service Cart
CASTER DIA./TYPE	5", 4 swivel, no brake	4", 4 swivel, no brake
OVERALL DIM. L x D x H	40" x 21½" x 37½"	32%" x 16¼" x 38"
SHELF DIM. L x D x H	31½" x 20½" x 11¾"	24¾" x 15½" x 11¾"
LOAD CAPACITY	400 lbs.	300 lbs.
CASE LBS. (CUBE)	39 (6.72)	24.01 (4.07)
LIST PRICE EACH	\$ 292.00	\$ 196.00

Case Pack: 1 InStock Colors: Black (110), Speckled Gray (480).



## Optional Accessories







CODE	BC331KDTC	BC331KDSH	BC340KDP
DESCRIPTION	8 gal. Trash Container	2.5 gal. Silverware Holder	Single Shelf Panel Set (for KD Utility Cart only)
DIM. W x D x H	13" x 9½" x 22"	13" x 9½" x 7¼"	315/8" x 173/4" x 113/4"
CASE LBS. (CUBE)	4.96 (1.92)	2.25 (0.59)	6.25 (0.65)
LIST PRICE EACH	\$ 80.00	\$ 46.00	\$ 80.00

Case Pack: 1

## **Service Carts**

- All-purpose versatile, durable and dependable workhorses.
- Ideal for use on the receiving dock or setting up and bussing tables.
- Made of one-piece, polyethylene with molded-in handles and shelves.
- Choose from models with open or enclosed sides.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Gray (180), Granite Gray (191), Granite Green (192).

BC225, BC2254S, BC11TC and BC1115SH can be shipped by parcel carrier.










## **Open Carts**





Case Pack: 1







CODE	BC2354S	BC230	BC2304S	
CASTER DIA./TYPE	5", 4 swivel, 1 w/brake	5", 2 fixed, 2 swivel, 1 w/brake	5", 4 swivel, 1 w/brake	
OVERALL DIM. L x D x H	37½" x 21½" x 345%"	33½" x 20" x 34½"	33½" x 20" x 345%"	
SHELF DIM. L x D x H	31½" x 20¾" x 11¾"	27" x 19½" x 11¼"	27" x 19½" x 11¼"	
LOAD CAPACITY	500 lbs.	500 lbs.	500 lbs.	
CASE LBS. (CUBE)	68 (17.85)	62 (15.13)	57.4 (14.77)	
LIST PRICE EACH	\$ 780.00	\$ 710.00	\$ 720.00	

Case Pack: 1

210

### **Enclosed Carts**



Elicioseu Garts		
CODE	BC330	BC3304S
CASTER DIA./TYPE	5", 2 fixed, 2 swivel, 1 w/brake	5", 4 swivel, 1 w/brake
OVERALL DIM. L x D x H	331/8" x 20" x 345/8"	331/8" x 20" x 345/8"
SHELF DIM. L x D x H	27" x 18½" x 11¼"	27" x 18½" x 11¼"
LOAD CAPACITY	500 lbs.	500 lbs.
CASE LBS. (CUBE)	64.17 (14.73)	65.2 (14.87)
LIST PRICE EACH	\$ 765.00	\$ 775.00
Case Pack: 1		

### **Optional** Accessories





BC11TC*	BC1115SH*
11 gal. Trash Container	1.75 gal. Silverware Holder
13¾" x 81/8" x 211/8"	14½" x 6" x 5¾"
6 (2.1)	3.25 (0.79)
\$ 85.00	\$ 75.00
	11 gal. Trash Container 13¾" x 8½" x 21½" 6 (2.1)

Case Pack: 1 \* BC11TC & BC1115SH will not fit KD Service or Utility Carts. BC11TC & BC1115SH are available in Black (110) and Dark Brown (131) only.

www.cambro.com 1.800.833.3003

CODE	PAGE	PRICE
1000 (Group 3)	12	16.80
1000CW	33	11.65
1000LCD	146	405.00
1000LCDCVR	146	130.00
1000VT		Discontinued
1005CW	33	11.90
1007CW	33	11.90
100BC	134	40.00
100BC1	134	45.00
100BCS	134	60.00
100CW	31	2.80
100LCD	146,148	220.00
100MCCW	120	13.70
100MPC	150	400.00
100MPCHL	149	500.00
100VS	32	13.00
1010VS	32	14.20
1012VS	32	14.20
1013CW	33	11.95
1014 (Group 1)	11	15.25
1014 (Group 3)	11	19.70
1014 (Group 3)	26	14.95
10145CW		
	24, 26	13.70
10146DCP	27	8.65
10146DCPC	27	5.05
10146DCW	27	17.60
10146DCWC	27	9.35
1014CL	16	13.85
1014CT	22	23.10
1014FF	17	4.30
1014VS	32	14.20
1015 (Group 1)	12	15.75
1015 (Group 3)	12	20.40
1015MT	18	15.50
10302MT	18	36.20
1030MT	18	24.50
103VS	32	13.40
105VS	32	13.40
106VS	32	15.00
10CW	31	3.25
10CWC	111	18.00
10CWCH	111	18.00
10CWCHN	111	18.00
10CWD	109	15.50
10CWGL	111,115	37.95
10CWL	31	2.50
10CWNR	31	6.90
10HC258	190,194	26.20
10HC414	190	43.45
10HE1	195	13.80
10HE2	195	12.95
10HPC	115	45.50
10HPCH	115	45.50
10HPCHN	115	45.55
10HPD	113	33.55

CODE	PAGE	PRICE
10HS1114	189	104.70
10HS318	189	38.90
10HS434	189	53.20
10HS638	189	64.25
10HS800	189	77.70
10HS958	189	91.30
10PPCH	117	11.95
10PPD	117	9.20
10PPSC	117	11.95
10SC	111,115	11.10
1100 (Group 1)	12	12.95
1100 (Group 3)	12	16.40
1100CT	22	18.75
1101CW	33	11.90
1111SMVS	32	15.30
1111SQVS	32	15.30
1116 (Group 1)	12	16.50
1116 (Group 3)	12	23.10
1120CBP	208	17.35
1120CBR	208	24.05
1121TR (Group 1)		Discontinued
1121TR (Group 3)		Discontinued
116VS	32	15.30
1200 (Group 1)	12	14.30
1200 (Group 3)	12	19.15
1200 (droup 3)	41	2.50
1200DIV	133,161	75.00
1200DIV 1200P	40	1.51
1200P 1200P2	40	1.60
1200F2 1202CW	33	
120CWP	31	11.95
120CWP 120VS		8.40
	32	19.60
1210PW	161	190.60
1212SQVS	32	20.35
1216 (Group 1)	11	17.60
1216 (Group 3)	11	23.10
1216CL	16	15.70
1216CT	22	26.70
1216D (Group 1)	13	18.20
1216D (Group 3)	13	24.15
1216FF	17	5.10
12183CW	104	24.10
12183P	105	18.60
12186CW	104	30.50
12186P	105	23.20
12189CW	104	41.00
12189P	105	30.65
1218CCW	104	14.90
1218CP	105	14.30
1218DSCW	105	9.70
1218MT	18	19.35
1218SCCW	104	31.80
1219D (Group 1)	13	21.40
1219D (Group 3)	13	27.60
1220D (Group 1)	13	23.15

1222D (Group 1)	PRICE	CODE	PAGE	PRICE
1222D (Group 3)	104.70	1220D (Group 3)	13	29.70
64.25         1224MT         18         24.2           77.70         1227MT         Discontinue           91.30         1230MT         18         28.1           11.95         124VS         32         20.3           9.20         1252SLB250         106         350.2           11.10         12CW         109         21.3           12.95         12HP         113         50.7           16.40         12HPH         114         58.2           11.90         12SFSCW         96         26.4           15.30         12SFSPP         97         18.1           15.30         12SFSPP         97         18.1           15.30         12SFSPP         97         19.0           23.10         1300 (Group 1)         12         15.7           15.30         133 (Group 1)         12         20.8           24.05         1313 (Group 3)         12         20.8           15.30         1318 (Group 3)         13         20.6           15.30         1318 (Group 3)         11         27.3           15.30         1318 (Group 3)         11         27.3           15.30         1318MT	38.90	1222D (Group 1)	13	23.15
1.00	53.20		13	29.65
91.30			18	24.25
11.95	77.70	l		Discontinued
19.20				28.15
11.19         1252SLINB250         106         350.2           11.10         12CW         109         21.3           12.95         12HP         113         50.7           16.40         12HPH         114         58.2           18.75         12RS12         134         196.0           11.90         12SFSCW         96         26.4           15.30         12SFSPP         97         18.1           15.30         12SFSPP         97         19.0           16.50         12TGS         54         5.9           23.10         1300 (Group 1)         12         15.7           17.35         1300 (Group 3)         12         20.8           24.05         1313 (Group 1)         13         15.7           1313 (Group 3)         13         20.6           1318 (Group 1)         11         21.8           15.30         1318 (Group 1)         11         21.8           19.51         1318 (Group 3)         11         27.3           14.30         131EMT         18         19.8           19.51         132OTR (Group 1)         Discontinue           15.50         132OTR (Group 1)         12 <td></td> <td></td> <td></td> <td>20.35</td>				20.35
11.10         12.05         12HP         113         50.7           16.40         12HPH         114         58.2           18.75         12RS12         134         196.0           11.90         12SFSCW         96         26.4           15.30         12SFSP         97         18.1           15.30         12SFSPP         97         19.0           23.10         1300 (Group 1)         12         15.7           17.35         1300 (Group 3)         12         20.8           24.05         1313 (Group 3)         13         20.6           15.30         1318 (Group 1)         13         15.7           15.30         1318 (Group 3)         11         27.3           14.30         1318 (Group 3)         11         27.3           14.30         1318MT         18         19.8           19.5         132OTR (Group 1)         Discontinue           15.50         132OTR (Group 1)         Discontinue           15.50         132OTR (Group 1)         Discontinue           10.60         13CLRCW         110         27.1           16.0         1400 (Group 1)         12         16.0           19.60<		l <del></del>		350.20
12.95				350.20
16.40         12HPH         114         58.2           18.75         12RS12         134         196.0           11.90         12SFSCW         96         26.4           15.30         12SFSPP         97         18.1           15.30         12SFSPP         97         19.0           16.50         12TGS         54         5.9           23.10         1300 (Group 1)         12         15.7           17.35         1300 (Group 3)         12         20.8           1313 (Group 1)         13         15.7           1stinued         1318 (Group 1)         11         21.8           14.30         1318 (Group 3)         11         27.3           14.30         1318 (Group 3)         11         27.3           14.30         1318 (Group 1)         Discontinue           15.30         132DTR (Group 1)         Discontinue           15.50         132OTR (Group 1)         Discontinue           15.50         132CTR (Group 3)         Discontinue           15.51         13CLRCW         110         27.1           1.60         1400 (Group 1)         12         16.0           14.00 (Group 1)         12		l <del></del>		21.35
18.75				50.70
11.90   12SFSCW   96   26.4   15.30   12SFSP   97   18.1   15.30   12SFSP   97   19.0   16.50   12TGS   54   5.9   1300 (Group 1)   12   15.7   1300 (Group 3)   12   20.8   1313 (Group 3)   13   20.6   1313 (Group 3)   13   20.6   1318 (Group 3)   11   21.8   1318 (Group 3)   11   27.3   1318 (Group 3)   12   20.8   20.50   132OTR (Group 1)   Discontinue   15.50   132OTR (Group 3)   12   16.0   14.00 (Group 1)   12   16.0   14.00 (Group 1)   12   16.0   14.00 (Group 3)   12   21.7   14.00 (Group 3)   12   21.7   15.0   14.00 (Group 3)   12   21.7   15.0   14.00 (Group 3)   12   21.7   15.0   14.10 (Group 3)   12   22   24.9   15.0   14.10 (Group 3)   11   27.4   14.10 (Group 3)   13   28.0   14.10 (Group 3)   14.10 (Group 3)   13   28.0   14.10 (Group 3)   14.		·		58.25
15.30   12SFSP   97   18.1     15.30   12SFSPP   97   19.0     16.50   12TGS   54   5.9     23.10   1300 (Group 1)   12   15.7     17.35   1300 (Group 3)   12   20.8     1313 (Group 1)   13   15.7     1313 (Group 3)   13   20.6     1318 (Group 1)   11   21.8     15.30   1318 (Group 3)   11   27.3     14.30   1318MT   18   19.8     19.15   1320TR (Group 1)   Discontinue     15.50   1320TR (Group 3)   Discontinue     15.51   13CLRCW   110   27.1     16.0   13CLRHP   114   61.3     11.95   1400 (Group 1)   12   16.0     14.00 (Group 3)   12   21.7     190.60   1400TL   23   15.0     190.60   1400TL   23   15.0     1410SCP   26   6.6     1410SCW   26   15.0     1411CP   28   6.1     1411CP   28   6.1     1411CP   28   6.1     1411CP   28   6.1     1418 (Group 1)   11   21.0     1418 (Group 3)   11   27.4     24.15   1418 (Group 1)   13   21.2     24.16   1418CT   22   33.2     24.17   1418CT   22   33.2     141.00   1418C (Group 1)   13   21.2     24.10   1418 (Group 3)   13   28.0     14.100   1418 (Group 1)   11   19.9     1418 (Group 3)   11   26.9     1418 (Group 3)   11   27.4     1418 (Group 3)   13   28.0     1418 (Group 3)   13   28.0     1418 (Group 3)   13   28.0     1418 (Group 3)   14   26.9     1418 (Group 3)   17   26.9     1418 (Group 3)   11   27.8     1418 (Group 3)   11   27.8     1418 (Group 3)   11   27.8     1418 (Group 3)   11   27.4     1418 (Group 3)   11				
15.30         12SFSPP         97         19.0           16.50         12TGS         54         5.9           23.10         1300 (Group 1)         12         15.7           17.35         1300 (Group 3)         12         20.8           17.35         1313 (Group 1)         13         15.7           1tinued         1313 (Group 3)         13         20.6           15.30         1318 (Group 1)         11         21.8           15.30         1318 (Group 3)         11         27.3           14.30         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           190.60         1400TL         23         15.0           190.60         1400TL         23         15.0           20.35         14105CW         26         6.6           23.10         141CP         28         6.1           141CP         2		l <del></del>		
16.50   12TGS		·		
1300 (Group 1)   12   15.77				
17.35		l <del></del>		
24.05   1313 (Group 1)   13   15.7   1318 (Group 3)   13   20.6   1318 (Group 3)   11   21.8   1318 (Group 3)   11   27.3   14.30   1318 (Group 3)   11   27.3   1318 (Group 3)   11   27.3   1318 (Group 3)   11   27.3   1318 (Group 1)   158   495.0   1320TR (Group 1)   Discontinue   15.0   1320TR (Group 3)   12   16.0   1320TR (Group 3)   12   16.0   1400 (Group 3)   12   21.7   16.0   1400 (Group 3)   12   21.7   16.0   1400TL   23   15.0   1400TL   23   15.0   1400TL   23   15.0   14105CP   26   6.6   6.6   15.0   1411CP   28   6.1   1418 (Group 3)   11   27.4   1418 (Group 3)   11   27.4   1418 (Group 3)   11   27.4   1418 (Group 3)   13   21.2   23.20   1418 (Group 1)   13   21.2   23.20   1418 (Group 3)   13   28.0   1418 (Group 3)   1418 (Group 3)   13   28.0   1418 (Group 3)		· · · · · · · · · · · · · · · · · · ·		
Intinued national         1313 (Group 3)         13         20.6           15.30         1318 (Group 1)         11         21.8           15.30         1318 (Group 3)         11         27.3           14.30         1318MT         18         19.8           19.15         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           1400 (Group 3)         12         21.7           19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418CL				
Intinued         1318 (Group 1)         11         21.8           15.30         1318 (Group 3)         11         27.3           14.30         1318MT         18         19.8           19.15         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400TL         23         15.0           19.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           14.18 (Group 3)         11         27.4           24.15         1418CL         16         17.1           1418CT         22         33.2				
15.30         1318 (Group 3)         11         27.3           14.30         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418CL         16         17.1           24.10         1418CT         22         33.2           1418D (Group 1)         13         21.2           23.20         1418D (Group 1) <td< td=""><td></td><td>·</td><td></td><td></td></td<>		·		
14.30         1318MT         18         19.8           19.15         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418 (Group 3)         11         27.4           24.10         1418CT         22         33.2           1418CW         16         17.1           23.20         1418D (Group 1)         13         21.2           23.20         1418TR (Group 3) <td< td=""><td></td><td>· · · · · · · · · · · · · · · · · · ·</td><td></td><td></td></td<>		· · · · · · · · · · · · · · · · · · ·		
19.15         1318MTC         158         495.0           2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         1410CW         28         17.5           23.10         1411CW         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418 (Group 3)         11         27.4           24.10         1418CT         22         33.2           1418CW         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13				
2.50         1320TR (Group 1)         Discontinue           75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418 (Group 3)         11         27.4           24.10         1418CL         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418TR (Group 3)         11         19.9           30.65		l -		
75.00         1320TR (Group 3)         Discontinue           1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418 (Group 3)         11         27.4           24.10         1418CL         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 1)         13         21.2           23.20         1418TR (Group 3)         11         19.9           14.30         1418TR (Group 3)         11         26.9           14.		l -	136	
1.51         13CLRCW         110         27.1           1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418CL         16         17.1           24.10         1418CL         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418TR (Group 3)         11         19.9           14.30 <td></td> <td></td> <td></td> <td></td>				
1.60         13CLRHP         114         61.3           11.95         1400 (Group 1)         12         16.0           8.40         1400 (Group 3)         12         21.7           19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         141CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         1418CL         16         17.1           24.10         1418CL         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418TR (Group 3)         11         19.9           14.30         1418TR (Group 3)         11         26.9           14.30 <td></td> <td></td> <td>110</td> <td></td>			110	
11.95     1400 (Group 1)     12     16.0       8.40     1400 (Group 3)     12     21.7       19.60     1400CT     22     24.9       190.60     1400TL     23     15.0       20.35     14105CP     26     6.6       17.60     14105CW     26     15.0       23.10     1411CP     28     6.1       15.70     1411CW     28     17.5       26.70     1418 (Group 1)     11     21.0       18.20     1418 (Group 3)     11     27.4       24.15     1418CL     16     17.1       24.10     1418CT     22     33.2       18.60     1418CW     16     24.9       30.50     1418D (Group 1)     13     21.2       23.20     1418D (Group 1)     13     21.2       30.65     1418TR (Group 1)     11     19.9       14.30     1418TR (Group 3)     11     26.9       14.30     1418TR (Group 3)     11     26.9       14.30     1418VC     19,173     37.4       19.35     1418VC     19,173     37.4       19.35     1418VC     19,173     37.4       1422TR (Group 1)     11     21.8       27.60				
8.40       1400 (Group 3)       12       21.7         19.60       1400CT       22       24.9         190.60       1400TL       23       15.0         20.35       14105CP       26       6.6         17.60       14105CW       26       15.0         23.10       1411CP       28       6.1         15.70       1418 (Group 1)       11       21.0         18.20       1418 (Group 3)       11       27.4         24.15       14187TRCW       26       26.9         5.10       1418CL       16       17.1         24.10       1418CT       22       33.2         1418CW       16       24.9         30.50       1418D (Group 1)       13       21.2         23.20       1418D (Group 1)       13       21.2         23.20       1418TR (Group 1)       11       19.9         14.90       1418TR (Group 3)       11       26.9         14.30       1418TR (Group 3)       11       26.9         14.30       1418VC       19,173       37.4         19.35       1418VC       19,173       37.4         19.35       1418VC       19,173				16.05
19.60         1400CT         22         24.9           190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 1)         13         21.2           23.20         1418FF         17         6.5           30.65         1418TR (Group 3)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TR (Group 3)         11         26.9           9.70         1418VC         19,173         37.4           19.35		· · · · · · · · · · · · · · · · · · ·		
190.60         1400TL         23         15.0           20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.30         1418TR (Group 3)         11         26.9           14.30         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35				
20.35         14105CP         26         6.6           17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.30         1418TR (Group 3)         11         26.9           9.70         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           1422TR (Group				15.00
17.60         14105CW         26         15.0           23.10         1411CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.30         1418TR (Group 3)         11         26.9           9.70         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           1422TR (G		l <del></del>		6.65
23.10         1411CP         28         6.1           15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           9.70         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           1422TR (Group 1)         11         21.8           21.40				15.00
15.70         1411CW         28         17.5           26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TRCW         16         24.9           9.70         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC (Group 1)         11         21.8           21.40         1422TR (Group 3)         11         29.5				6.10
26.70         1418 (Group 1)         11         21.0           18.20         1418 (Group 3)         11         27.4           24.15         14187TRCW         26         26.9           5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TRCW         16         24.9           9.70         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           19.35         1418VC         19,173         37.4           1422TR (Group 1)         11         21.8           21.40         1422TR (Group 3)         11         29.5           27.60         14CW         109         27.1				17.50
18.20     1418 (Group 3)     11     27.4       24.15     14187TRCW     26     26.9       5.10     1418CL     16     17.1       24.10     1418CT     22     33.2       18.60     1418CW     16     24.9       30.50     1418D (Group 1)     13     21.2       23.20     1418D (Group 3)     13     28.0       41.00     1418FF     17     6.5       30.65     1418TR (Group 1)     11     19.9       14.30     1418TR (Group 3)     11     26.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1		-		21.05
24.15     14187TRCW     26     26.9       5.10     1418CL     16     17.1       24.10     1418CT     22     33.2       18.60     1418CW     16     24.9       30.50     1418D (Group 1)     13     21.2       23.20     1418D (Group 3)     13     28.0       41.00     1418FF     17     6.5       30.65     1418TR (Group 1)     11     19.9       14.90     1418TR (Group 3)     11     26.9       14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1				27.45
5.10         1418CL         16         17.1           24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TRCW         16         24.9           9.70         1418VC         19,173         37.4           19.35         1418VDC         19,173         37.4           19.35         1422TR (Group 1)         11         21.8           21.40         1422TR (Group 3)         11         29.5           27.60         14CW         109         27.1			26	26.90
24.10         1418CT         22         33.2           18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TRCW         16         24.9           9.70         1418VC         19,173         37.4           19.35         1418VDC         19,173         37.4           31.80         1422TR (Group 1)         11         21.8           21.40         1422TR (Group 3)         11         29.5           27.60         14CW         109         27.1		1418CL		17.10
18.60         1418CW         16         24.9           30.50         1418D (Group 1)         13         21.2           23.20         1418D (Group 3)         13         28.0           41.00         1418FF         17         6.5           30.65         1418TR (Group 1)         11         19.9           14.90         1418TR (Group 3)         11         26.9           14.30         1418TRCW         16         24.9           9.70         1418VC         19,173         37.4           19.35         1418VDC         19,173         37.4           31.80         1422TR (Group 1)         11         21.8           21.40         1422TR (Group 3)         11         29.5           27.60         14CW         109         27.1		1418CT	22	33.25
30.50     1418D (Group 1)     13     21.2       23.20     1418D (Group 3)     13     28.0       41.00     1418FF     17     6.5       30.65     1418TR (Group 1)     11     19.9       14.90     1418TR (Group 3)     11     26.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1			16	24.95
23.20     1418D (Group 3)     13     28.0       41.00     1418FF     17     6.5       30.65     1418TR (Group 1)     11     19.9       14.90     1418TR (Group 3)     11     26.9       14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1		1418D (Group 1)	13	21.20
41.00     1418FF     17     6.5       30.65     1418TR (Group 1)     11     19.9       14.90     1418TR (Group 3)     11     26.9       14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1			13	28.00
14.90     1418TR (Group 3)     11     26.9       14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1	41.00	1418FF	17	6.55
14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1	30.65	1418TR (Group 1)	11	19.95
14.30     1418TRCW     16     24.9       9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1		1418TR (Group 3)	11	26.95
9.70     1418VC     19,173     37.4       19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1			16	24.95
19.35     1418VDC     19,173     37.4       31.80     1422TR (Group 1)     11     21.8       21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1		1418VC	19,173	37.40
21.40     1422TR (Group 3)     11     29.5       27.60     14CW     109     27.1	19.35	1418VDC	19,173	37.40
27.60 14CW 109 27.1	31.80	1422TR (Group 1)	11	21.85
	21.40	1422TR (Group 3)	11	29.55
23 15 14HP 113 61 3	27.60	14CW	109	27.15
	23.15	14HP	113	61.30

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE
14PP	117	16.15	16S1058	186	115.00	1826SCCW	104
150CW	31	4.45	16S1114	186	131.90	1826STP	153
1520 (Group 1)	11	25.45	16S1214	186	133.50	1826STP	158
1520 (Group 3)	11	33.00	16S318	186	51.60	18CW	109
1520CBCP	208	14.50	16S418	186	54.05	18SFSCW	96
1520CBP	208	17.90	16S434	186	67.65	18SFSP	97
1520CBPF	208	17.90	16S534	186	69.25	18SFSPP	97
1520CBR	208	24.60	16S638	186	81.20	1950 (Group 1)	12
1520CL	16	19.55	16S738	186	82.90	1950 (Group 3)	12
1520CT	22	37.80	16S800	186	98.00	1950CT	22
1520CW	16	25.95	16S900	186	99.75	2000P	40
1520D (Group 1)	13	25.20	16S958	186	113.25	2000P2	40
1520D (Group 3)	13	31.85	1722CBCP	208	26.15	200BC	134
1520TR (Group 1)	11	23.30	1722CBP	208	21.75	200BC1	134
1520TR (Group 3)	11	30.45	1722CBR	208	31.95	200BCS	134
1520VC	19,173	41.80	17HE1	195	14.40	200MCCW	120
1520VCC	19	41.80	17HE2	195	13.80	2025 (Group 1)	11
1520VCRST	19,173	44.00	17HS1114	189	113.25	2025 (Group 3)	11
1520VDC	19,173	41.80	17HS318	189	40.55	2025MT	18
1525RST	20	30.85	17HS434	189	55.40	2030UT	202
1550 (Group 1)	12	20.50	17HS638	189	69.85	20C258	190,194
1550 (Group 3)	12	26.75	17HS800	189	84.60	20C414	190
1550CT	22	33.90	17HS958	189	99.15	20CC	40
1596CP	25	6.55	1800CT	22	46.65	20CFC	118
1596CW	25	12.05	1826 (Group 1)	11	39.05	20CWC	111
15CLRCW	110	32.95	1826 (Group 3)	11	50.25	20CWCH	111
15CLRHP	114	79.70	182612CW	104	91.35	20CWCHN	111
1600 (Group 1)	12	20.15	182612P	105	63.95	20CWD	109
1600 (Group 3)	12	26.95	182615CW	103	107.80	20CWD 20CWGL	111,115
1600 (Group 3)	22	32.90	182615P	104	75.25	20CWL	111,115
1600CW	41		18263CW	103	44.00	20CWL 20CWLN	111
1600DIV		3.10	-		_		
	130,161	75.00	18263P	105	30.80	20E2	194
1600P	40	1.79	18266CW	104	57.00	20GE1	194
1600P2	40	1.90	18266P	105	40.45	20GE2	194
1600TL	23	20.00	18268CLRCW	105	81.55	20HPC	115
1621CBP	208	27.05	18268CLRKIT	105	209.95	20HPCH	115
1621CBR	208	39.50	18269CW	104	75.00	20HPCHN	115
1622 (Group 1)	11	29.30	18269P	105	52.75	20HPD	113
1622 (Group 3)	11	38.10	1826CCW	104	29.85	20HPL	115
16225 (Group 1)	11	32.10	1826CL	16	28.10	20HPLN	115
16225 (Group 3)	11	40.10	1826CLRCW	105	47.15	20LPCWC	111
1622CT	22	46.65	1826CP	105	23.75	20LPCWD	109
1622D (Group 1)	13	28.90	1826CT	22	56.00	20LPHPC	115
1622D (Group 3)	13	37.75	1826DBC	159	2,355.00	20LPHPD	113
1622VC	19,173	51.70	1826DBCSP	159	2,860.00	20PPCH	117
16C258	190,194	36.70	1826DSCW	105	24.55	20PPD	117
16C414	190	51.15	1826DTC	159	2,355.00	20PPSC	117
16C578	190	76.40	1826DTCSP	159	2,880.00	20\$1114	187
16CW	109	32.95	1826LBC	158	1,410.00	20\$318	187
16E1	194	16.45	1826LBCSP	158	1,625.00	20\$434	187
16E2	194	14.60	1826LTC	158	1,425.00	20\$638	187
16E4	195	17.65	1826LTC3	158	1,425.00	20\$800	187
16E5	195	15.55	1826LTCSP	158	1,655.00	20S958	187
16HP	113	79.70	1826MT	18,51	31.65	20SC	111,115
16PP	117	20.65	1826MTC	158	740.00	21155CBP	208

CODE	PAGE	PRIC
1826SCCW	104	53.4
1826STP	153	90.0
1826STP	158	90.0
18CW	109	39.3
18SFSCW	96	39.2
18SFSP	97	24.5
18SFSPP	97	25.9
1950 (Group 1)	12	27.8
1950 (Group 3)	12	36.6
1950CT	22	47.7
2000P	40	2.2
2000P2	40	2.4
200BC	134	55.0
200BC1	134	60.0
200BCS	134	70.0
200MCCW	120	18.9
2025 (Group 1)	11	47.6
2025 (Group 3)	11	57.9
2025MT	18	41.4
2030UT	202	695.0
20C258	190,194	38.0
20C414	190	52.3
20CC	40	2.6
20CFC	118	14.5
20CWC	111	9.4
20CWCH	111	9.4
20CWCHN	111	11.0
20CWD	109	7.2
20CWGL	111,115	26.3
20CWL	111	14.8
20CWLN	111	14.8
20E2	194	13.5
20GE1	194	17.3
20GE2	194	15.0
20HPC	115	19.8
20HPCH	115	21.0
20HPCHN	115	24.1
20HPD	113	15.0
20HPL	115	34.8
20HPLN	115	34.8
20LPCWC	111	13.8
20LPCWD	109	8.0
20LPHPC	115	27.1
20LPHPD	113	16.7
20PPCH	117	8.2
20PPD	117	4.7
20PPSC	117	7.3
20S1114	187	131.9
20S318	187	51.6
20S434	187	68.5
20S638	187	81.9
20\$800	187	98.0
20S958	187	113.2
	-	
20SC	111,115	6.4

www.cambro.com

CODE	DAGE	DDIOF
	PAGE	PRICE
21155CBR	208	28.85
21157CBP	208	21.75
21157CBR	208	33.25
2115CBCP	208	14.45
2115CBCR	208	15.00
22CW	109	11.85
22HP	113	25.25
22LPCW	109	16.20
22LPHP	113	36.05
22SFSCW	96	49.75
22SFSP	97	30.00
22SFSPP	97	31.90
23CLRCW	110	14.75
23CLRHP	114	32.85
23SL	106	381.10
23SLB250	106	705.55
23SLB6250	106	183.35
23SLINB250	106	705.55
240MPC		280.00
2436UTH	149	
	202	650.00
2436UTHS	202	695.00
24CW	109	14.75
24HP	113	32.85
24LPCW	109	20.20
24LPHP	113	44.80
24PP	117	9.65
2500 (Group 1)	12	38.05
2500 (Group 3)	12	50.25
2500CT	22	59.40
250LCD	146	230.00
250LCDCVR	146	130.00
25CLRCW	110	18.95
25CLRHP	114	42.10
25E1	194	17.35
25E2	194	15.05
25E4	195	20.20
25E5	195	16.95
25MCCW	120	6.55
25S1058	187	123.35
25\$1114	187	131.90
-		
25\$1214	187	141.95
25S318	187	51.60
25\$418	187	55.85
25\$434	187	68.50
25\$534	187	71.85
25S638	187	81.95
25\$738	187	88.65
<u>25S800</u>	187	98.00
25S900	187	106.50
25S958	187	113.25
25SWGF	198	83.25
2632 (Group 1)	13	14.90
2632 (Group 3)	13	19.25
26CF	118	57.55
26CW	109	18.95
	100	10.33

CODE	PAGE	PRICE
26HP	113	42.10
26PP	117	12.55
2700 (Group 1)	12	44.35
2700 (Group 3)	12	58.70
2700CT	22	66.85
28CW	109	24.10
2900CT	22	75.85
2SFSCW	96	8.55
2SFSP	97	6.35
2SFSPP	97	6.70
300DIV	161	75.00
300MPC	151	480.00
3046 (Group 1)	13	18.70
3046 (Group 3)	13	24.80
30CFC	118	12.15
30CWC	111	6.90
30CWCH	111	6.90
30CWCHN	111	9.40
30CWD	109	6.65
30CWGL	111,115	18.15
30CWL	111	12.70
30CWLN	111	12.70
30GE1	194	17.65
30GE2	194	15.90
30HPC	115	14.75
30НРСН	115	16.70
30HPCHN	115	16.70
30HPD	113	11.30
30HPL	115	24.90
30HPLN	115	24.90
30PPCH	117	5.65
30PPCHN	117	7.00
30PPD	117	4.40
30PPSC	117	6.50
30\$1114	187	131.90
30S318	187	54.05
30\$434	187	69.25
30\$638	187	83.55
30\$800	187	99.75
30S958	187	116.65
30SC	111,115	4.75
3200P2	40	3.59
3242 (Group 1)	13	18.05
3242 (Group 3)	13	20.80
3253 (Group 1)	13	22.20
3253 (Group 3)	13	29.70
3253CL	16	16.85
3253CT	22	38.90
32CC	40	3.93
32CW	109	8.90
32HP	113	21.15
3343 (Group 1)	13	18.75
3343 (Group 3)	13	24.95
33CLRCW	110	12.25
33CLRHP	114	27.40

CODE	PAGE	PRICE
34CW	109	12.25
34HP	113	27.40
34PP	117	8.00
350LCD	146	225.00
35CLRCW	110	14.30
35CLRHP	114	37.25
35CW	31	2.25
36CF	118	43.25
36CW	109	14.30
36E1	194	17.65
36E2	195	15.90
36E4	195	22.85
36E5	195	17.65
36HP	113	37.25
36PP	117	9.25
36\$1058	188	127.65
36S1114	188	131.90
36S1214	188	144.60
36S318	188	54.05
36S418	188	58.30
36S434	188	69.25
		75.20
36S534	188	
36S638	188	83.55
36S738	188	92.90
36S800	188	99.75
<u>36S900</u>	188	110.75
36S958	188	116.65
3753 (Group 1)	13	25.30
3753 (Group 3)	13	33.05
3753CL		Discontinued
3853 (Group 1)	13	25.10
3853 (Group 3)	13	33.05
38CW	109	18.30
400DIV	161	75.00
400MCCW	120	20.50
400STP	153	15.00
40CWC	111	6.25
40CWCH	111	6.25
40CWCHN	111	6.25
40CWD	109	5.55
40HPC	115	12.00
40HPCH	115	12.90
40HPCHN	115	13.10
40HPD	113	11.30
40PPCH	117	5.55
40PPD	117	3.70
40PPSC	117	5.25
40SC	111,115	4.25
415CBP	208	8.00
	109	9.00
42CW		
	113	18.30
42CW 42HP 44CW		
42HP	113 109	18.30 10.60 22.60
42HP 44CW	113	10.60

CODE	PAGE	PRICE
46 (Group 1)	11	4.85
46 (Group 3)	11	6.75
46CW	109	12.25
46HP	113	28.95
46PP	117	8.00
49E1	194	17.65
49E2	195	15.90
4981114	188	136.95
49S318	188	54.90
49\$434	188	70.95
49S638	188	85.40
49\$800	188	99.75
49\$958	188	118.35
4FBRTT	126	1,335.00
4SFSCW	96	13.05
4SFSP	97	8.65
4SFSPP	97	9.20
500CW	41	1.55
500LCD	146	265.00
500LCDCVR	146	
		130.00
500P	40	0.97
500P2	40	1.04
50CW	31	3.25
50MCCW	120	12.20
5412CBP	134,148	9.55
55CWNR	31	2.75
57 (Group 1)	11	5.25
57 (Group 3)	11	7.35
5FBRTT	126	1,470.00
5UBR		Discontinued
60CFC	118	6.50
60CW	31	3.25
60CWC	111	4.90
60CWCH	111	5.40
60CWCHN	111	5.40
60CWD	109	2.95
60CWGL	111,115	14.90
60CWL	111	7.20
60CWLN	111	7.20
60HPC	115	10.45
60HPCH	115	10.45
60HPCHN	115	10.45
60HPD	113	5.80
60HPL	115	14.25
60HPLN	115	14.25
60PPCH	117	4.80
60PPCHN	117	5.25
60PPD	117	2.45
60PPSC	117	4.80
60SC	111,115	3.25
62CW	109	6.55
62HP	113	14.30
6302MT	18	30.75
630MT	18	19.60
63CLRCW	110	7.40

CODE	PAGE	PRICE
63CLRHP	114	17.25
64CW	109	7.40
64HP	113	17.25
64PP	117	5.15
650WS	137	66.00
65CLRCW	110	9.90
65CLRHP	114	20.95
65CWNR	31	3.25
66CF	118	29.45
66CW	109	9.90
66HP	113	20.95
66PP	117	6.75
68VS	32	10.80
6F	50	11.65
6FBRTT	126	1,590.00
6RS6	134	142.00
6SFSCW	96	16.90
6SFSP	97	10.75
6SFSPP	97	11.40
6TGS	54	2.50
6UBR	04	Discontinued
725CWNR	31	4.45
730SR	137	105.00
730STP	133	26.00
730STF 730WS	137	46.00
75CW	31	40.00
800CW	41	1.90
800P	40	1.17
800P2	40	1.26
806CW	33	9.75
810 (Group 1)	11	11.55
810 (Group 3)	11	14.95
825CWNR	31	5.20
8262MT	18	25.20
826MT	18	16.05
8302MT	18	33.85
830MT	18	22.15
850CW	41	4.85
853FCP	28	5.45
853FCPC	28	2.90
853FCW	28	11.35
853FCWC	28	6.00
853FH	28	18.05
853FHC	28	10.40
85SFVS	32	12.75
86VS	32	11.95
8F	50	13.55
8FB434	192	43.10
8FBNH434	192	25.35
8HC258	190,194	26.20
8HC414	190	43.45
8HE1	195	13.80
8HE2	195	12.40
UIILL		
8HS1114	189	104.70

PRICE	CODE	PAGE	PRICE
17.25	8HS434	189	53.20
7.40	8HS638	189	64.25
17.25	8HS800	189	77.70
5.15	8HS958	189	91.30
66.00	8RS8	134	158.00
9.90	8SFSCW	96	19.85
20.95	8SFSP	97	12.75
3.25	8SFSPP	97	13.50
29.45	900 (Group 1)	12	11.70
9.90	900 (Group 3)	12	14.85
20.95	900CT	22	18.75
6.75	900CW	33	9.85
10.80	900P	40	1.97
11.65	900P2	40	2.15
590.00	9011CW	33	11.70
142.00	9013CW	33	11.70
16.90	901CW	33	10.50
10.75	905CW	33	10.80
11.40	909CW	33	10.75
2.50	90CWC	111	5.50
ntinued	90CWCN	111	5.50
4.45	90CWD	109	2.25
105.00	90HPC	115	7.20
26.00	90HPD	113	4.30
46.00	90PPC	117	4.15
4.25	90PPD	117	1.70
1.90	90PPSC	117	4.15
1.17	90SC	111,115	2.90
1.26	90SPCW	31	7.35
9.75	9113CP	27	6.80
11.55	9113CW	27	16.05
14.95	9114CP	27	6.80
5.20	9114CW	27	16.75
25.20	911CPC	27	3.70
16.05	911CWC	27	11.35
33.85	911VS	32	13.15
22.15	912CBP	208	10.85
4.85	913MT	18	17.15
5.45	913VS	32	12.75
2.90	915 (Group 1)	11	16.45
11.35	915 (Group 3)	11	19.05
6.00	915CP	25	6.55
18.05	915CW	25	12.05
10.40	918MT	18	18.60
12.75	91VS	32	12.75
11.95	926 (Group 1)	11	21.50
13.55	926 (Group 3)	11	27.80
43.10	92615MT	18	20.65
25.35	926MT	18	20.70
26.20	92CW	109	6.65
43.45	92HP	113	10.80
13.80	93CW	31	7.30
12.40	94CW	109	8.10
104.70	94HP	113	12.65
38.90	94PP	117	5.80
	-	1 80	0.833.3003
		2.00	

CODE	PAGE	PRICE
950CW	41	2.20
950P	40	1.36
950P2	40	1.48
95VS	32	12.75
96CW	31	4.25
96SKRC	55	5.70
96SKRD	55	5.70
96SKRF	55	5.70
96SKRLC	55	0.95
96SKRLD	55	0.95
96SKRLF	55	0.95
	55	
96SKRLM		0.95
96SKRLP	55	0.95
96SKRM	55	5.70
96SKRP	55	5.70
978SFVS	32	13.00
99SMVS	32	12.75
99VS	32	12.75
9CWNR	31	5.00
9E1	194	15.50
9E2	194	14.60
9RS9	134	173.00
9S1114	186	131.90
9S318	186	51.60
9S434	186	67.30
9S638	186	80.35
9\$800	186	97.70
9S958	186	113.25
9TGS	54	3.90
ADCS	205	1,285.00
BAR540	141	2,445.00
BAR540DS	141	3,130.00
BAR54SR	137	72.00
BAR650	141	4,775.00
BAR650CP	141	7,110.00
BAR650DS	141	6,500.00
BAR650DSCP	141	9,225.00
BAR650DSDX	140	10,640.00
BAR650DSPM	140	14,550.00
BAR650DSPMT	140	16,420.00
BAR650DSPMT2	140	16,530.00
BAR650DX	140	8,780.00
BAR650PM	140	13,175.00
BAR650PMT	140	14,455.00
BAR650PMT220		
	140	14,890.00
BAR730	139	5,590.00
BAR730CP	139	8,065.00
BAR730DS	139	7,585.00
BAR730DSCP	139	11,465.00
BAR730DSDX	138	12,595.00
BAR730DSPM	138	15,995.00
BAR730DSPMT	138	18,035.00
BAR730DSPMT2	138	18,150.00
BAR730DX	138	9,370.00
BAR730PM	138	14,150.00

CODE	PAGE	PRICE
BAR730PMT	138	15,485.00
BAR730PMT220	138	15,600.00
BBR480	126	760.00
BBR720	126	905.00
BC1115SH	210	75.00
BC11TC		
	210	85.00
BC225	210	560.00
BC2254S	210	580.00
BC230	210	710.00
BC2304S	210	720.00
BC235	210	770.00
BC2354S	210	780.00
BC330	210	765.00
BC3304S	210	775.00
BC331KD	209	196.00
BC331KDSH	209	46.00
BC331KDTC	209	80.00
BC340KD	209	292.00
BC340KDP	209	80.00
BCT1014	24	9.95
BR258	191,194	33.70
BR414	191	49.05
BR578	178,191	62.90
BR712	191	77.20
BSB10	50	11.95
BSB12	50	15.40
BSB18	50	32.45
BUF48	126	410.00
BUF72	126	475.00
BV6CW	43	3.50
BWB16CW	35	11.55
BWM10CW	35	11.10
BWP14CW	35	12.05
BWW10CW	35	8.75
CB1220		42.00
	130,131,133,170	
CC32	119	580.00
CCP12	52	9.45
CCP15	52	14.80
CCP27	52	15.75
CCPL12	52	1.35
CCPL27	52	1.40
CD100	153	305.00
CD100H	153	490.00
CD100HB	153	595.00
CD1313	202	255.00
CD1327	202	275.00
CD1420	153, 202	275.00
CD160	153	305.00
CD1826H	153,201	510.00
CD1826HB	153,201	635.00
CD1826MTC	153,158	555.00
CD1826MTCHB	153,158	700.00
CD1826PDB	91	340.00
CD2020	201	280.00
CD2020H	201	440.00

CODE	PAGE	PRICE
CD2020HB	201	570.00
CD2028	202	290.00
CD300	153	305.00
CD300H	153	480.00
CD300HB	153	570.00
CD400	153	335.00
CDR2020	198,201	170.00
CDR2020H	198,201	275.00
CFPFRC10	118	37.50
CFPMRC10	118	37.85
CFPSRC10	118	15.90
CFR18	118	31.95
		<del></del> -
CFRC18	118	17.80
CFRSC18	118	5.30
CHPEL80	177	9,500.00
CHPL100	177	9,500.00
CJ80CW	55	8.25
CL900P	37,179	97.75
CL950P	37,179	71.30
CLLT10	37,179	89.25
CLLT12	37,179	97.75
CLLT6	37,179	110.25
CLNT10	37,179	89.25
CLNT12	37,179	97.75
CLNT20		Discontinued
CLNT5	37,179	110.25
CLNT8	37,179	69.60
CLRSB16	178	260.00
CLRSB9	178	158.50
CLRSM8B5	178	119.00
CLRWSR36	178	24.90
CLSB16	179	110.00
CLSB9	179	81.90
CLSM8B5	179	97.65
CLSRB5	42,179	146.45
CLSSM8B5	179	81.90
CMB1826	173	Discontinued
CMB1826L	155	3,185.00
CMB1826LSP	155	3,475.00
	155	
CMB1826SP	170	Discontinued
CMBH1826LC	170	6,020.00
CMBH1826LF	170	6,020.00
CMBH1826LTR	170	6,305.00
CMBH1826TBC	170	9,405.00
CMBH1826TBF	170	9,405.00
CMBH1826TSC	170	9,405.00
CMBH1826TSF	170	9,405.00
CMBH1826TTR	170	9,925.00
CMBHC1826LC	170	12,345.00
CMBHC1826LF	170	12,345.00
CMBHC1826LTR	170	12,670.00
CMBHC1826TBC	170	17,340.00
CMBHC1826TBF	170	17,340.00
CMBHC1826TSC	170	17,340.00
CMBHC1826TSF	170	17,340.00
		27,310.00

USA / General Information

215

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE
CMBHC1826TTR	170	17,895.00	CRPH1656	193	109.25	CS2436SK	64	112.35
CMBP	157	5,450.00	CRPHDG2878	178,191,195	25.85	CS2436VK	64	104.75
СМВРН	167	7,775.00	CRPHG1656	195	28.05	CS2442SK	64	130.05
CMBPH2	167	7,775.00	CS1424SK	64	65.20	CS2442VK	64	122.25
CMBPH2HD	167	7,915.00	CS1424VK	64	63.60	CS2448SK	64	142.50
CMBPHD	157	5,590.00	CS1430SK	64	80.95	CS2448VK	64	133.85
CMBPHDR7	157,167	500.00	CS1430VK	64	79.05	CS2454SK	64	160.45
CMBPHHD	167	7,915.00	CS1436SK	64	89.95	CS2454VK	64	150.20
CMBPHSP	167	8,295.00	CS1436VK	64	87.60	CS2460SK	64	173.95
CMBPHSPHD	167	8,435.00	CS1442SK	64	103.60	CS2460VK	64	162.30
CMBPR1	157,167	78.00	CS1442VK	64	100.30	CS2472SK	64	203.95
CMBPSP	157	5,970.00	CS1448SK	64	114.20	CS2472VK	64	191.15
CMBPSPHD	157	6,110.00	CS1448VK	64	111.10	CSA41366	66	514.65
CMBPTH	167	6,675.00	CS1454SK	64	127.75	CSA41367	66	516.90
CMBPTH2	167	6,675.00	CS1454VK	64	123.65	CSA41426	66	593.45
CMBPTH2HD	167	6,815.00	CS1460SK	64	137.80	CSA41427	66	595.70
CMBPTHHD	167	6,815.00	<u>CS1460VK</u>	64	132.65	CSA41486	66	623.25
CMBR	170	55.00	CS1472SK	64	161.65	CSA41487	66	625.50
CP12	52	8.25	CS1472VK	64	155.80	CSA41546	66	701.65
CP1210	130,133,161	67.00	<u>CS1824SK</u>	64	68.45	CSA41547	66	703.90
CP1220	130,133,148,161	130.00	<u>CS1824VK</u>	64	65.25	CSA41606	66	755.45
CP15	52	10.25	<u>CS1830SK</u>	64	84.20	CSA41607	66	757.70
CP27	52	11.70	CS1830VK	64	80.70	CSA44366	67	530.65
CP814	130,133,161	67.00	<u>CS1836SK</u>	64	93.60	CSA44367	67	533.15
CPB1220	125	185.00	CS1836VK	64	89.40	CSA44426	67	600.65
CPH3	125	65.00	CS1842SK	64	112.05	CSA44427	67	603.15
CPL12	52	1.40	CS1842VK	64	106.70	CSA44486	67	647.05
CPL27	52	1.45	CS1848SK	64	118.10	CSA44487	67	649.55
CR12	203	285.00	CS1848VK	64	112.95	CSA44546	67	712.45
CRP12910	193	140.80	CS1854SK	64	136.60	CSA44547	67	714.95
CRP12911	193	180.05	CS1854VK	64	130.15	CSA44606	67	760.85
CRP141012	193	195.80	CS1860SK	64	149.60	CSA44607	67	763.35
CRP181112	193	203.45	CS1860VK	64	141.95	CSA48366	65	465.65
CRP191011	193	180.05	CS1872SK	64	173.55	CSA48367	65	468.05
CRP2046	193	137.45	CS1872VK	64	165.00	CSA48426	65	534.85
CRP20910	193	159.90	CS2124SK	64	76.10	CSA48427	65	537.25
CRP2878	193	137.45	CS2124VK	64	73.10	CSA48486	65	559.85
CRP3067 CRP4467	193	137.45	CS2130SK	64	95.25	CSA48487	65	562.25
CRP4856	193 193	148.50 137.45	CS2130VK CS2136SK	64	90.60	CSA48546 CSA48547	65 65	628.65 631.05
CRP6345	193	137.45	CS2136VK	64	100.45	CSA48606	65	675.85
CRP9911	193	180.05	CS2142SK	64	126.50	CSA48607	65	678.25
CRPG12910	195	20.35	CS21423K CS2142VK	64	120.65	CSA46607 CSA51366	66	615.60
CRPG12911	195	24.65	CS2142VK CS2148SK	64	136.10	CSA51367	66	617.85
CRPG141012	195	25.50	CS21463K CS2148VK	64	128.10	CSA51307 CSA51426	66	714.10
CRPG181112	195	28.70		64	156.05	CSA51427	66	714.10
CRPG191011	195	26.85	CS2154SK	64	147.70	CSA51427 CSA51486	66	751.35
CRPG2046	195	35.05	CS2154VK CS2160SK	64	169.90	CSA51487	66	751.55
CRPG20910	195	28.35	CS2160VK	64	161.15	CSA51467 CSA51546	66	849.35
CRPG2878 CRPG3067	195 195	24.35 29.70	CS2172SK CS2172VK	64 64	199.15 187.95	CSA51547 CSA51606	66	851.60 916.60
CRPG4467	195	34.30	CS2424SK	64	81.00	CSA51606 CSA51607	66	918.85
CRPG4467 CRPG4856	195	35.05	CS24245K CS2424VK	64	74.80	CSA51607 CSA54366	67	635.40
CRPG6345	195	35.05	CS2424VK CS2430SK	64	100.05	CSA54367	67	637.90
CRPG9911	195	24.65	CS2430VK	64	93.10	CSA54367 CSA54368PKG	68	655.00
OW MANTI	100	24.03	03243011	UH	33.10	บอกอสอบอเ Nu	UO	000.00

www.cambro.com 1.800.833.3003

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE
CSA54426	67	722.90	CSFT722	71	50.10	CSU41606	66	866.30
CSA54427	67	725.40	CSHDC	73	42.00	CSU41607	66	870.80
CSA54428PKG	68	742.50	CSHDDB	73,88	10.70	CSU44366	67	642.30
CSA54486	67	780.90	CSHDTK10	73	620.00	CSU44367	67	647.30
CSA54487	67	783.40	CSHDTK12	73	715.00	CSU44426	67	712.30
CSA54488PKG	68	800.50	CSHDTK145	73	805.00	CSU44427	67	717.30
CSA54546	67	862.65	CSID	63,81	2.25	CSU44486	67	758.70
CSA54547	67	865.15	CSID3	63,81	2.25	CSU44487	67	763.70
CSA54548PKG	68	882.25	CSPDC5	180	758.00	CSU44546	67	824.10
CSA54606	67	923.15	CSPK1432	63	69.25	CSU44547	67	829.10
CSA54607	67	925.65	CSPK1456	63	94.60	CSU44606	67	872.50
CSA54608PKG	68	942.75	CSPK1464	63	103.20	CSU44607	67	877.50
CSA58366	65	555.05	CSPK1472	63	105.65	CSU48366	65	573.70
CSA58367	65	557.45	CSPK1484	63	122.70	CSU48367	65	578.50
CSA58426	65	641.55	CSPK1832	63	74.10	CSU48426	65	642.90
CSA58427	65	643.95	CSPK1856	63	99.45	CSU48427	65	647.70
CSA58486	65	672.80	CSPK1864	63	108.05	CSU48486	65	667.90
CSA58487	65	675.20	CSPK1872	63	110.45	CSU48487	65	672.70
CSA58546	65	758.80	CSPK1884	63	127.65	CSU48546	65	736.70
CSA58547	65	761.20	CSPK2132	63	76.90	CSU48547	65	741.50
CSA58606	65	817.80	CSPK2156	63	102.30	CSU48606	65	783.90
CSA58607	65	820.20	CSPK2164	63	110.85	CSU48607	65	788.70
CSCC	63	5.40	CSPK2172	63	113.10	CSU51366	66	726.45
CSCR	69	40.25	CSPK2184	63	130.25	CSU51367	66	730.95
CSCS	69	40.25	CSPK2432	63	77.75	CSU51426	66	824.95
CSCSL	69	56.00	CSPK2456	63	103.10	CSU51427	66	829.45
CSCTL	69	68.00	CSPK2464	63	111.65	CSU51486	66	862.20
CSDBA	74	5.50	CSPK2472	63	114.15	CSU51487	66	866.70
CSDBS	74	5.50	CSPK2484	63	131.25	CSU51546	66	960.20
CSDC	180	136.00	CSPRK1835	69	76.60	CSU51547	66	964.70
CSDDCPKG480	180	2,166.40	CSPRK1859	69	103.40	CSU51606	66	1,027.45
CSDS14	63	69.05	CSPRK1867	69	112.40	CSU51607	66	1,031.95
CSDS18	63	71.30	CSPRK1875	69	114.80	CSU54366	67	747.05
CSDS21	63	73.10	CSPRK2135	69	79.30	CSU54367	67	752.05
CSDS24	63	74.95	CSPRK2159	69	106.15	CSU54368PKG	68	786.25
CSEQ3	63,81	33.00	CSPRK2167	69	115.05	CSU54426	67	834.55
CSFE14	71	19.75	CSPRK2175	69	117.50	CSU54427	67	839.55
CSFE18	71	21.35	CSPRK2435	69	80.25	CSU54428PKG	68	873.75
CSFE21	71	22.55	CSPRK2459	69	107.00	CSU54486	67	892.55
CSFE24	71	23.80	CSPRK2467	69	115.90	CSU54487	67	897.55
CSFT241	71	19.80	CSPRK2475	69	118.40	CSU54488PKG	68	931.75
CSFT242	71	26.10	CSR3	146	465.00	CSU54546	67	974.30
CSFT301	71	21.10	CSR5	146	485.00	CSU54547	67	979.30
CSFT302	71	28.70	CSRDB	69	9.30	CSU54548PKG	68	1,013.50
CSFT361	71	22.40	CSSB	69	45.40	CSU54606	67	1,034.80
CSFT362	71	31.35	CSSC2448	74	640.00	CSU54607	67	1,039.80
CSFT421	71	23.80	CSTSR	74	287.00	CSU54608PKG	68	1,074.00
CSFT422	71	34.95	CSU41366	66	625.50	CSU58366	65	663.10
CSFT481	71	25.85	CSU41367	66	630.00	CSU58367	65	667.90
CSFT482	71	37.65	CSU41426	66	704.30	CSU58426	65	749.60
CSFT541	71	27.90	CSU41427	66	708.80	CSU58427	65	754.40
CSFT542	71	41.20	CSU41486	66	734.10	CSU58486	65	780.85
CSFT601	71	29.20	CSU41487	66	738.60	CSU58487	65	785.65
CSFT602	71	43.80	CSU41546	66	812.50	CSU58546	65	866.85
CSFT721	71	32.60	CSU41547	66	817.00	CSU58547	65	871.65

1.800.833.3003 USA / General Information

CODE	PAGE	PRICE
CSU58606	65	925.85
CSU58607	65	930.65
CSUHD44367	73	815.30
CSUHD44367S	73	845.70
CSUHD44427	73	885.30
CSUHD44427S	73	916.50
CSUHD44486	73	926.70
CSUHD44486S	73	961.30
CSUHD44487	73	931.70
CSUHD44487S	73	966.30
CSUR41366	70	881.90
CSUR41367	70	886.80
CSUR41426	70	960.70
CSUR41427	70	965.60
CSUR41486	70	990.50
CSUR41487	70	995.40
CSUR44366	71	898.80
CSUR44367	71	903.80
CSUR44426	71	968.80
CSUR44427	71	973.80
CSUR44486	71	1,015.20
CSUR44487	71	1,020.20
CSUR48366	70	830.40
	70	
CSUR48367		835.20
CSUR48426	70	899.60
CSUR48427	70	904.40
CSUR48486	70	924.60
CSUR48487	70	929.40
CSUR51366	70	982.85
CSUR51367	70	987.75
CSUR51426	70	1,081.35
CSUR51427	70	1,086.25
CSUR51486	70	1,118.60
CSUR51487	70	1,123.50
CSUR54366	71	1,003.55
CSUR54367	71	1,008.55
CSUR54426	71	1,091.05
CSUR54427	71	1,096.05
CSUR54486	71	1,149.05
CSUR54487	71	1,154.05
CSUR58366	70	919.80
CSUR58367	70	924.60
CSUR58426	70	1,006.30
CSUR58427	70	1,011.10
CSUR58486	70	1,037.55
CSUR58487	70	1,042.35
CSURS41366	70	805.20
CSURS41367	70	810.10
CSURS41426	70	884.00
CSURS41427	70	888.90
CSURS41427 CSURS41486	70	
		913.80
CSURS41487	70	918.70
CSURS44366	71	821.90
CSURS44367	71	827.10
CSURS44426	71	891.90

CODE	PAGE	PRICE
CSURS44427	71	897.10
CSURS44486	71	938.30
CSURS44487	71	943.50
CSURS48366	70	753.70
CSURS48367	70	758.50
CSURS48426	70	822.90
CSURS48427	70	827.70
CSURS48486	70	847.90
CSURS48487	70	852.70
CSURS51366	70	906.15
CSURS51367	70	911.05
CSURS51426	70	1,004.65
CSURS51427	70	1,009.55
CSURS51486	70	1,041.90
CSURS51487	70	1,046.80
CSURS54366	71	926.65
CSURS54367	71	931.85
CSURS54426	71	1,014.15
CSURS54427	71	1,019.35
CSURS54486	71	1,072.15
CSURS54487	71	1,077.35
CSURS58366	70	843.10
CSURS58367	70	847.90
CSURS58426	70	929.60
CSURS58427	70	934.40
CSURS58486	70	960.85
CSURS58487	70	965.65
CSWF	63,81	25.00
CSWS1436SK	75	145.15
CSWS1436VK	75	145.15
CSWS1448SK	75	166.65
CSWS1448VK	75	166.65
CSWS1836SK	75	166.65
CSWS1848SK	75	182.75
CSWS36EK	75	205.00
CSWS48EK	75	305.00
CVC55	132	3,495.00
CVC72	132	5,830.00
CVC724	132	5,830.00
D12	39	1.49
D14	39	1.84
D16	39	1.89
D24	39	2.45
D8	39	1.41
DB18263CW	91	49.25
DB18263P	91	39.40
DB18266CW	91	66.20
DBC1826CW	91	35.90
DBC1826P	91	26.50
DC10	46	15.00
DC10 DC1225	207	1,075.00
DC1225 DC5		
DC575	46	1 010 00
-	207	1,010.00
DC700 DC825	207	1,010.00
DC023	207	1,010.00

CODE	PAGE	PRICE
DCC10	46	10.65
DCC5	46	7.65
DCS1125	207	1,055.00
DCS950	207	1,010.00
DD1220BECW	51	79.65
DD1220CW	51	51.75
DD1220ECW	51	65.40
DD1220SCW	51	65.40
DD1826CW	51	72.60
DG3CW	35	2.35
DIV12	125,133,150,153	4.00
DIV20	125	9.55
DP15	46	12.85
DRC2020	178	55.55
DRLNK	89	2.40
DRS30	89	220.00
DRS300	89	220.00
DRS36	89	240.00
DRS360	89	240.00
DRS48	89	290.00
DRS480	89	290.00
DRS60	89	330.00
DRS600	89	330.00
DSPR6	42	45.35
DT1220CW	51	20.85
E3	178,195	12.45
EA183664	85	358.10
EA183672	85 85	359.95
EA184264	85	411.70
EA184272	85 85	413.55
EA184864	85 85	431.10
EA184872	85	432.95 484.30
EA185464	85	
EA185472	85	486.15
EA186064	85	520.90
EA186072	85	522.75
EA213664	85	396.20
EA213672	85	397.95
EA214264	85	456.80
EA214272	85	458.55
EA214864	85	480.00
EA214872	85	481.75
EA215464	85	540.80
EA215472	85	542.55
EA216064	85	582.40
EA216072	85	584.15
EA243664	85	408.45
EA243672	85	410.30
EA243684PKG	85	423.20
EA244264	85	462.65
EA244272	85	464.50
EA244284PKG	85	477.40
EA244864	85	498.25
EA244872	85	500.10
EA244884PKG	85	513.00

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE
EA245464	85	549.05	EMU183678	87	659.30	ESK1448V	83	86.00
EA245472	85	550.90	EMU183678P	87	675.30	ESK1454S	82	98.90
EA245484PKG	85	563.80	EMU184270	87	709.20	ESK1454V	83	95.75
EA246064	85	586.65	EMU184270P	87	725.20	ESK1460S	82	106.65
EA246072	85	588.50	EMU184278	87	712.90	ESK1460V	83	102.70
EA246084PKG	85	601.40	EMU184278P	87	728.90	ESK1472S	82	125.15
ECC	81	5.80	EMU184870	87	728.60	ESK1472V	83	120.55
EDBA	88	4.40	EMU184870P	87	744.60	ESK1478S	82	134.35
EDBS	88	4.40	EMU184878	87	732.30	ESK1478V	83	129.50
EDS14	81	49.50	EMU184878P	87	748.30	ESK1830S	82	61.95
EDS18	81	51.10	EMU213670	87	695.50	ESK1830V	83	59.35
EDS21	81	52.45	EMU213670P	87	711.50	ESK1836S	82	72.45
EDS24	81	53.70	EMU213678	87	699.00	ESK1836V	83	69.20
EMPK1870	86	84.40	EMU213678P	87	715.00	ESK1836V4	83	276.80
EMPK1878	86	86.25	EMU214270	87	756.30	ESK1842S	82	86.75
EMPK2170	86	86.45	EMU214270P	87	772.30	ESK1842V	83	82.60
EMPK2178	86	88.20	EMU214278	87	759.80	ESK1848S	82	91.35
EMPK2470	86	87.15	EMU214278P	87	775.80	ESK1848V	83	87.45
EMPK2478	86	89.00	EMU214870	87	779.50	ESK1848V4	83	349.80
EMSC	88	45.00	EMU214870P	87	795.50	ESK1854S	82	105.75
EMSCB	88	47.00	EMU214878	87	783.00	ESK1854V	83	100.75
EMSCBP	88	55.00	EMU214878P	87	799.00	ESK1860S	82	115.80
EMSCP	88	45.00	EMU243670	87	708.70	ESK1860V	83	109.90
EMSK1836S	86	78.95	EMU243670P	87	724.70	ESK1860V4	83	439.60
EMSK1836V	86	75.70	EMU243678	87	712.40	ESK1872S	82	134.35
EMSK1842S	86	93.20	EMU243678P	87	728.40	ESK1872V	83	127.75
EMSK1842V	86	89.10	EMU244270	87	762.90	ESK1878S	82	143.70
EMSK1848S	86	97.85	EMU244270P	87	778.90	ESK1878V	83	136.75
EMSK1848V	86	93.95	EMU244278	87	766.60	ESK2130S	82	70.40
EMSK1854S	86	112.20	EMU244278P	87	782.60	ESK2130V	83	66.75
EMSK1854V	86	107.20	EMU244870	87	798.50	ESK2136S	82	82.45
EMSK1860S	86	122.30	EMU244870P	87	814.50	ESK2136V	83	78.20
EMSK1860V	86	116.40	EMU244878	87	802.20	ESK2142S	82	97.90
EMSK2136S	86	88.95	EMU244878P	87	818.20	ESK2142V	83	93.35
EMSK2136V	86	84.65	EPK1464	81	77.70	ESK2148S	82	105.35
EMSK2142S	86	104.40	EPK1472	81	79.45	ESK2148V	83	99.15
EMSK2142V	86	99.85	EPK1484	81	92.35	ESK2154S	82	120.80
EMSK2148S	86	111.85	EPK1864	81	81.30	ESK2154V	83	114.35
EMSK2148V	86	105.65	EPK1872	81	83.15	ESK2160S	82	131.55
EMSK2154S	86	127.30	EPK1884	81	96.10	ESK2160V	83	124.75
EMSK2154V	86	120.80	EPK2164	81	83.40	ESK2172S	82	154.15
EMSK2160S	86	138.00	EPK2172	81	85.15	ESK2172V	83	145.50
EMSK2160V	86	131.20	EPK2184	81	98.05	ESK2178S	82	165.40
EMSK2436S	86	93.40	EPK2464	81	84.05	ESK2178V	83	155.90
EMSK2436V	86	87.60	EPK2472	81	85.90	ESK2430S	82	75.10
EMSK2442S	86	107.15	EPK2484	81	98.80	ESK2430V	83	71.15
EMSK2442V	86	101.15	ES28	131	1,255.00	ESK2436S	82	86.95
EMSK2448S	86	116.80	ES28RL	131	1,675.00	ESK2436V	83	81.10
EMSK2448V	86	110.05	ESK1430S	82	60.25	ESK2436V4	83	324.40
EMSK2454S	86	130.70	ESK1430V	83	59.05	ESK2442S	82	100.70
EMSK2454V	86	122.70	ESK1436S	82	69.65	ESK2442V	83	94.65
EMSK2460S	86	141.15	ESK1436V	83	67.85	ESK2448S	82	110.30
EMSK2460V	86	132.15	ESK1442S	82	80.20	ESK2448V	83	103.55
EMU183670	87	655.60	ESK1442V	83	77.65	ESK2448V4	83	414.20
EMU183670P	87	671.60	ESK1448S	82	88.45	ESK2454S	82 Conoral Inform	124.20

1.800.833.3003 USA / General Information

CODE	PAGE	PRICE
ESK2454V	83	116.25
ESK2460S	82	134.65
ESK2460V	83	125.65
ESK2460V4	83	502.60
ESK2472S	82	157.85
ESK2472V	83	147.95
ESK2478S	82	169.50
ESK2478V	83	159.20
ESU183664	84	439.40
ESU183672	84	443.10
ESU184264	84	493.00
ESU184272	84	496.70
ESU184864	84	512.40
ESU184872	84	516.10
ESU185464	84	565.60
ESU185472	84	569.30
ESU186064	84	602.20
ESU186072	84	605.90
ESU213664	84	479.60
ESU213672	84	483.10
ESU214264	84	540.20
ESU214272	84	543.70
ESU214864	84	563.40
ESU214872	84	566.90
ESU215464	84	624.20
ESU215472	84	627.70
ESU216064	84	665.80
ESU216072	84	669.30
ESU243664	84	492.50
ESU243672	84	496.20
ESU243684PKG	84	522.00
ESU244264	84	546.70
ESU244272	84	550.40
ESU244284PKG	84	576.20
ESU244864	84	582.30
ESU244872	84	586.00
ESU244884PKG	84	611.80
ESU245464	84	633.10
ESU245472	84	636.80
ESU245484PKG	84	662.60
ESU246064	84	670.70
ESU246072	84	674.40
ESU246084PKG	84	700.20
FBR5R		Discontinued
FBR6R		Discontinued
FBRTBL		Discontinued
FR258	192	36.30
FSG480	126	360.00
FSG720	126	460.00
FWC56	192	4.40
FWC56	203	4.40
GB1200CW	35	4.90
GB850CW	35	4.15
GK2000	190	17.40
HBR258	191,194	22.85

CODE	PAGE	PRICE
HBR414	191	36.75
HBR578	191	47.35
HBR712	191	58.30
HE3	195	11.05
HFR258	192	31.30
HK39	31	29.60
HK39B	175	10.65
HK93BCW	31	15.70
HK93CW	31	28.95
HT10CW	38	2.81
HT120CW	38	2.94
HT12CW	38	2.88
HT14CW	38	3.23
HT16CW	38	3.76
HT22CW	38	4.70
HT5CW	38	2.58
HT8CW	38	2.70
HWAPR	147	250.00
HWATD	147	330.00
HYDRASTATIONPKG	147	1,116.00
IB32	119	390.00
IB36	119	400.00
IB44	119	405.00
IBS20	119	
		365.00
IBS27	119	375.00
IBS37	119	400.00
IBSF27	119	390.00
ICS100L	142	965.00
ICS100L4S	142	990.00
ICS125L	142	985.00
ICS125LB	142	1,060.00
ICS125T	142	1,050.00
ICS175L	142	1,175.00
ICS175LB	142	1,220.00
ICS175T	142	1,230.00
ICS175TB	142	1,315.00
ICS200TB	142	1,345.00
KK1200	190	16.35
KMC24	130	715.00
KSC402	131	5,170.00
KSC402220	131	5,170.00
KVC854	130	7,115.00
KVC854C	130	9,705.00
KVC854U	130	7,585.00
KVC856	130	7,303.00
KVC856C	130	9,705.00
KVC856U	130	
		7,585.00
KWS40	131	2,480.00
LCDCH	147	85.00
LCDCH10	147	125.00
LCDES	147	17.05
LD105	52	3.30
LD105A	52	4.75
LD130	52	3.70
LD130A		Discontinued

CODE	PAGE	PRICI
LD85	52	3.30
LD85A	52 125	4.75
LED54LIGHTPKG LT10	39	480.00
LT12	39	2.00
LT14	39	2.20
LT16	39	2.4.
LT22	39	3.00
LT6	39	1.84
LT8	39	2.01
MDC1411T60	183	5,735.00
MDC1411100 MDC1418S20	181	3,545.00
MDC1418T16	182	3,245.00
MDC1418T30	182	5,735.00
MDC1520S20	181	3,610.00
MDC1520320	182	3,330.00
MDC1520116 MDC1520T30	182	5,790.00
MDC1320130	148	2,390.00
MDC24F	148	2,390.00
MDC24R	148	140.00
MDSB16	178	5.85
MDSB5	178	3.00
MDSB9	178	3.00
MDSCDB9	175	95.00
MDSCDG9	176	8,500.00
MDSCDCCPKG480	180	560.00
MDSD9	175	18.55
MDSDCPKG480	180	3,100.00
MDSL9	175	8.40
MDSLD9	175	14.00
MDSM8	178	3.00
MDSP9	175	43.35
MDSPL	180	81.90
MDSPLT9	175	189.00
NT10	38	1.81
NT12	38	1.88
NT14	38	2.18
NT16	38	2.25
NT20	38	2.78
NT5	38	1.47
NT8	38	1.52
NT9	38	1.66
0ETR314	192	35.55
P320CW	34	10.70
P34CW	34	\$8.50
P480CW	34	12.90
P600CW	34	13.65
P60CW	34	15.75
P64CW	34	15.7
PC64CW	34	20.25
PE600CW	34	9.35
PL60CW	34	9.35
	43	74.40
PPR 15		
PPB15 PPB18	43	98.15

CODE	PAGE	PRICE
PR314	192	36.30
PR500	178,192	51.60
PR59314	192	36.30
PR59500	192	51.60
PS1014	24	6.20
PSB10	48	11.95
PSB12	48	15.45
PSB15	49	25.15
PSB18	49	40.05
PSB23	49	61.00
PSB6	48	3.55
PSB8	48	6.05
PT1014	23	13.15
PT1100	23	10.25
PT1216	23	14.35
PT1400	23	13.70
PT1418	23	18.15
PT1600	23	18.50
PWB22	42	26.50
PWB22	147	26.50
R1000LCD	147	100.00
R500LCD	147	90.00
RD1200CW	51	29.95
RD1220CW	51	54.75
RD1220CWH	51	77.90
RD1826CW	51	70.95
RD1826CWH	51	82.80
RD926CW	51	48.20
RFS1	101	4.15
RFS12	101	14.90
RFS12PP	101	15.85
RFS12SCPP	100	7.00
RFS18	101	18.10
RFS18PP	101	19.25
RFS1PP	101	4.30
RFS1SCPP	100	2.05
RFS2	101	4.45
RFS22	101	21.30
RFS22PP	101	22.60
RFS2PP	101	4.75
RFS2SCPP	100	3.15
RFS4	101	5.10
RFS4PP	101	5.55
RFS6	101	6.35
RFS6PP	101	6.70
RFS6SCPP	100	3.25
RFS8	101	8.30
RFS8PP	101	8.90
RFSC1	101	1.40
RFSC12	42,101	4.95
RFSC12PP	101	5.45
RFSC1PP	101	1.60
RFSC2	101	1.45
RFSC2PP	101	1.65
RFSC6	101	2.05
111 000	101	2.03

CODE	PAGE	PRICE
RFSC6PP	101	2.35
RFSCW1	100	6.65
RFSCW12	100	32.55
RFSCW18	100	44.65
RFSCW2	100	9.20
RFSCW22	100	51.40
RFSCW4	100	15.55
RFSCW6	100	18.20
RFSCW8	100	23.05
RFSCWC1	100	2.40
RFSCWC12	100	12.45
RFSCWC2	100	4.30
RFSCWC6	100	5.45
RSB1014CW	49	18.50
RSB10CW	49	16.20
RSB12CW	49	27.00
RSB1419CW	49	30.00
RSB15CW	49	34.90
RSB18CW	49	50.25
RSB23CW	49	75.70
RSB6CW	49	4.55
RSB8CW	49	8.85
RSB912CW	49	12.65
SB55	50	1.85
SB60	50	2.20
	50	4.45
SB80		
SBH15	125	65.00
SBH18	125	65.00
SCP12CW	120	7.25
SCP24CW	120	9.20
SCP64CW	120	13.10
SCP6CW	120	6.70
SFC12	97	6.25
SFC12SCPP	96	6.25
SFC2	97	3.45
SFC2SCPP	96	3.45
SFC6	97	4.30
SFC6SCPP	96	4.30
SFG1012	47	16.75
SFG1015	47	17.85
SFG1220	47	22.80
SFG820	47	19.00
SFR1012	47	16.75
SFT1010	47	15.85
SFT1212	47	17.15
SFT1515	47	19.90
SFV1015	47	17.45
SLL30	106	180.25
SPA14	53	9.70
SPASL14	53	9.70
SP010CW	53	2.85
SP011		Discontinued
SP011CW	53	3.50
SP013	53	8.65
SP013CW	53	6.00

SPOP10CW         53           SPOP11         Disconting           SPOP11CW         53           SPOP13         53           SPOP13CW         53           SRB13         42           SRB13CW         42           SRB5         42           SRB5CW         42	2.600 2.855 nued 3.500 8.655 6.000 3.400 4.455 2.255 0.000 5.000
SPOP11         Discontinuo           SPOP11CW         53           SPOP13         53           SPOP13CW         53           SRB13         42           SRB13CW         42           SRB5         42           SRB5CW         42	nued 3.50 8.65 6.00 3.40 4.45 1.85 2.25
SPOP11CW         53           SPOP13         53           SPOP13CW         53           SRB13         42           SRB13CW         42           SRB5         42           SRB5CW         42	3.50 8.65 6.00 3.40 4.45 1.85 2.25
SP0P13         53           SP0P13CW         53           SRB13         42           SRB13CW         42           SRB5         42           SRB5CW         42	8.65 6.00 3.40 4.45 1.85 2.25
SP0P13CW         53           SRB13         42           SRB13CW         42           SRB5         42           SRB5CW         42	6.00 3.40 4.45 1.85 2.25 0.00
SRB13     42       SRB13CW     42       SRB5     42       SRB5CW     42	3.40 4.45 1.85 2.25 0.00
SRB13CW         42           SRB5         42           SRB5CW         42	4.45 1.85 2.25 0.00
SRB5 42 SRB5CW 42	1.85 2.25 0.00
SRB5CW 42	2.25 0.00
	0.00
	5 00
	0.00
	5.00
	2.45
	3.90
	4.50
	3.85
	3.85
TGG9 54	4.15
<u>UC1000</u> 146 41	0.00
UC1000CVR 146 13	0.00
<u>UC250</u> 146 27	0.00
UC250CVR 146 13	0.00
UC500 146 30	5.00
UC500CVR 146 13	0.00
<u>UPC100</u> 150 42	5.00
<u>UPC101</u> 150 42	5.00
UPC1200 155 1,82	5.00
<u>UPC140</u> 150 37	5.00
<u>UPC160</u> 150 38	0.00
UPC1600 155 2,63	5.00
UPC1600HD 155 2,77	5.00
UPC1600TR 155 2,67	5.00
UPC180 150 39	0.00
UPC400 152 56	5.00
UPC400TR 152 59	0.00
UPC600 155 1,19	0.00
UPC800 155 1,40	5.00
UPC800TR 155 1,41	5.00
UPCH1600 164 5,45	5.00
UPCH16002 164 5,45	5.00
UPCH16002HD 164 5,61	0.00
UPCH1600HD 164 5,61	0.00
UPCH400 164 1,33	0.00
UPCH4002 164 1,33	0.00
UPCH800 164 3,20	5.00
UPCH8002 164 3,20	5.00
UPCHT1600 164 4,24	5.00
UPCHT16002 164 4,24	
UPCHT16002HD 164 4,40	
UPCHT1600HD 164 4,40	
UPCHT800 164 2,44	
UPCHT8002 164 2,44	
UPCHW400 164 1,52	

### Discontinued items effective 1/1/2013

## **Alpha Numerical Listing**


CODE	DACE	PRICE
CODE	PAGE	
UPCHW4002	164	1,525.00
UPCS140	150	260.00
UPCS160	150	270.00
UPCS180	150	290.00
UPCS400	152	515.00
UPCS400CK	153	135.00
UPCSS160	150	270.00
UTHSTP	153	17.00
VBR5	124	2,850.00
VBR6	124	2,970.00
VBRC	124	170.00
VBRC90	124	285.00
VBRCVR5	125	310.00
VBRCVR6	125	340.00
VBRHD5	124	3,080.00
VBRHD6	124	3,200.00
VBRL5	124	2,850.00
VBRL6	124	2,970.00
VBRLHD5	124	3,080.00
VBRLHD6	124	
		3,200.00
VBRR5	125	402.00
VBRR6	125	424.00
VBRSHTS	125	265.00
VBRT5	124	2,110.00
VBRT6	124	2,235.00
VBRTBL	125	430.00
VBRTCVR5	125	165.00
VBRTCVR6	125	180.00
VBRTHD5	124	2,340.00
VBRTHD6	124	2,465.00
VBRTL5	124	2,015.00
VBRTL6	124	2,140.00
VBRTLHD5	124	2,245.00
VBRTLHD6	124	2,370.00
VBRU5	124	3.640.00
VBRU6	124	3,885.00
VBRUHD5	124	3,870.00
VBRUHD6	124	4,115.00
VBRUT5	124	<del></del>
		2,460.00
VBRUT6	124	2,570.00
VBRUTHD5	124	2,690.00
VBRUTHD6	124	2,800.00
VBRWC	125	126.00
VCS	124	2,255.00
VCS32CNT	124	295.00
VCS32KEYT	125	59.00
VCS32R	125	330.00
VCSCNL	124	355.00
VCSCVR	125	165.00
VCSHD	124	2,485.00
VCSWR	124	2,320.00
VCSWRHD	124	2,550.00
WC100CW	43	40.95
WC100CWNH	43	23.55
WCR1220	130,133	99.00
		33.00

222

92.15 10.45
10.45
0.95
0.95
13.60
4.65
0.95
7.70

www.cambro.com 1.800.833.3003

## **Cambro Equipment Color Chart**



Black (110)



CAMBRO U.S.A.

5801 Skylab Road, Huntington Beach, CA 92647 P.O. Box 2000, Huntington Beach, CA 92647-2000

Telephone: (714) 848-1555 Toll Free: (800) 854-7631 FAX: (714) 842-3430

**Customer Service:** (800) 833-3003

© 2013 Cambro Manufacturing Company. Printed in the U.S.A.

CAT2013US All prices are in US dollars. All prices are subject to change without prior notice.



## **New from CAMBRO®**



Treadlite<sup>™</sup> Trays Page 23



1 Liter Pitcher Page 34



Yellow Food Storage Box Page 103



Versa Food Service System *Ultra Series*Page 123



Hydration Station Page 147



Combo Cart™ *Plus* Non-Electric **Page 156** 



Combo Cart™ *Plus* Electric **Page 165** 



Shoreline Collection Wheat and Meadow Page 174



Low Profile Insulatd Dome and Entree Bowl Page 175, 178